

# **DEALER** PRODUCT GUIDE

BlueDiamondAttachments.com

## 4512 ANDERSON ROAD, KNOXVILLE TN 37918 | 888-376-7027













## **ABOUT BLUE DIAMOND® ATTACHMENTS**

Blue Diamond<sup>®</sup> Attachments is a trusted and reliable company. Established in 1995, Blue Diamond<sup>®</sup> is a widely recognized name in the global attachments industry. We are committed to unparalleled customer service from the very first call to the follow-up and service.

In today's fast-paced environment, delivering quickly and on time are key to success. Blue Diamond® Attachments stocks thousands of finished products in our warehouses ready to ship. This results in a big advantage for our customers with many shipments leaving in 2–3 days. Our Tennessee facilities alone are over 250,000-square-feet situated on 32 acres. These facilities, along with streamlined processes, allow most of our orders to leave our facility within 10 days. Our parts department keeps thousands of replacement parts at the ready and strives to ship all parts orders received before noon the same day the order is placed! Tracking numbers are sent to our customer the day after the shipment leaves our dock.

We are located in Knoxville, Tennessee. This central location allows our products to reach more than half of the United States population within 2–3 days' shipping time. Our numerous loading docks allow us to load several trailers at once to ensure orders are shipped quickly. In addition, we are the only 1-day point of export to multiple foreign ports.









## **PARTS & ACCESSORIES WAREHOUSE**

Whether you have one attachment or maintain an entire fleet, having quick access to the right parts **24/7** can make the difference in keeping your attachments working properly and staying profitable or losing significant profit from downtime. When you buy genuine Blue Diamond<sup>®</sup> parts, you are buying top-quality parts and getting expert advice and assistance from our product support team.



Whether you buy parts online or through visiting your closest Blue Diamond dealer, buy with trust, buy with confidence and, buy knowing that we will take care of you and your attachment – the first time and every time.

## **ONLINE PARTS STORE**

- Parts orders received before noon EST ship the same day
- Dealer-specific registration form
- Net 30-day terms available when qualified
- 24/7 ordering
- Confirm parts visually when ordering



## DEALER FLOOR PLAN FINANCING AVAILABLE

We are excited to offer a dealer floor plan financing program through **Northpoint Commercial Finance**, featuring:

- No dealer setup fees
- 60 Day, 90 Day, or 180 Day interest-free financing

This opportunity is subject to credit approval and minimum annual commitment. Please contact a sales representative for more details.

## **RENTAL RECOMMENDED ATTACHMENTS**

More than 20 years of service in the rental industry has influenced the way we build attachments. The Rental Re**co**mmended seal helps guide our customers to attachment models that are best suited for rental use. Attachments marked with this seal are recommended for rental for any of these reasons:

- Heavy construction resists damage
- Hose routing keeps hoses out of harm's way
- · Versatile, attaches to a variety of machines
- Easy to use, minimal training is required

While these select Blue Diamond<sup>®</sup> products are recommended for rental use, any of our products may be used for rental application with careful consideration. Please contact our sales representatives with any questions.





## MAKING A DIFFERENCE THROUGH COMMUNITY ASSISTANCE

Blue Diamond<sup>®</sup> Attachments founded the BD Assist program in 2016 to help communities in need of aid due to disasters and other related situations. Blue Diamond<sup>®</sup> created a fleet of equipment and attachments that is donated to help victims of such unfortunate circumstances. This is a way we can provide assistance with cleanup and restoration efforts while giving back to the communities that support our business. If you are a non-profit organization or government agency with a need for this funded equipment program, please reach out to us to see if we have a unit available in your area (*U.S. only*).



## **BD ASSIST MISSIONS**

#### **GATLINBURG, TN WILDFIRE**

Sadly, the fires in <u>November 2016</u> claimed the lives of 14 residents, destroyed 2,500 structures, and caused millions of dollars' worth of destruction to homes, residences, and the beautiful Smoky Mountain National Park. This is exactly what the BD Assist program was designed for! In the pictures below, you can see the machine in action at the street department headquarters in the city of Gatlinburg, assisting in cleanup.





#### COOKEVILLE/LEBANON, TN TORNADO

In <u>March 2020</u>, three tornadoes hit Putnam County. One EF4 tornado hit the Cookeville and

Lebanon area killing 18 people. The destruction stretched 50 miles across 4 counties. The BD Assist team members contacted the local government



and volunteer organizations and delivered a BD Assist machine to one of the most damaged areas in Lebanon, Tennessee. The machine spent 4 months clearing debris in neighborhoods and local businesses.

#### HOUSTON, TX HURRICANE HARVEY CLEANUP

In <u>August 2017,</u> Hurricane Harvey's massive damage left a substantial amount of cleanup to do. The BD Assist machine spent



many months working in the Houston and Port Aransas areas assisting in removal of the endless amounts of debris.

#### SHINING LIGHT, KNOXVILLE, TN EQUESTRIAN CLEANUP

Having lost their previous rental land, BD Assist offered to donate a machine and land clearing attachments to the cause in <u>May 2021</u>. With 45 acres still to clear, we were proud to be involved!



#### CHATTANOOGA, TN TORNADO

On April 2020, an EF3 tornado touched down

overnight in three counties near Chattanooga, TN, causing widespread damage and killing 3 people. The tornado path



was approximately 9 miles long and 1,500 yards wide. The BD Assist team partnered with Bobcat of Chattanooga to assist in the removal of debris and clean up in these devastated counties.

#### **NEWNAN, GA TORNADO**

Newnan, GA. was struck by a tornado on <u>March 2021</u> with damage at EF4 levels or greater. Wind speeds up to 170 mph carved a path of devastation, removing roofs, uprooting trees, and damaging



businesses. Blue Diamond<sup>®</sup> was able to send our skid steer with our root grapple attachment to help clear debris and fallen trees.

#### DAWSON SPRINGS, KY TORNADO

The BD Assist Excavator unit headed out to help the community in Dawson Springs, Kentucky. We



assisted with helping their community cleanup debris from the devastating <u>December 2021</u> tornadoes.

### BREMEN, KY TORNADO

Bremen, KY suffered significant damage in the <u>December</u> <u>2021</u> tornado. BD Assist was thrilled to



contribute to their cleanup efforts with the loan of our excavator.

#### BOWLING GREEN, KY TORNADO

In <u>December 2021</u>, Eastwood Baptist Church coordinated and conducted a significant amount



of cleanup in Bowling Green following the tornadoes. BD Assist was proud to support both the city of Bowling Green and Western Kentucky University with two of our units.

#### PONCHATOULA, LA HURRICANE IDA

In <u>September 2021</u>, Hurricane Ida left parts of Louisiana and Mississippi devastated in

its wake with extensive damage and loss of life. BD Assist stepped in to lend our BD Assist machine and grapple



bucket to help with cleanup efforts.

#### WAVERLY, TN FLOODING

In <u>August 2021</u>, Waverly experienced severe flood damage after 17 inches of rain fell within

24 hours. BD Assist provided equipment to help with the cleanup work which was received with much gratitude by Humphreys County.



## MAYFIELD, KY TORNADO

One of our BD Assist skid steer with grapple units was loaned for several weeks to Hutson, Inc. in Mayfield, Kentucky to provide assistance in the



cleanup at one of our valued dealers. This dealer lost their building and equipment nearly entirely to the <u>December 2021</u> tornado.

## NORTHWEST CHURCH OF GOD, KNOXVILLE, TN CLEANUP

In <u>March 2022</u>, BD Assist provided a skid steer and grapple bucket to Northwest Church of God in Tennessee to



assist in their volunteer efforts in cleaning up private property that had become encamped by displaced people. With the help of the equipment, the volunteers filled a 20 cubic foot dumpster with garbage and cleared the land of a lot of undergrowth.

### WINTERSET, IA TORNADO

Winterset, Iowa was struck by a deadly tornado killing 7 and damaging several homes on <u>March 2022</u>. As people banded together to help their neighbors in need, an energetic team of volunteers called GoServ Global reached out for a loan of equipment from Blue Diamond Assist. We were thrilled to deliver

our newest skid steer and 2 attachments to the site within 48 hours!



## SKID STEER ATTACHMENTS

ATTACHMENTS

| 3 POINT CONVERSION ADAPTER                | 10      |
|---|---------|
| AUGER ADAPTERS                            | 10      |
| AUGER EXTENSION                           | 11      |
| AUGER BITS                                | 11-12   |
| AUGER DRIVE, EXTREME DUTY SERIES 2        | 13      |
| AUGER MOUNT, TELESCOPIC                   | 13      |
| BACKHOE                                   | 14      |
| BALE SQUEEZE, HYDRAULIC ROUND             | 14      |
| BLADE, 6-WAY DOZER                        | 15      |
| BOX SCRAPPER RIPPER                       | 15      |
| BREAKER, HYDRAULIC                        | 16      |
| BROOM, ANGLE SEVERE DUTY SERIES 2         | 17      |
| BROOM, ANGLE HEAVY DUTY SERIES 2          | 18      |
| BROOM, PICKUP SERIES 2                    | 19      |
| BROOM, PUSH, HEAVY   STANDARD DUTY        | 19      |
| BRUSH CUTTER, 84"DUAL SPINDLE             | 20      |
| BRUSH CUTTER, HEAVY DUTY                  | 20      |
| BRUSH CUTTER, EXTREME DUTY (OPEN/CLOSED   | ) 21    |
| BRUSH CUTTER, SWING ARM                   | 21      |
| BRUSH CUTTER, SEVERE DUTY SERIES 2 (OPEN) | 22      |
| BUCKET, 4-IN-1                            | 23      |
| BUCKET, DISPENSING                        | 23      |
| BUCKET, DUMPSTER                          | 24      |
| BUCKET, FRONT DUMP                        | 24      |
| BUCKET, ROCK, STANDARD   EXTREME DUTY     |         |
| BUCKET, GENERAL PURPOSE                   | 25      |
| BUCKET, LOW PROFILE, SEVERE DUTY          | 26      |
| BUCKET, TURKEY LITTER, HEAVY DUTY         | 27      |
| BUCKET, UTILITY                           |         |
| BUCKET, UTILITY, HIGH-CAPACITY            | 28      |
| BUCKET, UTILITY, HIGH-CAPACITY, HIGH-BACK | 28      |
| BUCKET, SCREENING                         | 29      |
| BUCKET, SLAB                              | 29      |
| BUCKET, STUMP                             | 29      |
| BUCKET, SNOW & MULCH                      | 29-30   |
| COLD PLANER                               | . 31-32 |
| DISC MULCHER                              | 33      |
| DRUM MULCHER                              | 33      |
| FORK, GRAPPLE, MAT   SEVERE DUTY          | 34      |
|   |         |

| FORK, NURSERY                         | 35    |
|---------------------------------------|-------|
| FORK, PALLET                          | 35-37 |
| GRAPPLE, BUCKET                       |       |
| GRAPPLE, BUCKET ROCK                  | 39    |
| GRAPPLE, RAKE                         | 40    |
| GRAPPLE, ROOT                         | 41-42 |
| HAY ACCUMULATOR                       | 43    |
| HAY SPEARS                            | 43    |
| LAND PLANE                            | 44    |
| LOG GRAPPLE                           | 44    |
| LOG SPLITTERS                         | 45    |
| MATERIAL ROLLER                       | 45    |
| MATERIAL SPREADER                     | 46    |
| MOUNT PLATE                           | 46    |
| POST DRIVER, VIBRATORY SERIES 2       | 47    |
| POWER RAKES                           | 48-50 |
| RIPPER                                | 50    |
| ROAD SAW                              | 51    |
| ROCK AND CONCRETE GRINDER             | 51    |
| ROOF TRUSS JIB                        | 52    |
| ROOT RAKE, SEVERE DUTY                | 52    |
| ROTOTILLER                            | 52    |
| SILT FENCE INSTALLER                  | 53    |
| SNOW BLADE, AUTOWING                  | 54    |
| SNOW BLADE, HD SERIES 2 MULTI-PURPOSE | 54    |
| SNOW BLADE, SD SERIES 2 MULTI-PURPOSE | 55    |
| SNOW PLOW, V-BLADE                    | 55    |
| SNOW BLOWER, EXTREME DUTY             | 56    |
| SNOW PUSHER, STANDARD/HEAVY DUTY      | 57    |
| SOD ROLLER                            | 58    |
| STUMP GRINDER                         | 59    |
| STUMP GRINDER, SWING ARM              | 59    |
| TRAILER SPOTTER                       | 60    |
| TREE BOOM                             | 60    |
| TREE GRUBBER, EXTREME DUTY            | 60    |
| TREE PULLER                           | 61    |
| TREE SHEAR                            | 61    |
| TRENCHER                              | 62-63 |
| VIBRATORY ROLLER                      | 63    |

## **EXCAVATOR ATTACHMENTS**

| AUGER DRIVE, EXTREME DUTY, SERIES 2      | 64 |
|--|----|
| BREAKER, HAMMER                          | 65 |
| BRUSH CUTTER, HEAVY DUTY, MINI           | 66 |
| BRUSH CUTTER, SEVERE DUTY, MINI          | 66 |
| BRUSH CUTTER, SEVERE DUTY SERIES 2, MINI | 67 |
| BRUSH CUTTER, EXTREME DUTY               | 67 |
| BRUSH CUTTER, SEVERE DUTY                | 68 |
| BUCKET, HEAVY DUTY                       | 69 |

| BUCKET, SCREENING               | 70 |
|---------------------------------|----|
| LOG SPLITTER                    | 70 |
| PLATE COMPACTOR                 | 71 |
| RAKE                            | 71 |
| ROCK AND CONCRETE GRINDER       | 72 |
| TREE GRUBBER                    | 73 |
| VIBRATORY POST DRIVER, SERIES 2 | 73 |

## **TRACTOR ATTACHMENTS**

| 3-POINT CONVERSION ADAPTER       | 74    |
|----------------------------------|-------|
| AUGER DRIVE, EXTREME, SERIES 2   | 75    |
| BALE SQUEEZE                     | 76    |
| BOX BLADE SCRAPER                | 76    |
| BLADE, GRADER, HD                | 77    |
| BLADE, GRADER, DUAL-EDGE         | 78    |
| BROOM, ANGLE HD SERIES 2         |       |
| BROOM, PUSH                      | 79    |
| BUCKET, DISPENSING               | 79    |
| BUCKET, ROCK                     | 80    |
| BUCKET, SNOW & MULCH             | 80    |
| BUCKET, TRACTOR                  | 80    |
| CUTTER, 4' STANDARD DUTY         |       |
| CUTTER, HD, ROUND BACK           |       |
| CUTTER, HD, DUAL SPINDLE         | 83-84 |
| CUTTER, FLEX-WING                | 85-86 |
| DISC HARROW                      |       |
| FINISHING MOWER                  | 87    |
| FLAIL MOWER, STANDARD/HEAVY DUTY |       |

| GRAPPLE, TRACTOR                              |
|---|
| HAY SPEARS90                                  |
| MOUNT PLATE90                                 |
| PALLET FORKS91                                |
| PLOW, MOLDBOARD92                             |
| POWER RAKE, HD SERIES 292                     |
| POWER RAKE, EXTREME DUTY                      |
| POWER RAKE W/3 POINT HITCH, SEVERE DUTY 93    |
| RAKE, LANDSCAPE                               |
| ROTOTILLER95                                  |
| SILT FENCE INSTALLER, 3 POINT HITCH96         |
| SNOW BLADE, AUTOWING                          |
| SNOW BLADE, HD SERIES 2 MULTI-PURPOSE         |
| SNOW BLADE, STANDARD SERIES 2 MULTI-PURPOSE98 |
| SNOW PUSHER98                                 |
| SOD ROLLER99                                  |
| TRAILER SPOTTER                               |
| TREE BOOM 100                                 |
| TREE PULLER                                   |
|   |

## A MINI ATTACHMENTS

| AUGER DRIVE 101                        |
|--|
| BACKHOE 101                            |
| BLADES 102                             |
| HYDRAULIC BREAKER, HAMMER 103          |
| BROOMS, ANGLE HD, SERIES 2 103         |
| BROOM, PICK-UP 104                     |
| BROOM, PUSH, STANDARD & HEAVY DUTY 104 |
| BROOM, PUSH, LIGHT DUTY 105            |
| BRUSH CUTTER, SERIES 2 106             |
| BUCKET, 4-IN-1 106                     |
| BUCKET, DISPENSING107                  |
| BUCKET, FRONT DUMP107                  |
| BUCKET, ROCK107                        |
| BUCKET, LOW PROFILE 108-109            |
| BUCKET, SNOW & MULCH 110               |
| BUCKET, STUMP                          |
| FORK, GRAPPLE 111                      |
| FORK, NURSERY 111                      |
| FORK, PALLET 111                       |

| FORK, HYDRAULIC PALLET            | 112 |
|-----------------------------------|-----|
| GRAPPLE, BUCKET                   | 112 |
| GRAPPLE, RAKE                     | 112 |
| GRAPPLE, ROCK BUCKET              | 113 |
| GRAPPLES, ROOT                    | 113 |
| LAND PLANE                        | 113 |
| LOG GRAPPLE                       | 114 |
| LOG SPLITTER                      | 114 |
| POST DRIVER, VIBRATORY            | 114 |
| RAKE, POWER, STANDARD DUTY        | 115 |
| RAKE, POWER, HEAVY DUTY, SERIES 2 | 115 |
| ROTOTILLER, HEAVY DUTY            | 116 |
| SNOW BLOWER                       | 117 |
| SNOW PUSHER                       | 117 |
| SOD ROLLER                        | 118 |
| STUMP GRINDER                     | 118 |
| TRAILER SPOTTER                   | 118 |
| TREE BOOM                         | 119 |
| TRENCHER                          | 119 |

## **FORKLIFT ATTACHMENTS**

| INDUSTRIAL JIB | 120 |
|----------------|-----|
| PUSH BROOM     | 121 |

WORK PLATFORM ......121

## PARTS & ACCESSORIES

INTERFACE CONVERSION ADAPTERS ......122-123

## MARKETING & PROMOTIONAL PRODUCTS

LITERATURE & PROMOTIONAL ITEMS...... 126

## **STORAGE & DISPLAY SOLUTIONS**

ATTACHMENT DISPLAY STANDS ......127

## SKID STEER ATTACHMENTS



## **3-POINT CONVERSION ADAPTER**

The Blue Diamond<sup>®</sup> 3-Point Conversion Adapter allows you to use your 3 point farm tractor attachments on your skid steer style universal mount. This adapter is great for moving and using farm implements that don't require a PTO! We have options available for both Category 1 and 2 hitches.

| PART<br>NUMBER | MODEL                                      | WEIGHT  |
|----------------|--|---------|
| 113105         | Universal to 3 Pt. Hitch Conversion, CAT 1 | 147 lbs |
| 113110         | Universal to 3 Pt. Hitch Conversion, CAT 2 | 225 lbs |

#### **FEATURES INCLUDE**

- Allows for quick hookup
- Strong adapter welded to a square tubular frame
- · Adjustable upper hook for a perfect connection
- Powder-coated and made in the USA
- Locking levers for an easy, secure attach!

## **AUGER ADAPTERS**

Our Blue Diamond<sup>®</sup> Auger Adapters allow you to mount Blue Diamond<sup>®</sup> Auger Bits on any Auger Drive unit. Select the dimensions and configurations that you need, and you'll be able to mix and match mounts and bits, giving you a full line of earth drilling and augering tools with full functionality and versatility!

- Strong and durable
- Available in 6 configurations
- · First dimension fits drive, second dimension fits bit
- Cannot be reversed
- Easy to install and remove

| PART<br>NUMBER | MODEL                            | WEIGHT |
|----------------|----------------------------------|--------|
| 205105         | 2" Hex Female To 2" 9/16 Rd Male | 20 lbs |
| 205110         | 2" Hex Female To 2" Rd Male      | 17 lbs |
| 205111         | 2" Hex Female To 2 1/2" Hex Male | 46 lbs |
| 205115         | 2" 9/16 Rd Female To 2" Hex Male | 15 lbs |
| 205120         | 2" 9/16 Rd Female To 2" Rd Male  | 13 lbs |
| 205125         | 2" Rd Female To 2" Hex Male      | 12 lbs |
| 205130         | 2" Rd Female To 2" 9/16 Rd Male  | 12 lbs |
| 205135         | 2 1/2" Hex Female To 2" Hex Male | 42 lbs |
| 205136         | 2 5/8" Hex Female To 2" Hex Male | 45 lbs |





**AUGER EXTENSIONS FIXED** 



| PART NUMBER | MODEL                         | WEIGHT  |
|-------------|-------------------------------|---------|
| 205375      | Fixed, 2" Hex 48" Long        | 58 lbs  |
| 205377      | Fixed, 2 9/16" Round 48" Long | 77 lbs  |
| 205380      | Fixed, 2" Hex 72" Long        | 84 lbs  |
| 205370      | Fixed, 2" Hex 24" Long        | 32 lbs  |
| 205365      | Fixed, 2" Hex 12" Long        | 20 lbs  |
| 205369      | Fixed, 2 9/16" Round 18" Long | 40 lbs  |
| 205371      | Fixed, 2" Round 24" Long      | 57 lbs  |
| 205382      | Fixed, 2 9/16" Round 72" Long | 110 lbs |
| 205372      | Fixed, 2 9/16" Round 24" Long | 40 lbs  |
| 205367      | Fixed, 2 9/16" Round 12" Long | 21 lbs  |
| 205373      | Fixed, 2" Round 48" Long      | 40 lbs  |

## **AUGER EXTENSIONS** VARIABLE



| PART NUMBER | MODEL                            | WEIGHT |
|-------------|----------------------------------|--------|
| 205315      | Variable, 2" Hex 24" Long        | 34 lbs |
| 205320      | Variable, 2" Hex 48" Long        | 56 lbs |
| 205325      | Variable, 2" Hex 72" Long        | 77 lbs |
| 205347      | Variable, 2 9/16" Round 72"      | 84 lbs |
| 205312      | Variable, 2 9/16" Round 12" Long | 21 lbs |
| 205317      | Variable, 2 9/16" Round 24" Long | 40 lbs |
| 205335      | Variable, 2 9/16" Round 48" Long | 74 lbs |
| 205334      | Variable, 2" Round 48" Long      | 46 lbs |
|             |                                  |        |

## **AUGER BITS HEAVY DUTY**



#### **FEATURES INCLUDE** Moderate ground conditions

- · Fabricated boring head
- Hardened bolt-on teeth; standard includes gauge teeth in outside position, wisdom teeth in inside position
- Hardened fishtail point
- Heavy duty double flighting
- 4' standard length
- 2" hex, 2 9/16" round, 2" round collars available



| PART NUMBER | MODEL                              | WEIGHT  |
|-------------|------------------------------------|---------|
| 105105      | 4" Diameter, Heavy Duty, W/2" Hex  | 37 lbs  |
| 105110      | 6" Diameter, Heavy Duty, W/2" Hex  | 45 lbs  |
| 105115      | 8" Diameter, Heavy Duty, W/2" Hex  | 76 lbs  |
| 105120      | 9" Diameter, Heavy Duty, W/2" Hex  | 85 lbs  |
| 105125      | 10" Diameter, Heavy Duty, W/2" Hex | 100 lbs |
| 105130      | 12" Diameter, Heavy Duty, W/2" Hex | 113 lbs |
| 105135      | 15" Diameter, Heavy Duty, W/2" Hex | 132 lbs |
| 105140      | 16" Diameter, Heavy Duty, W/2" Hex | 136 lbs |
| 105145      | 18" Diameter, Heavy Duty, W/2" Hex | 166 lbs |
| 105147      | 20" Diameter, Heavy Duty, W/2" Hex | 182 lbs |
| 105150      | 24" Diameter, Heavy Duty, W/2" Hex | 210 lbs |
| 105155      | 30" Diameter, Heavy Duty, W/2" Hex | 278 lbs |
| 105160      | 36" Diameter, Heavy Duty, W/2" Hex | 372 lbs |

## HEAVY DUTY WITH CAST HEAD



| PART<br>NUMBER | MODEL                             | WEIGHT  |
|----------------|-----------------------------------|---------|
| 105205         | 6" Diameter, Cast Head, W/2" Hex  | 45 lbs  |
| 105208         | 8" Diameter, Cast Head, W/2" Hex  | 90 lbs  |
| 105210         | 9" Diameter, Cast Head, W/2" Hex  | 98 lbs  |
| 105215         | 10" Diameter, Cast Head, W/2" Hex | 113 lbs |
| 105220         | 12" Diameter, Cast Head, W/2" Hex | 128 lbs |
| 105225         | 15" Diameter, Cast Head, W/2" Hex | 139 lbs |
| 105230         | 16" Diameter, Cast Head, W/2" Hex | 167 lbs |
| 105235         | 18" Diameter, Cast Head, W/2" Hex | 204 lbs |
| 105237         | 20" Diameter, Cast Head, W/2" Hex | 231 lbs |
| 105239         | 24" Diameter, Cast Head, W/2" Hex | 272 lbs |
| 105241         | 30" Diameter, Cast Head, W/2" Hex | 312 lbs |
| 105243         | 36" Diameter, Cast Head, W/2" Hex | 430 lbs |
| 105245         | 42" Diameter, Cast Head, W/2" Hex | 460 lbs |
| 105250         | 48" Diameter, Cast Head, W/2" Hex | 550 lbs |



#### FEATURES INCLUDE Difficult ground conditions

- Cast steel boring head
- Hardened drive-in teeth; standard includes gauge teeth in outside position, chisel teeth in inside position
- Hardened fishtail point
- Heavy duty double flighting
- 4' standard length; 3', 5', and 6' lengths available
- 2" hex, 2 9/16" round, and 2" round collars available

## **ROCK BITS**



| PART<br>NUMBER | MODEL                        | WEIGHT  |
|----------------|------------------------------|---------|
| 105305         | 4" Diameter, Rock, W/2" Hex  | 70 lbs  |
| 105310         | 6" Diameter, Rock, W/2" Hex  | 66 lbs  |
| 105320         | 9" Diameter, Rock, W/2" Hex  | 102 lbs |
| 105330         | 12" Diameter, Rock, W/2" Hex | 134 lbs |
| 105340         | 16" Diameter Rock, W/2" Hex  | 203 lbs |
| 105345         | 18" Diameter, Rock, W/2" Hex | 201 lbs |
| 105350         | 24" Diameter, Rock, W/2" Hex | 291 lbs |
| 105355         | 30" Diameter, Rock, W/2" Hex | 340 lbs |
| 105360         | 36" Diameter, Rock, W/2" Hex | 395 lbs |

#### FEATURES INCLUDE

#### Rock, asphalt, and frozen ground

- Solid rock and concrete
- Cast tooth pockets
- Drive-in carbide bullet teeth
- 3/4" thick boring head
- 4' standard length
- 2" hex, 2 9/16" round, and 2" round collars available



## TREE BITS



| PART<br>NUMBER | MODEL                           | WEIGHT  |
|----------------|---------------------------------|---------|
| 105405         | 18-9" Diameter, Tree, W/2" Hex  | 120 lbs |
| 105410         | 24-12" Diameter, Tree, W/2" Hex | 176 lbs |
| 105415         | 30-15" Diameter, Tree, W/2" Hex | 264 lbs |
| 105420         | 36-18" Diameter, Tree, W/2" Hex | 286 lbs |
| 105425         | 42-18" Diameter, Tree, W/2" Hex | 432 lbs |
| 105430         | 48-24" Diameter, Tree, W/2" Hex | 449 lbs |
|                |                                 |         |

#### FEATURES INCLUDE

#### Tree and shrub planting

- Fabricated boring head
- Hardened bolt-on teeth; standard includes gauge teeth in outside position, wisdom teeth in inside position
- Hardened fishtail point
- Heavy duty double flighting
- 4' standard length; 3', 5', and 6' lengths available
- 2" hex, 2 9/16" round, and 2" round collars available



Ø

## AUGER DRIVE EXTREME DUTY - SERIES 2

Blue Diamond<sup>®</sup> Extreme Duty Series 2 Auger Drive offers the ultimate in performance, quality, and cost effectiveness. Designed with high-grade materials and innovation, this design allows the gearbox to go down the hole, maximizing drilling depth while eliminating downtime. These drives are perfect for drilling and augering in most ground conditions.

| PART<br>NUMBER | MODEL                 | BEST FLOW | WEIGHT  |
|----------------|-----------------------|-----------|---------|
| 305705         | EX1, W/2" Hex Shaft   | 8-11 GPM  | 260 lbs |
| 305708         | EX2, W/2" Hex Shaft   | 12-16 GPM | 277 lbs |
| 305712         | EX3, W/2" Hex Shaft   | 17-20 GPM | 282 lbs |
| 305715         | EX4, W/2" Hex Shaft   | 19-23 GPM | 342 lbs |
| 305720         | EX4HF, W/2" Hex Shaft | 21-26 GPM | 337 lbs |

See chart on Page 64 for more information.



#### FEATURES INCLUDE

- Compact high torque
   manufactured gearbox
- 2-piece shaft design ensures maximum side load ratings
- Lifetime shaft pull-out warranty, 5-year planetary drive warranty, 3-year hydraulic motor warranty, and 1-year mount and mount components warranty

## AUGER MOUNT TELESCOPIC

Blue Diamond<sup>®</sup> Attachments' piling & drilling mounts increase your reach for added drilling depth or helical pile installation. These extension mounts use only the highest quality steel and strict quality control. These telescopic extension mounts have a retracted length of 78" and are extendable by 36".

| PART<br>NUMBER | MODEL  | WEIGHT  |
|----------------|--|---------|
| 105780         | Mount  | 359 lbs |
| 105781         | Transport Stand                                  | 255 lbs |
| 205788         | 14" Hose Set 1/2" Couplers                       | 20 lbs  |
| 205789         | 14" Hose Set 3/4" Couplers                       | 20 lbs  |
| 205790         | 14" Hose Set 1/2" Couplers w/<br>Pressure Gauges | 20 lbs  |
| 205791         | 14" Hose Set 3/4" Couplers w/<br>Pressure Gauges | 20 lbs  |

Optional Transport Stand (105781) sold separately.



- 78" Retracted Length
- Extendable by 36"
- Minimum Skid Steer ROC 1800 lbs
- Maximum Auger Drive Torque 7000 ft/lbs
- Maximum Auger Bit Weight 220 lbs
- Transport Stand Sold Separately
- Longer Hose Set required Sold Separately
- Hose sets have Pressure Gauge Option

## BACKHOE

The Blue Diamond<sup>®</sup> Backhoe is a quick and easy way to dig trenches with a skid steer. This powerful unit uses the biggest cylinder in the industry with the largest bucket capacity. The linkage geometry gives exceptional bucket rotation and breakout force.

#### FEATURES INCLUDE

- 3 1/2" bore, 20" stroke cylinder
- Linkage between cylinder and bucket
- Includes flat face couplers
- Bucket sizes comes in 9", 12", 18", and 24"
- Heavy duty cast replaceable teeth
- Grease fittings on all pivot points
- Quick off and on machine
- No specific machine requirements
- Easy to operate
- Requires no electrical hookups



|   |  | ~  |
|---|--|----|
|   | C. Martin  | 97 |
| 5 |  |    |
|   | and the second s |    |
|   |  |    |

| PART<br>NUMBER | MODEL                    | WEIGHT  |
|----------------|--------------------------|---------|
| 130005         | Backhoe, Hyd (No Bucket) | 391 lbs |
| 130009         | 8" Backhoe Bucket        | 103 lbs |
| 130010         | 9" Backhoe Bucket        | 103 lbs |
| 130015         | 12" Backhoe Bucket       | 139 lbs |
| 130020         | 18" Backhoe Bucket       | 169 lbs |
| 130025         | 24" Backhoe Bucket       | 202 lbs |
| 130027         | 30" Backhoe Bucket       | 202 lbs |

Features: 3 1/2" bore, 20" stroke cylinder, large capacity bucket (hose & couplers included)

## BALE SQUEEZE HYDRAULIC ROUND

The Blue Diamond<sup>®</sup> Bale Squeeze is an excellent alternative to a bale spear, especially when using wrapped bales. This versatile attachment can pick up bales whether they are sitting flat or are on their side.

| PART<br>NUMBER | MODEL                      | WEIGHT  |
|----------------|----------------------------|---------|
| 111105         | Bale Squeeze               | 400 lbs |
| 211110         | Optional Bolt-On Grippers* | 60 lbs  |

Optional grippers help when handling wet or plastic wrapped bales.

- Strong tubular design, handles round bales
- 2,000 lb capacity
- Flat-face couplers
- Opens to 72" for handling up to 60" bales
- Equalizer bar standard
- Use on skid steers or tractors with universal mount





## **6-WAY DOZER BLADE**

The Blue Diamond<sup>®</sup> 6-Way Dozer Blade for skid steers is extremely rugged, easy to use, and offers superior visibility. It has a bolt-on edge, skid shoes, and heavy duty cylinders. Using a proven pivot system, it can tilt 10° and angle 30°. A blade extension is available for 8" of added height. It converts to a snow plow by pulling 2 pins and adding a height extension and trip springs. Don't settle for anything less!

#### FEATURES INCLUDE

- Heavier moldboard design
- Even heavier cylinders
- Electrical, now compatible with Bobcat, 7-pin OEM connector available
- Grease fittings on all cylinder pins
- Added protection on electrical and hydraulic valve components
- Tried and proven tilt system
- Optional trip springs
- Trip override pin
- Replaceable skid shoes
- Replaceable bolt-on edge
- Optional 8" blade height extension

| PART<br>NUMBER | MODEL                       | ANGLED<br>WIDTH | WEIGHT    |
|----------------|-----------------------------|-----------------|-----------|
| 123065         | Heavy Duty 72"              | 62.25"          | 1,012 lbs |
| 123070         | Heavy Duty 84"              | 72.5"           | 1,040 lbs |
| 123075         | Heavy Duty 96"              | 82.875"         | 1,068 lbs |
| 223700         | Trip Springs Kit (Set Of 4) | -               | 14 lbs    |

## **BOX SCRAPER RIPPER**

The Blue Diamond<sup>®</sup> Skid Steer Box Scraper Ripper is the perfect skid steer attachment for reconditioning gravel roads and driveways. The rippers will resurface the gravel that is buried in the ground over time. While the cutting edges will smooth out and level the gravel.

BlueDiamondAttachments.com

- Replaceable and reversible cutting edges
- Replaceable ripper shanks
- Adjustable ripper tines
- Powder coated
- American made

| PART<br>NUMBER | MODEL   | WEIGHT    |
|----------------|---|-----------|
| 115520         | Box Grader with Rippers and Replaceable Cutting Edges 60" | 648 lbs   |
| 115525         | Box Grader with Rippers and Replaceable Cutting Edges 72" | 778 lbs   |
| 115530         | Box Grader with Rippers and Replaceable Cutting Edges 84" | 907 lbs   |
| 115535         | Box Grader with Rippers and Replaceable Cutting Edges 90" | 1,037 lbs |







#### HYDRAULIC BREAKER HAMMER



Our 5 year quest to develop a superior hydraulic breaker is now available from Blue Diamond<sup>®</sup>. This "hammer" design offers technology, simplicity, reliability, ease of setup, and service support. With no more downtime, you can get started on your demolition, construction, and quarry jobs now.

#### FEATURES INCLUDE

- 3-year warranty
- Mono-block design / no tie rods
- Anti-blank firing system
- Hydraulic brake
- No re-gassing needed

- Only 2 internal moving parts
- 2 speed control / variable stroke
- Quiet operation
- Self-regulating
- Body bushings around piston

| PART<br>NUMBER | MODEL | WORKING<br>PRESSURE | MAX OIL<br>FLOW | FREQUENCY<br>(BPM) | OPERATING<br>WEIGHT | TOOL<br>DIAMETER | ENERGY<br>CLASS | CARRIER WEIGHT    | (PSI) BACK<br>PRESSURE |
|----------------|-------|---------------------|-----------------|--------------------|---------------------|------------------|-----------------|-------------------|------------------------|
| 135005         | HB50  |                     | 7               |                    | 132 lbs             | 1.5              | 100             | 1,500-2,650 lbs   |                        |
| 135009         | HB95  |                     | 11              | 1,200              | 220 lbs             | 1.8              | 200             | 2,650-4,000 lbs   |                        |
| 135016         | HB165 |                     | 13              |                    | 370 lbs             | 2.2              | 400             | 4,000-6,600 lbs   | 290-360                |
| 135021         | HB210 | 1,750               | 16              | 1.100              | 463 lbs             | 2.5              | 500             | 6,100-9,900 lbs   |                        |
| 135030         | HB300 |                     | 21.2            | 1,100              | 661 lbs             | 2.9              | 700             | 8,800-15,500 lbs  |                        |
| 135040         | HB400 |                     | 29.2            | 900                | 882 lbs             | 3.1              | 1,000           | 13,500-20,900 lbs | 363                    |
| 135053         | HB530 |                     | 32              | 900                | 1,169 lbs           | 3.3              | 1,200           | 17,650-25,350 lbs | 303                    |

#### **BREAKER CUTAWAY ACCUMULATOR:** The large dimension accumulator with diaphragm supplies power to the breaker and protects the **BODY BUSHINGS:** excavator hydraulic pump In case of a damaged and pipeline from damage piston, body bushings due to the backshock blows protect the monoblock **ISOLATION:** An isolation with vulcanized **HYDRAULIC BRAKE:** polyurethane between A hydraulic brake on the the metal case and the piston prohibits the breaker monoblock drastically from harmful blank firing reduced noise and vibrations **MONOBLOCK:** The absence of a tie rod increases reliability and makes eventual servicing more simple and economical

## BROOMS ANGLE SEVERE DUTY SERIES 2

The Blue Diamond<sup>®</sup> Severe Duty Series 2 Angle Broom is a powerful attachment for the serious user. It has been engineered for daily use in tough conditions. Everywhere you look on this broom, you will see quality and ingenuity.

| PART<br>NUMBER | MODEL               | ANGLED<br>WIDTH | WEIGHT    |
|----------------|---------------------|-----------------|-----------|
| 116408         | 60" Manual Angle    | 48.7"           | 995 lbs   |
| 116413         | 72" Manual Angle    | 59.2"           | 1,125 lbs |
| 116418         | 84" Manual Angle    | 69.3"           | 1,300 lbs |
| 116423         | 96" Manual Angle    | 79.7"           | 1,450 lbs |
| 116410         | 60" Hydraulic Angle | 48.7"           | 805 lbs   |
| 116415         | 72" Hydraulic Angle | 59.2"           | 944 lbs   |
| 116420         | 84" Hydraulic Angle | 69.3"           | 987 lbs   |
| 116425         | 96" Hydraulic Angle | 79.7"           | 995 lbs   |





OPTIONAL WATER KIT

#### FEATURES INCLUDE

- Hydraulic angle and bristle operate simultaneously
- Oversized main shaft spindles
- Massive bearings

1 888-376-7027

Bidirectional motor

- Welded heavy duty cylinder
- Grease fittings on pivot points
- 32" bristles with poly, steel, or poly/steel mix available
- 7-pin, 8-pin, and 14-pin OEM connector available
- Optional water kit



32" POLY, POLY/STEEL MIX, STEEL



### BROOMS ANGLE HEAVY DUTY SERIES 2

Our Blue Diamond<sup>®</sup> Heavy Duty Series 2 Angle Broom is available in manual and hydraulic angle options. A simple-to-use control comes with the hydraulic angle model for control from inside your cab. The bristles are available in poly, steel, or poly/steel mix and are protected by retractable legs when not in use.

| PART<br>NUMBER | MODEL                                    | WEIGHT  |
|----------------|--|---------|
| 116207         | 60" Manual Angle                         | 620 lbs |
| 116212         | 72" Manual Angle                         | 665 lbs |
| 116217         | 84" Manual Angle                         | 811 lbs |
| 116222         | 96" Manual Angle                         | 980 lbs |
| 116205         | 60" Hydraulic Angle (Req Wiring Harness) | 652 lbs |
| 116210         | 72" Hydraulic Angle (Req Wiring Harness) | 687 lbs |
| 116215         | 84" Hydraulic Angle (Req Wiring Harness) | 756 lbs |
| 116220         | 96" Hydraulic Angle (Req Wiring Harness) | 824 lbs |





Attachment is weighed without mount.

- 60", 72", 84", and 96" widths
- 26" bristles, poly, steel, or poly/steel mix
- Manual or hydraulic options
- Stand protects bristles when not in use
- 7-pin, 8-pin, and 14-pin OEM connector available
- 1-year warranty
- Optional water kit
- Mini model available
- 30° pivot angle



26" POLY, POLY/STEEL MIX, STEEL WAFERS



## BROOMS - PICK UP SERIES 2



#### FEATURES INCLUDE

- Predrilled for optional water kit
- Mounts for gutter brush included
- Bolt-on rubber skirting to contain debris
- Motor and shaft guards
- 11/2" x 7" Zinc height-adjustment pins with 4 positions
- Heavy duty dump stops
- Grease fittings on all pivot points and bearings
- Steps mounted on back of broom for entering and exiting the host machine

| PART<br>NUMBER | MODEL                      | WEIGHT    |
|----------------|----------------------------|-----------|
| 116512         | 60" Pickup Broom, Series 2 | 945 lbs   |
| 116517         | 72" Pickup Broom, Series 2 | 1,390 lbs |
| 116522         | 84" Pickup Broom, Series 2 | 1,585 lbs |
| 116527         | 96" Pickup Broom, Series 2 | 1,765 lbs |
| 116555         | Optional Gutter Brush      | 128 lbs   |





OPTIONAL GUTTER BRUSH



WATER KIT RUNNING

## BROOMS - PUSH STANDARD & HEAVY DUTY

This incredible broom will amaze you! Clean up job sites, push light snow, sweep leaves, squeegee water, or groom ball fields. Add our heavy duty magnet for picking up screws, nails, and other steel debris.

#### **FEATURES INCLUDE**

- Standard Duty comes with 8 rows of bristles
- Heavy Duty has 11 rows of bristles
- Heavy Duty models are available in 60", 72", or 96" widths
- Standard Duty models are available in 60" and 72" widths





| PART<br>NUMBER | MODEL                                  | WEIGHT  | BRISTLES |
|----------------|--|---------|----------|
| 316030         | 60" Push Standard Duty                 | 158 lbs | 8 rows   |
| 316035         | 72" Push Standard Duty                 | 180 lbs | 8 rows   |
| 316040         | 60" Push Heavy Duty                    | 216 lbs | 11 rows  |
| 316045         | 72" Push Heavy Duty                    | 262 lbs | 11 rows  |
| 316055         | 96" Push Heavy Duty                    | 535 lbs | 11 rows  |
| 116020         | Forklift Mount (HD Model Req 116027)   | 52 lbs  | _        |
| 116026         | Skid Steer Mount (HD Model Req 116027) | 187 lbs | _        |

19

## BRUSH CUTTER 84" DUAL SPINDLE MOTOR

The Blue Diamond<sup>®</sup> Dual Motor Brush Cutter is in a class of its own! Featuring a new floating deck design, this cutter can cover the uneven ground with ease. The front wheels are adjustable to meet whatever cut height you need. It leaves a very neat finish when mowing grass, and can also cut up to 3" material in the brush.



| PART<br>NUMBER | MODEL                 | REQUIRED<br>FLOW | WEIGHT    |
|----------------|-----------------------|------------------|-----------|
| 103920         | 84" Dual 80 CC Motor  | 15-22 GPM        | 1,865 lbs |
| 103930         | 84" Dual 125 CC Motor | 23-30 GPM        | 1,865 lbs |

Includes couplers, direct drive

#### **FEATURES INCLUDE**

- 84" cutting width
- Adjustable height wheels
- Floating deck design for uneven ground
- Grease fittings on all pivots
- 4 double sided blades
- Cuts 3" material
- 1-year warranty



## BRUSH CUTTER HEAVY DUTY

The Blue Diamond<sup>®</sup> Heavy Duty Brush Cutter is a highperformance cutter that is priced right for the everyday non-commercial user. It mows very well in grass and cuts up to 3" diameter brush with ease!



| PART<br>NUMBER | MODEL               | REQUIRED<br>FLOW | WEIGHT    |
|----------------|---------------------|------------------|-----------|
| 103004         | 60" HD Brush Cutter | 11-16 GPM        | 940 lbs   |
| 103007         | 60" HD Brush Cutter | 16-26 GPM        | 940 lbs   |
| 103012         | 72" HD Brush Cutter | 16-26 GPM        | 1,552 lbs |

#### **FEATURES INCLUDE**

- Available in 60" and 72" cutting widths
- Chain curtain minimizes discharge
- Perimeter wire/vine guard on blade carrier
- 3 cutting blades

- Dual external crossover relief valves
- 4000 Series geroler motor
- Dual-direction cutting
- 1-year warranty

**[**/i

LAFET

### **BRUSH CUTTER** EXTREME DUTY OPEN/CLOSED FRONT

| PART<br>NUMBER | MODEL                      | REQUIRED<br>FLOW | WEIGHT    |
|----------------|----------------------------|------------------|-----------|
| 103015         | 60" Low Flow-Closed Front  | 16-26 GPM        | 1,235 lbs |
| 103020         | 72" Low Flow-Closed Front  | 16-26 GPM        | 1,617 lbs |
| 103016         | 60" Low Flow-Open Front    | 16-26 GPM        | 1,220 lbs |
| 103025         | 72" Low Flow-Open Front    | 16-26 GPM        | 1,547 lbs |
| 103017         | 60" High Flow-Open Front   | 27-40 GPM        | 1,220 lbs |
| 103023         | 72" High Flow-Closed Front | 27-35 GPM        | 1,585 lbs |
| 103024         | 72" High Flow-Closed Front | 36-45 GPM        | 1,591 lbs |
| 103030         | 72" High Flow-Open Front   | 27-35 GPM        | 1,555 lbs |
| 103032         | 72" High Flow-Open Front   | 36-45 GPM        | 1,555 lbs |



SKID STEER ATTACHMENTS

(j)

**OPEN-FRONT** 





- 3 double-sided blades
- 3/4" thick blade carrier
- 4000 Series geroler motor
- 6" diameter cutting capacity
- 16 GPM-26 GPM flow range
- Dual-direction cutting

#### 72" STANDARD FLOW:

- 4 double-sided blades
- 3/4" thick blade carrier
- 4000 Series geroler motor
- 6" diameter cutting capacity
- 16 GPM-26 GPM flow range
- Dual-direction cutting

#### 72" HIGH FLOW:

- 4 double-sided blades
- 3/4" thick blade carrier
- 6000 Series geroler motor
- 8" diameter cutting capacity
- 27 GPM-45 GPM flow range
- Dual-direction cutting

## **BRUSH CUTTER** SWING ARM

The Blue Diamond<sup>®</sup> Swing Arm Cutter is a great implement to add to your collection. It is designed for cutting banks, right of ways, and fence lines. The cutter also works great for clearing pond banks and cutting trails. The Swing Arm Cutter provides significant reach advantage over our typical cutter.

| PART<br>NUMBER | MODEL                  | REQUIRED<br>FLOW | WEIGHT    |
|----------------|------------------------|------------------|-----------|
| 103870         | Brush Cutter Swing Arm | 14-20 GPM        | 845 lbs   |
| 103875         | Brush Cutter Swing Arm | 17-30 GPM        | 1,203 lbs |



- Reach advantage over our typical cutter
- Can be used as a side cutter
- Direct drive piston motor with max 4000 PSI
- 3" x 16" tilt cylinders

- 5/8" AR400 Blades
- 44" cut
- Requires case drain
- Optional universal, 7-pin, 8-pin, or 14-pin wiring harnesses are available

## BRUSH CUTTER SEVERE DUTY SERIES 2

The incredible power and versatility of the Blue Diamond® Severe Duty Series 2 Brush Cutter will all but remove the need for a mulching head. Its 10" cutting capacity and incredible performance in grass make this brutally tough unit the top in its class. Using the highest quality piston motor on the market, the torgue throughout its flow range is unmatched. The visible pressure gauge keeps you aware of the workload and keeps you working at peak performance, increasing productivity tremendously! Adjustable skid shoes allow the cutting height to be adjusted. The mammoth 1" thick blade carrier weighs over 500 lbs and has a serrated edge to help with mulching and destroying fence wire that often takes out other brush cutters. The innovative debris covers prevent brush and other materials from building up on the top of the deck. Keeping this surface clear of debris ensures maximum life of the durable powder coat as well as adding safety for entering and exiting the machine.







500 LB BLADE CARRIER

- 72" cutting width
- 4 double-sided blades
- Piston motor
- 1" thick blade carrier with serrated edge
- Visible pressure gauge to monitor workload
- Adjustable bolt-on skid shoes
- Easy machine entry
- Dual redundant hydraulic protection for the motor

| PART NUMBER | MODEL                   | REQUIRED FLOW | WEIGHT    |
|-------------|-------------------------|---------------|-----------|
| 103122      | 72" Severe Duty, 150 CC | 16-26 GPM     | 1,957 lbs |
| 103127      | 72" Severe Duty, 200 CC | 27-35 GPM     | 2,224 lbs |
| 103132      | 72" Severe Duty, 250 CC | 35-45 GPM     | 2,250 lbs |





The Blue Diamond<sup>®</sup> 4-in-1 Bucket will make a skid steer or compact track loader into a versatile machine. Use as a grapple for moving logs or debris, pushing dirt with the blade, digging with the bucket, and backdragging with the open bucket like a box blade. The 4-in-1 uses 2 powerful cylinders and can be greased on all pivot points. A pilot-operated check-valve to control drifting is available.

| PART<br>NUMBER | MODEL                     | STRUCK<br>CAPACITY | WEIGHT    |
|----------------|---------------------------|--------------------|-----------|
| 108780         | 66" 4-In-1, W/Smooth Edge | 13.9 CU FT         | 862 lbs   |
| 108785         | 72" 4-In-1, W/Smooth Edge | 15.2 CU FT         | 908 lbs   |
| 108790         | 78" 4-In-1, W/Smooth Edge | 16.5 CU FT         | 979 lbs   |
| 108795         | 84" 4-In-1, W/Smooth Edge | 17.7 CU FT         | 1,004 lbs |
| 108776         | 60" 4-In-1, W/Teeth       | 12 CU FT           | 855 lbs   |
| 108781         | 66" 4-In-1, W/Teeth       | 13.9 CU FT         | 750 lbs   |
| 108786         | 72" 4-In-1, W/Teeth       | 15.2 CU FT         | 981 lbs   |
| 108791         | 78" 4-In-1, W/Teeth       | 16.5 CU FT         | 959 lbs   |
| 108796         | 84" 4-In-1, W/Teeth       | 17.7 CU FT         | 1,190 lbs |





### BUCKETS DISPENSING



The Blue Diamond<sup>®</sup> Dispensing Bucket is great for any flowable material feed to concrete. The hopper has splash guards around the top to contain material while traveling on rough terrain. The heavy duty chute is enclosed at the back to control the flow and is removable for transportation or storage.

- Available with 1/2 yard or 3/4 yard hopper with tapered front
- Removable chute for cleaning and storage
- Splash guard around top line
- Available with or without hydraulic door
- 1-year warranty





| PART<br>NUMBER | MODEL                                       | WEIGHT  |
|----------------|---|---------|
| 110005         | 1/2 Yard Dispensing Bucket                  | 393 lbs |
| 110010         | 1/2 Yard Dispensing Bucket W/Hydraulic Door | 403 lbs |
| 110035         | 3/4 Yard Dispensing Bucket                  | 452 lbs |
| 110040         | 3/4 Yard Dispensing Bucket W/Hydraulic Door | 477 lbs |



The Blue Diamond<sup>®</sup> Dumpster Bucket is very handy around a job site for collecting trash. Acts like a large garbage can that can easily hook onto your skid steer and be dumped into a truck or larger dumpster. Also works well for carrying mulch, potted trees, and tools across a job site.

| PART<br>NUMBER | MODEL               | STRUCK<br>CAPACITY | WEIGHT  |
|----------------|---------------------|--------------------|---------|
| 108898         | 50" Dumpster Bucket | 27.6 CU FT         | 360 lbs |
| 108899         | 66" Dumpster Bucket | 37.3 CU FT         | 430 lbs |
| 108900         | 72" Dumpster Bucket | 40.5 CU FT         | 510 lbs |
| 108902         | 84" Dumpster Bucket | 47.3 CU FT         | 595 lbs |




## FRONT DUMP

| PART<br>NUMBER | MODEL                 | STRUCK<br>CAPACITY | WEIGHT    |
|----------------|-----------------------|--------------------|-----------|
| 108801         | 72" Front Dump Bucket | 25.1 CU FT         | 935 lbs   |
| 108803         | 78" Front Dump Bucket | 27.1 CU FT         | 965 lbs   |
| 108805         | 84" Front Dump Bucket | 29.1 CU FT         | 1,009 lbs |
| 108815         | 96" Front Dump Bucket | 48.1 CU FT         | 1,100 lbs |



## ROCK - STANDARD & EXTREME DUTY

- 3" spacing between tines
- Available in 66", 72", 78", and 84" widths
- 3/8" or 1/2" Thick tines
- Available with Euro/Global mount










## BUCKETS GENERAL PURPOSE

The Blue Diamond<sup>®</sup> General Purpose Buckets for skid steers are available in a variety of configurations. We offer weld-on cutting edge, bolt-on cutting edge, teeth, toothbar, or a long-bottom version. These well-engineered, low-profile buckets offer a powerful breakout force and great visibility. Buckets up to 72" wide use 3/16" material back and bottom. The 78" and larger sizes use 1/4" material. All standard buckets are 20" tall and use a 3/4" by 6" cutting edge. The standard bottom is 30" front to back, and the long-bottom bucket is 36".




SKID STEER ATTACHMENTS

ŷ





TOOTH BUCKET



SMOOTH BUCKET




BUCKET WITH SERRATED BOLT-ON-EDGE

| PART<br>NUMBER | MODEL                              | STRUCK<br>CAPACITY | WEIGHT  |
|----------------|------------------------------------|--------------------|---------|
| 108090         | 60" Low Profile-Smooth             | 10.8 CU FT         | 334 lbs |
| 108095         | 60" Low Profile-Tooth              | 10.8 CU FT         | 384 lbs |
| 108100         | 66" Low Profile-Smooth             | 12.2 CU FT         | 354 lbs |
| 108105         | 66" Low Profile-Tooth              | 12.2 CU FT         | 409 lbs |
| 108110         | 72" Low Profile-Smooth             | 13.2 CU FT         | 378 lbs |
| 108115         | 72" Low Profile-Tooth              | 13.2 CU FT         | 437 lbs |
| 108120         | 78" Low Profile-Smooth             | 14.3 CU FT         | 408 lbs |
| 108125         | 78" Low Profile-Tooth              | 14.3 CU FT         | 460 lbs |
| 108130         | 84" Low Profile-Smooth             | 15.7 CU FT         | 436 lbs |
| 108135         | 84" Low Profile-Tooth              | 15.7 CU FT         | 515 lbs |
| 108140         | 60" Low Profile-Long Bottom-Smooth | 15.7 CU FT         | 385 lbs |
| 108145         | 60" Low Profile-Long Bottom-Tooth  | 15.7 CU FT         | 434 lbs |
| 108150         | 66" Low Profile-Long Bottom-Smooth | 17.3 CU FT         | 426 lbs |
| 108155         | 66" Low Profile-Long Bottom-Tooth  | 17.3 CU FT         | 472 lbs |
| 108160         | 72" Low Profile-Long Bottom-Smooth | 18.6 CU FT         | 446 lbs |
| 108165         | 72" Low Profile-Long Bottom-Tooth  | 18.6 CU FT         | 505 lbs |
| 108170         | 78" Low Profile-Long Bottom-Smooth | 20 CU FT           | 441 lbs |
| 108180         | 84" Low Profile-Long Bottom-Tooth  | 22 CU FT           | 505 lbs |

## BUCKETS LOW PROFILE, SEVERE DUTY



The Blue Diamond<sup>®</sup> Severe Duty Bucket is among the heaviest duty skid steer buckets on the market. It is available in 66", 72", 78", 84", or 90" widths, low profile, and/or, high capacity. It is constructed from heavy gauge steel consisting of a 1/2" bottom, double-layer 1/4" back, and a 1" x 8" cutting blade.





TOOTH BUCKET



BUCKET WITH SERRATED BOLT-ON-EDGE



SMOOTH BUCKET

| PART<br>NUMBER | MODEL  | STRUCK<br>CAPACITY | WEIGHT  |
|----------------|--|--------------------|---------|
| 108260         | 66" Low Profile, Severe Duty, Smooth             | 11.4 CU FT         | 650 lbs |
| 108263         | 66" Low Profile, Severe Duty, Tooth              | 11.4 CU FT         | 675 lbs |
| 108270         | 72" Low Profile, Severe Duty, Smooth             | 11 CU FT           | 710 lbs |
| 108273         | 72" Low Profile, Severe Duty, Tooth              | 11 CU FT           | 724 lbs |
| 108275         | 78" Low Profile, Severe Duty, Smooth             | 12 CU FT           | 690 lbs |
| 108277         | 78" Low Profile, Severe Duty, Tooth              | 12 CU FT           | 757 lbs |
| 108280         | 84" Low Profile, Severe Duty, Smooth             | 12.9 CU FT         | 738 lbs |
| 108282         | 84" Low Profile, Severe Duty, Tooth              | 12.9 CU FT         | 813 lbs |
| 108283         | 90" Low Profile, Severe Duty Tooth               | 18.8 CU FT         | 925 lbs |
| 108284         | 72" Low Profile, Severe Duty, Smooth-Long Bottom | 15.2 CU FT         | 732 lbs |
| 108285         | 72" Low Profile, Severe Duty, Tooth-Long Bottom  | 15.2 CU FT         | 774 lbs |
| 108286         | 78" Low Profile, Severe Duty, Smooth-Long Bottom | 16.47 CU FT        | 759 lbs |
| 108287         | 78" Low Profile, Severe Duty, Tooth-Long Bottom  | 16.47 CU FT        | 846 lbs |
| 108290         | 84" Low Profile, Severe Duty, Smooth-Long Bottom | 17.74 CU FT        | 853 lbs |
| 108293         | 84" Low Profile, Severe Duty, Tooth-Long Bottom  | 17.5 CU FT         | 892 lbs |
| 108296         | 90" Low Profile, Severe Duty, Tooth-Long Bottom  | 18.8 CU FT         | 875 lbs |



(j)

## BUCKETS TURKEY LITTER, HEAVY DUTY

The Blue Diamond<sup>®</sup> Turkey Litter bucket allows you to move large volumes of light material in one scoop. These large capacity buckets were originally designed to clean out turkey farms, but also work great for sawdust, corn, or other light materials.

#### **FEATURES INCLUDE**

- 40" high back
- 42" deep front to back
- Reinforced back and floor
- Pre-drilled for bolt-on edge option
- 1/4" wrap thickness



| MODEL                                  | STRUCK<br>CAPACITY   | WEIGHT  |
|--|--|---|
| 78" HD Turkey Litter Bucket, 1/4" Wrap | 1.8 yards <sup>3</sup>   | 750 lbs   |
| 84" HD Turkey Litter Bucket, 1/4" Wrap | 2.0 yards <sup>3</sup>   | 890 lbs   |
| 96" HD Turkey Litter Bucket, 1/4" Wrap | 2.2 yards <sup>3</sup>   | 890 lbs   |
|  | 78" HD Turkey Litter Bucket, 1/4" Wrap<br>84" HD Turkey Litter Bucket, 1/4" Wrap | MODELCAPACITY78" HD Turkey Litter Bucket, 1/4" Wrap1.8 yards384" HD Turkey Litter Bucket, 1/4" Wrap2.0 yards3 |

## BUCKETS UTILITY



The Blue Diamond<sup>®</sup> Utility Bucket is very rugged. It offers more capacity than a standard low-profile bucket yet does not get as cumbersome as a high-capacity bucket. Designed for larger machines, it can handle the horsepower and not get overloaded as fast as some OEM buckets. The rolled back on the inside allows the bucket to clean out easier yet the rear heel still offers excellent backdragging and leveling capabilities.



SMOOTH BUCKET 34"D X 22"H

| PART<br>NUMBER | MODEL                     | STRUCK<br>CAPACITY | WEIGHT  |
|----------------|---------------------------|--------------------|---------|
| 108960         | 72" Smooth W/Bolt-On Edge | 13.5 CU FT         | 610 lbs |
| 108965         | 72" Tooth                 | 13.5 CU FT         | 610 lbs |
| 108970         | 78" Smooth W/Bolt-On Edge | 14.58 CU FT        | 670 lbs |
| 108975         | 78" Tooth                 | 14.58 CU FT        | 656 lbs |
| 108980         | 84" Smooth W/Bolt-On Edge | 15.66 CU FT        | 695 lbs |
| 108985         | 84" Tooth                 | 15.66 CU FT        | 678 lbs |
| 108987         | 90" Smooth W/Bolt-On Edge | 16.74 CU FT        | 670 lbs |



TOOTH BUCKET

- 34" deep front to back
- 22" high back

## BUCKETS UTILITY - HIGH CAPACITY



#### FEATURES INCLUDE

• 1/2" Rolled back

• 5/8" Thick cutting Edge



SMOOTH BUCKET

| PART<br>NUMBER | MODEL                                    | STRUCK<br>CAPACITY | WEIGHT  |
|----------------|--|--------------------|---------|
| 108944         | 72" High-Capacity Utility - Smooth w/BOE | 19.71 CU FT        | 785 lbs |
| 108946         | 72" High-Capacity Utility - Tooth        | 19.71 CU FT        | 785 lbs |
| 108948         | 78" High-Capacity Utility - Smooth w/BOE | 21.33 CU FT        | 785 lbs |
| 108950         | 78" High-Capacity Utility - Tooth        | 21.33 CU FT        | 785 lbs |
| 108952         | 84" High-Capacity Utility - Smooth w/BOE | 23 CU FT           | 785 lbs |
| 108954         | 84" High-Capacity Utility - Tooth        | 26 CU FT           | 792 lbs |
| 108956         | 90" High-Capacity Utility - Smooth w/BOE | 25 CU FT           | 792 lbs |
| 108957         | 90" High-Capacity Utility - Tooth        | 25 CU FT           | 795 lbs |
| 108958         | 96" High-Capacity Utility - Smooth w/BOE | 26.19 CU FT        | 802 lbs |
| 108959         | 96" High-Capacity Utility - Tooth        | 26.19 CU FT        | 802 lbs |



TOOTH BUCKET

## UTILITY - HIGH CAPACITY | HIGH BACK

The Blue Diamond High Capacity High Back Utility Buckets are key for productivity on the job site. With a durable reinforced back and massive capacity, these buckets are sure to meet whatever demands you can throw at them. The mesh in the back provides exceptional visibility, while the optional bolt on side cutters help scrape materials into the bucket.




| PART<br>NUMBER | MODEL  | WEIGHT    |
|----------------|--|-----------|
| 108946-HB      | 72" High-Back/High-Capacity Utility - Tooth        | 930 lbs   |
| 108950-HB      | 78" High-Back/High-Capacity Utility - Tooth        | 965 lbs   |
| 108954-HB      | 84" High-Back/High-Capacity Utility - Tooth        | 1,033 lbs |
| 108957-HB      | 90" High-Back/High-Capacity Utility - Tooth        | 1,035 lbs |
| 108959-HB      | 96" High-Back/High-Capacity Utility - Tooth        | 1,055 lbs |
| 108944-HB      | 72" High-Back/High-Capacity Utility - Smooth w/BOE | 945 lbs   |
| 108948-HB      | 78" High-Back/High-Capacity Utility - Smooth w/BOE | 980 lbs   |
| 108952-HB      | 84" High-Back/High-Capacity Utility - Smooth w/BOE | 1,015 lbs |
| 108956-HB      | 90" High-Back/High-Capacity Utility - Smooth w/BOE | 1,050 lbs |
| 108958-HB      | 96" High-Back/High-Capacity Utility - Smooth w/BOE | 1,070 lbs |

## BUCKETS SCREENING

The Blue Diamond<sup>®</sup> Screening Bucket is used for the screening, aerating, separating and mixing of soils, aggregates, wood chip and compost. The efficient screening process is created by the star rotors agitating the material, causing the fines to flow through the rotating stars leaving the oversized material in the bucket. A hydraulic flow regulator is included to maintain correct RPM for poly stars.

| PART<br>NUMBER | MODEL                             | WEIGHT    |
|----------------|-----------------------------------|-----------|
| 145015         | 60" Skid Steer                    | 1,320 lbs |
| 145050         | Screening Bucket Mount Skid Steer | 95 lbs    |





#### FEATURES INCLUDE

- 3/4" sides
- 1" x 8" cutting edge
- Cast replaceable teeth

|   | prying            |
|---|-------------------|
| • | Powder coat paint |

· Reinforced quick attach for



#### FEATURES INCLUDE

- 1" or smaller material will flow through
- Horizontal shafts, fitted with poly stars that rotate in the same upwards direction
- Hardened steel cutting edge
- 2-position mount plate
- Hoses and couplers included
- Mounts available to fit most machines
- 1-year warranty



| PART<br>NUMBER | MODEL       | WEIGHT  |
|----------------|-------------|---------|
| 108895         | Slab Bucket | 600 lbs |
|                |             |         |

## STUMP



| PART<br>NUMBER | MODEL                                     | WEIGHT  |
|----------------|---|---------|
| 102015         | Stump Bucket, Severe Duty Curved Bottom   | 443 lbs |
| 102006         | Stump Bucket, Extreme W/Grapple           | 475 lbs |
| 102008         | Stump Bucket, Extreme W/Grapple, No Teeth | 535 lbs |
| 102010         | Stump Bucket, Extreme Grapple Kit         | 156 lbs |



For digging stumps, shrubs, and trenches.

## SNOW & MULCH - SPECIAL CAPACITY

| PART<br>NUMBER | MODEL            | STRUCK<br>CAPACITY  | WEIGHT  |
|----------------|------------------|---------------------|---------|
| 108513         | 48" Snow & Mulch | 1 YARD              | 507 lbs |
| 108525         | 60" Snow & Mulch | Snow & Mulch 1 YARD |         |
| 108565         | 84" Snow & Mulch | 1 1/2 YARD          | 601 lbs |
| 108585         | 96" Snow & Mulch | 1 1/2 YARD          | 728 lbs |



Great for loading short bed trucks.

## BUCKETS SNOW & MULCH - STANDARD DUTY

| PART<br>NUMBER | MODEL                         | STRUCK<br>CAPACITY | WEIGHT  |
|----------------|-------------------------------|--------------------|---------|
| 108520         | 60" Snow & Mulch, 3/16" Wrap  | 21 CU FT           | 450 lbs |
| 108530         | 66" Snow & Mulch, 3/16" Wrap  | 22.9 CU FT         | 468 lbs |
| 108540         | 72" Snow & Mulch, 3/16" Wrap  | 25 CU FT           | 508 lbs |
| 108545         | 78" Snow & Mulch, 3/16" Wrap  | 27 CU FT           | 550 lbs |
| 108550         | 84" Snow & Mulch, 3/16" Wrap  | 29.1 CU FT         | 605 lbs |
| 108570         | 90" Snow & Mulch, 3/16" Wrap  | 31.2 CU FT         | 601 lbs |
| 108580         | 96" Snow & Mulch, 3/16" Wrap  | 34.5 CU FT         | 767 lbs |
| 108590         | 102" Snow & Mulch, 3/16" Wrap | 35 CU FT           | 728 lbs |



38"D X 26"H

#### TECH TIP

The "wrap" is the back and bottom of a bucket.

## SNOW & MULCH - HEAVY DUTY

| PART<br>NUMBER | MODEL                           | STRUCK<br>CAPACITY | WEIGHT    |             |
|----------------|---------------------------------|--------------------|-----------|-------------|
| 108620         | 60" Snow & Mulch, HD, 1/4 Wrap  | 21 CU FT           | 532 lbs   |             |
| 108630         | 66" Snow & Mulch, HD, 1/4 Wrap  | 22.9 CU FT         | 550 lbs   |             |
| 108640         | 72" Snow & Mulch, HD, 1/4 Wrap  | 25 CU FT           | 575 lbs   |             |
| 108650         | 78" Snow & Mulch, HD, 1/4 Wrap  | 27 CU FT           | 805 lbs   |             |
| 108660         | 84" Snow & Mulch, HD, 1/4 Wrap  | 29.1 CU FT         | 875 lbs   | 38"D X 26"H |
| 108670         | 90" Snow & Mulch, HD, 1/4 Wrap  | 31.2 CU FT         | 950 lbs   |             |
| 108680         | 96" Snow & Mulch, HD, 1/4 Wrap  | 34.5 CU FT         | 1,000 lbs |             |
| 108682         | 102" Snow & Mulch, HD, 1/4 Wrap | 36 CU FT           | 1,115 lbs |             |

## SNOW & MULCH - HIGH BACK

| PART<br>NUMBER | MODEL                                  | WEIGHT  |
|----------------|--|---------|
| 108701         | 60" Snow & Mulch, High Back With Mesh  | 491 lbs |
| 108702         | 72" Snow & Mulch, High Back With Mesh  | 553 lbs |
| 108700         | 78" Snow & Mulch, High Back With Mesh  | 615 lbs |
| 108705         | 84" Snow & Mulch, High Back With Mesh  | 724 lbs |
| 108710         | 96" Snow & Mulch, High Back With Mesh  | 754 lbs |
| 108715         | 102" Snow & Mulch, High Back With Mesh | 771 lbs |




Ribs inside to strengthen floor & back. 3/16" wrap, 3/8" edge.

## **COLD PLANER**



This premium Blue Diamond® Cold Planer uses the most trusted components in the industry, from the Sauer piston motor to the Fairfield planetary hub featured in the highflow models. The high-end components with the highly engineered design make this cold planer among the most trusted units available for a skid steer! Using the Rocket Fin tooth from the factory and a V tooth pattern setup, vibration is reduced and productivity is greatly increased! The adjustable, independent side shoes provide fine adjustment for grade control on the high-flow cold planers. A huge access cover allows easier tooth replacement (reducing tooth change time by up to 50% over competitors), which provides a much safer way to change the teeth!





| PART<br>NUMBER | MODEL                    | WEIGHT    | MIN PSI     |
|----------------|--------------------------|-----------|-------------|
| 160220-HP      | 16" High Flow, 27-45 GPM | 1,770 lbs | 2,450-5,000 |
| 160225         | 18" High Flow, 24-45 GPM | 1,805 lbs | 2,000-3,500 |
| 160225-HP      | 18" High Flow, 27-45 GPM | 1,810 lbs | 2,450-5,000 |
| 160230         | 24" High Flow, 24-45 GPM | 1,970 lbs | 2,000-3,500 |
| 160230-HP      | 24" High Flow, 27-45 GPM | 1,980 lbs | 2,450-5,000 |
| 160235         | 30" High Flow, 30-45 GPM | 2,155 lbs | 2,500-3,500 |
| 160235-HP      | 30" High Flow, 30-45 GPM | 2,160 lbs | 2,500-5,000 |
| 160240         | 40" High Flow, 30-45 GPM | 2,450 lbs | 3,000-3,500 |
| 160240-HP      | 40" High Flow, 30 45 GPM | 2,455 lbs | 3,000-5,000 |
| 160245         | 48" High Flow, 30-45 GPM | 2,685 lbs | 3,000-3,500 |
| 160245-HP      | 48" High Flow, 30-45 GPM | 3,210 lbs | 3,250-5,000 |
| 160613         | Water Kit for 16"        | 156 lbs   | _           |
| 160615         | Water Kit for 18"        | 156 lbs   | _           |
| 160620         | Water Kit for 24"        | 157 lbs   | _           |
| 160625         | Water Kit for 30"        | 157 lbs   | _           |
| 160630         | Water Kit for 40"        | 158 lbs   |             |
| 160635         | Water Kit for 48"        | 158 lbs   | —           |

#### **FEATURES INCLUDE**

• 12" to 48" grinding widths

- 6" cutting depth
- Electronic adjustment controls
- High-torque, planetary drive
- High drum weight equals less vibration
- Largest drum access in the industry
- 5/8" thick drum tube
- Water kit available
- Fine-cut drum available
- 1-year warranty
- Made in the USA

## COLD PLANER SEVERE DUTY

#### FEATURES INCLUDE

- 18" to 48" grinding widths
- Up to 8" cutting depth
- Hydraulic adjustment controlsHydraulic side shift
- High targue, planatany (
- High-torque, planetary drive
- High drum weight equals less vibration



- Largest drum access in the industry
- 11/2" thick drum tube
- Water kit available
- Fine-cut drum available
- 1-year warranty
- Made in the USA





| PART<br>NUMBER | MODEL                      | WEIGHT    | MIN FLOW | MIN PSI |
|----------------|----------------------------|-----------|----------|---------|
| 160810         | 18" Cold Planer, High Flow | 1,990 lbs | 24 GPM   | 2,000   |
| 160815         | 24" Cold Planer, High Flow | 2,300 lbs | 27 GPM   | 2,000   |
| 160820         | 30" Cold Planer, High Flow | 2,770 lbs | 30 GPM   | 2,500   |
| 160825         | 40" Cold Planer, High Flow | 2,975 lbs | 30 GPM   | 3,000   |
| 160830         | 48" Cold Planer, High Flow | 3,205 lbs | 30 GPM   | 3,450   |
| 160615         | Water Kit for 18"          | 155 lbs   | —        | —       |
| 160620         | Water Kit for 24"          | 156 lbs   | —        | —       |
| 160625         | Water Kit for 30"          | 157 lbs   | —        | —       |
| 160630         | Water Kit for 40"          | 158 lbs   | —        | —       |
| 160635         | Water Kit for 48"          | 159 lbs   | _        | _       |



- Removing asphalt surfaces prior to overlay
- Widening shoulders
- Repairing potholes

## LOW FLOW

#### FEATURES INCLUDE

- Manual adjustment controls
- Hydraulic side shift
- Direct Drive
- High drum weight equals less vibration
- 5/8" thick drum tube
- Easy access tooth
   replacement
- Water kit available
- Fine-cut drum available
- 12" 16" Grinding widths
- Up to 5" Cutting depth



• Restoring drainage near curb lines and catch

• Mixing stabilizing agents into base for more

| PART<br>NUMBER | MODEL                    | WEIGHT    | MIN FLOW | MIN PSI |
|----------------|--------------------------|-----------|----------|---------|
| 160105         | 12" Low Flow             | 1,220 lbs | 15 GPM   | 2,000   |
| 160110         | 16" Low Flow             | 1,250 lbs | 15 GPM   | 2,000   |
| 160501         | Coupler Kit For Low Flow | 3 lbs     | _        | —       |
| 160610         | Water Kit For 12"        | 154 lbs   | —        | —       |
| 160613         | Water Kit For 16"        | 155 lbs   | —        | _       |



basins

durable repair

## **DISC MULCHER**

The Blue Diamond<sup>®</sup> Skid Steer Disc Mulcher is the most capable disc mulcher the market has to offer. Available in 44" and 60" cutting widths, it has chipping teeth that can rotated 4 times to lengthen their usable life before needing to be sharpened.

| PART<br>NUMBER | MODEL            | MOTOR  | BEST FLOW | WEIGHT    |
|----------------|------------------|--------|-----------|-----------|
| 103305         | 44" Disc Mulcher | 100 CC | 20-30 GPM | 1,725 lbs |
| 103307         | 44" Disc Mulcher | 150 CC | 30-44 GPM | 1,725 lbs |
| 103310         | 60" Disc Mulcher | 150 CC | 32-45 GPM | 2,450 lbs |
| 103312         | 60" Disc Mulcher | 200 CC | 45-60 GPM | 2,450 lbs |

#### FEATURES INCLUDE

- Available in 44" and 60" widths
- 3/8" thick deck and reinforced sides
- Teeth on top, side, and bottom of carrier
- 1" thick hinged deflector
- Throws material away from the machine
- Can cut below ground surface





## **DRUM MULCHER**

The Blue Diamond<sup>®</sup> Drum Mulcher is designed for clearing brush and heavy mulching. With a 60" cutting width and 34-tooth cutting drum, our mulcher knows no equal. From clearing acres of dense trees to site preparation, no job is too big or too small for your skid steer and the Blue Diamond<sup>®</sup> Drum Mulcher. Our mulcher uses cutting drum bearings and an overhung load adapter. The head can be configured to be installed on either a closed-loop or open-loop hydraulic system, providing versatility based on the machine you operate and the unique mulcher body design. This also allows for debris to be shed in minimal accumulations.

| PART<br>NUMBER | MODEL                | BEST FLOW | WEIGHT    |
|----------------|----------------------|-----------|-----------|
| 190110         | 60" W/Chipping Teeth | 35-52 GPM | 2,460 lbs |
| 390115         | 60" W/Carbide Teeth  | 35-52 GPM | 2,504 lbs |





#### **FEATURES INCLUDE**

- Low-profile tooth anvil (carbide compatible)
- Heavy duty overhung load adapter
- Hydraulic motor case overpressure protection (COP)
- Heavy duty synchronous drive belt
- Serrated push bar
- Optional gate

888-376-7027

- Long-life heavy duty drum bearings
- Single 1" high-grade bolt tooth-fastening system
- Reversible chipping tooth (4 times for chipping tooth, 2 times for carbide tooth)
- Tooth anvil with secondary edge guard
- Danfoss H1B 110 cc 2-speed motor

Þ

#### FORK GRAPPLE FORK - MAT & SEVERE DUTY

The Blue Diamond<sup>®</sup> Grapple Fork is a great attachment for carrying everything from pipes and logs to pallets. The adjustable cylinder mount point allows the grapple to open wider or close tighter depending on your needs.





GRAPPLE FORK

#### FEATURES INCLUDE

- 4-position top clamps
- 48", 60", 72", 84", and 96" tines available
- 45" wide
- 3-position top clamp with adjustments
- Hoses and couplers included
- Fits Class 2 fork tines



MAT GRAPPLE

#### FEATURES INCLUDE

- Designed for equipment mats
- 42", 48", 60", and 84" tines available
- Special top clamp that holds mats
- 4-position top clamp
- Teeth on grapple that grip mats
- 4,000 lbs capacity
- Fits Class 2 fork tines
- Tines do not adjust



SEVERE DUTY GRAPPLE FORK

- 10,000 lb capacity
- Fits class 3 tines\*
- 48", 60", 72", 84", and 96" length tines available
- 45" wide
- 4-position top-clamp
- 3-position tine width adjustment
- Weighs 850 lbs plus tines

| PART<br>NUMBER | MODEL   | TINE SIZE    | WEIGHT  |
|----------------|---|--------------|---------|
| 106009         | Grapple Fork, Frame ONLY (Select Tines)                                 | —            | 426 lbs |
| 106010         | Grapple Fork, 60" Wide Frame ONLY (Select Tines)                        | _            | 633 lbs |
| 106003         | Mat Grapple Without Tines   | —            | 936 lbs |
| 306017         | Mat Grapple with 48" Tines  | 48" X 1 3/4" | 950 lbs |
| 306016         | Mat Grapple with 60" Tines  | 60" X 1 3/4" | 715 lbs |
| 306015         | Mat Grapple with 72" Tines  | 72" X 1 3/4" | 936 lbs |
| 306014         | Mat Grapple with 84" Tines  | 84" X 1 3/4" | 954 lbs |
| 106012         | Grapple Fork, Severe Duty, 10,000 Lbs (Tines Not Included) Fits Class 3 | _            | 850 lbs |
| 106016         | Mat Grapple, Severe Duty, 10,000 Lbs (Tines Not Included) Fits Class 3  | _            | 509 lbs |

## FORK NURSERY

The Blue Diamond<sup>®</sup> Severe Duty Nursery Fork was designed for the operator who handles trees, bushes, and more. The attachment comes ready to use and includes hoses, couplers, and a protective foam sleeve to cradle the tree trunk. The hoses can be routed to the left or right side to best fit where your machine couplers are. The hose protector spring prevents the hose from getting pinched in between the mount and machine. All pivots have grease fittings and can be accessed without removing any panels.

| PART<br>NUMBER | MODEL                                 | LIFT<br>CAPACITY | WEIGHT  |
|----------------|---------------------------------------|------------------|---------|
| 114092         | Hydraulic Nursery Fork, Standard Duty | 2,500            | 442 lbs |
| 114095         | Hydraulic Nursery Fork, Severe Duty   | 3,000            | 693 lbs |



## PALLET FORK - HYDRAULIC



| PART<br>NUMBER | MODEL                  | TINE SIZE | LIFT<br>CAPACITY | WEIGHT  |
|----------------|------------------------|-----------|------------------|---------|
| 114045         | Pallet Fork, Hydraulic | 48"       | 4,000 LBS        | 419 lbs |
| 114047         | Pallet Fork, Hydraulic | 60"       | 4,000 LBS        | 460 lbs |
| 114050-2       | Pallet Fork, Hydraulic | 48"       | 6,000 LBS        | 624 lbs |
| 114055-2       | Pallet Fork, Hydraulic | 60"       | 6,000 LBS        | 672 lbs |
| 114057-2       | Pallet Fork, Hydraulic | 72"       | 6,000 LBS        | 700 lbs |



## PALLET FORK - LIGHT & STANDARD DUTY

| PART<br>NUMBER | MODEL                          | TINE SIZE    | LIFT<br>CAPACITY | WEIGHT  |
|----------------|--------------------------------|--------------|------------------|---------|
| 314003         | Pallet Fork, Light Duty        | 42" X 1 1/4" | 2,000 LBS        | 322 lbs |
| 314061         | Pallet Fork, Light Duty        | 36" X 1 1/2" | 2,000 LBS        | 295 lbs |
| 314060         | Pallet Fork, Light Duty        | 48" X 1 1/2" | 2,000 LBS        | 371 lbs |
| 314006         | Pallet Fork Standard, W/Steps  | 42" X 1 1/4" | 3,700 LBS        | 311 lbs |
| 314007         | Pallet Fork Standard           | 42" X 1 1/4" | 3,700 LBS        | 318 lbs |
| 314004         | Pallet Fork, Standard, W/Steps | 48" X 1 1/2" | 4,000 LBS        | 375 lbs |
| 314070         | Pallet Fork Standard, W/Steps  | 60" X 1 1/2" | 4,000 LBS        | 413 lbs |
| 314075         | Pallet Fork Standard, W/Steps  | 72" X 1 3/4" | 4,000 LBS        | 493 lbs |



Þ

## PALLET FORK - HEAVY DUTY



| PART<br>NUMBER | MODEL                     | TINE SIZE    | LIFT<br>CAPACITY | WEIGHT  |
|----------------|---------------------------|--------------|------------------|---------|
| 314011         | Pallet Fork, HD, W/Steps  | 48" X 1 1/2" | 5,000 LBS        | 375 lbs |
| 314012         | Pallet Fork, HD, No Steps | 48" X 1 3/4" | 5,000 LBS        | 375 lbs |
| 314013         | Pallet Fork, HD, W/Steps  | 48" X 1 3/4" | 5,000 LBS        | 375 lbs |
| 314014         | Pallet Fork, HD, W/Steps  | 60" X 1 3/4" | 5,000 LBS        | 452 lbs |
| 314085         | Pallet Fork, HD, W/Steps  | 60" X 1 1/2" | 5,000 LBS        | 420 lbs |
| 314090         | Pallet Fork, HD, W/Steps  | 72" X 1 3/4" | 5,000 LBS        | 500 lbs |



## PALLET FORK - WALK THROUGH STYLE



| PART<br>NUMBER | MODEL                              | TINE SIZE    | LIFT<br>CAPACITY | WEIGHT  |
|----------------|------------------------------------|--------------|------------------|---------|
| 314009         | 4200 lb Walkthrough with 48" Tines | 48" X 1 1/2" | 4,200 lbs        | 369 lbs |
| 314100         | 4200 lb Walkthrough with 60" Tines | 60" X 1 1/2" | 4,200 lbs        | 411 lbs |
| 314008         | 5000 lb Walkthrough with 48" Tines | 48" X 1 1/2" | 5,000 lbs        | 418 lbs |
| 314110         | 5000 lb Walkthrough with 60" Tines | 60" X 1 1/2" | 5,000 lbs        | 422 lbs |
| 314115         | 5000 lb Walkthrough with 72" Tines | 72" X 1 3/4" | 5,000 lbs        | 450 lbs |



## PALLET FORK - EXTRA LARGE, HEAVY DUTY

Our Extra Large, Heavy Duty Pallet Forks are rated for 6,000 lbs lift. Using an easy-to-see-through oversized frame, this heavy duty pallet fork provides added lift capacity for larger skid steers. The heavily reinforced brick guard and quick attach area make it extremely durable for heavy use. 48" x 1 3/4" tines are standard, and 60" and 72" are available. These pallet forks feature a extra wide and tall frame, and they are serial numbered with lifting capacities in lb. and kg. to meet job site requirement for lifting equipment.

- 3" heavily reinforced carriage bar
- 51" wide frame
- 44" Tall frame
- 6,000 lb. capacity
- Side steps standard



| PART<br>NUMBER | MODEL                       | TINE SIZE    | LIFT<br>CAPACITY | WEIGHT  |
|----------------|-----------------------------|--------------|------------------|---------|
| 314015         | Pallet Fork, Extra Large HD | 48" X 1 3/4" | 6,000 lbs        | 500 lbs |
| 314016         | Pallet Fork, Extra Large HD | 60" X 1 3/4" | 6,000 lbs        | 500 lbs |
| 314017         | Pallet Fork, Extra Large HD | 72" X 1 3/4" | 6,000 lbs        | 591 lbs |



# FORK PALLET FORK - TALL FRAME, HEAVY DUTY D-RING

| PART<br>NUMBER | MODEL                           | TINE SIZE    | LIFT<br>CAPACITY | WEIGHT  |   |
|----------------|---------------------------------|--------------|------------------|---------|---|
| 314019         | Pallet Fork, HD, W/Steps/D-Ring | 48" X 1 3/4" | 6,000 LBS        | 375 lbs | 0 |
| 314020         | Pallet Fork, HD, W/Steps/D-Ring | 48" X 1 1/2" | 5,500 LBS        | 486 lbs |   |
| 314021         | Pallet Fork, HD, W/Steps/D-Ring | 60" X 1 3/4" | 6,000 LBS        | 560 lbs |   |
| 314022         | Pallet Fork, HD, W/Steps/D-Ring | 60" X 1 1/2" | 5,500 LBS        | 260 lbs |   |
| 314023         | Pallet Fork, HD, W/Steps/D-Ring | 72" X 1 3/4" | 6,000 LBS        | 562 lbs |   |
| 314024         | Pallet Fork, HD, W/Steps/D-Ring | 42" X 1 3/4" | 6,000 LBS        | 481 lbs |   |

# PALLET FORK - CLASS 3, 10,000 LBS.

| PART<br>NUMBER | MODEL | TINE SIZE    | LIFT<br>CAPACITY | WEIGHT  |
|----------------|-------|--------------|------------------|---------|
| 314150         | Frame | 48" X 1 3/4" | 10,000 lbs       | 595 lbs |
| 314152         | Frame | 60" X 1 3/4" | 10,000 lbs       | 732 lbs |
| 314155         | Frame | 60" X 2"     | 10,000 lbs       | 758 lbs |
| 314160         | Frame | 72" X 2"     | 10,000 lbs       | 828 lbs |
| 314165         | Frame | 84" X 2"     | 10,000 lbs       | 848 lbs |
| 314167         | Frame | 96" X 2"     | 10,000 lbs       | 875 lbs |



# PALLET FORK - WIDE FRAME, HEAVY DUTY

| PART<br>NUMBER | MODEL                  | TINE SIZE    | LIFT<br>CAPACITY | WEIGHT    |
|----------------|------------------------|--------------|------------------|-----------|
| 314025         | Pallet Fork W/Backrest | 72" X 1 3/4" | 5,500 LBS        | 738 lbs   |
| 314027         | Pallet Fork W/Backrest | 60" X 1 3/4" | 5,500 LBS        | 690 lbs   |
| 314028         | Pallet Fork            | 60" X 1 3/4" | 5,500 LBS        | 738 lbs   |
| 314029         | Pallet Fork            | 72" X 1 3/4" | 5,500 LBS        | 1,080 lbs |



# PALLET FORK - BLOCK & BRICK, HEAVY DUTY

| PART<br>NUMBER | MODEL                | TINE SIZE         | LIFT CAPACITY     | WEIGHT |
|----------------|----------------------|-------------------|-------------------|--------|
| 114175         | 42" Tine STD Class 2 | 42" x 2" x 1 1/2" | 3,600 - 4,800 lbs | 64 lbs |
| 114178         | 48" Tine STD Class 2 | 48" x 2" x 1 1/2" | 3,600 - 4,800 lbs | 75 lbs |
| 114185         | 42" Tine STD Class 2 | 42" x 2" x 2"     | 3,600 - 4,800 lbs | 64 lbs |
| 114180         | 48" Tine STD Class 2 | 48" x 2" x 2"     | 3,600 - 4,800 lbs | 75 lbs |



Tine only.



# **GRAPPLES BUCKET - LIGHT DUTY**

The Blue Diamond<sup>®</sup> Light Duty Grapple Bucket is designed for small loaders with limited lift capacity. Weighing less than 500 lbs, it eliminates the worry of tipping the machine. Dual top clamps and grease fittings are standard. These lightweight grapples are suited for machines with lifting capacity of 1,500 lbs or less.

| PART<br>NUMBER | MODEL                                       | LIFT<br>CAPACITY | WEIGHT  |
|----------------|---|------------------|---------|
| 106065         | 66" Grapple Bucket, Light Duty, Dual Clamps | 11.07 CU FT      | 480 lbs |

# **BUCKET - HEAVY DUTY**

The Blue Diamond<sup>®</sup> Heavy Duty Grapple Bucket is designed for machines up to 50 hp with a moderate workload. Made from 1/2" steel, it is strong yet light enough for smaller machines. Pivot-point grease fittings and couplers are standard. Available in 60", 66", and 72" widths with excellent visibility.

| PART<br>NUMBER | MODEL                               | LIFT<br>CAPACITY | WEIGHT  |
|----------------|-------------------------------------|------------------|---------|
| 106077         | 60" Grapple Bucket, HD, Dual Clamps | 10.26 CU FT      | 740 lbs |
| 106085         | 66" Grapple Bucket, HD, Dual Clamps | 11.07 CU FT      | 587 lbs |
| 106095         | 72" Grapple Bucket, HD, Dual Clamps | 11.88 CU FT      | 613 lbs |



# **BUCKET - SEVERE DUTY**

The rugged Blue Diamond<sup>®</sup> Severe Duty Grapple Bucket comes from years of input from demolition contractors and recyclers. The severe duty model combines features from our previous demolition series, our extreme duty model, and some new features to put it among the most effective and durable grapple buckets in the industry. The operator can use the bolt-on sides to contain more material or can remove the sides for handling longer products like pipe or trees. The pivot points are designed for the heavy continuous use seen in large recycling and scrap metal facilities. The pivot pins are 11/4" diameter and are housed in bushings with grease fittings. The upper clamps use 2 heavy gauge crossmembers, and a solid plate protects the bottom of the cylinder. The no-pinch hose routing helps to prevent downtime from crushed hoses.



| PART<br>NUMBER | MODEL                                   | LIFT<br>CAPACITY | WEIGHT    |
|----------------|---|------------------|-----------|
| 106429         | 60" Grapple Bucket, Severe Duty         | 10.26 CU FT      | 905 lbs   |
| 106444         | 66" Grapple Bucket, Severe Duty         | 11.07 CU FT      | 1,139 lbs |
| 106454         | 72" Grapple Bucket, Severe Duty         | 11.88 CU FT      | 1,179 lbs |
| 106457         | 72" Grapple Bucket, Severe Duty W/Teeth | 11.88 CU FT      | 1,066 lbs |
| 106464         | 78" Grapple Bucket, Severe Duty         | 12.69 CU FT      | 1,210 lbs |
| 106476         | 84" Grapple Bucket, Severe Duty         | 14.00 CU FT      | 1,227 lbs |



# GRAPPLES ROCK BUCKET

The Blue Diamond<sup>®</sup> Standard & Heavy Duty Rock Bucket/Grapple uses 3/8" steel with the tines spaced at 3" apart. This very popular bucket can be used for sifting or raking and is available with dual grapples for holding your load. Works well as a land plane, skimming off high spots with the leading edge and smoothing the loose soil with the rear crossbar. The drop down inside keeps rocks from sliding out.



#### **FEATURES INCLUDE**

- · Laser-cut cutting edge gussets on tips of tines
- 3" spacing between tines
- 3 styles of grapples available
- Works great as a land plane and for light clearing

| PART<br>NUMBER | MODEL                                 | WEIGHT  |
|----------------|---------------------------------------|---------|
| 108319         | 60" Rock Bucket, W/Standard Grapple   | 582 lbs |
| 108325         | 66" Rock Bucket, W/Standard Grapple   | 608 lbs |
| 108340         | 72" Rock Bucket, W/Standard Grapple   | 633 lbs |
| 108330         | 66" Rock Bucket, W/Heavy Duty Grapple | 689 lbs |
| 108345         | 72" Rock Bucket, W/Heavy Duty Grapple | 740 lbs |
| 108360         | 78" Rock Bucket, W/Heavy Duty Grapple | 764 lbs |
| 108380         | 84" Rock Bucket, W/Heavy Duty Grapple | 787 lbs |



HEAVY DUTY

# **ROCK BUCKET - SEVERE DUTY**

The Blue Diamond<sup>®</sup> Severe Duty Rock Bucket/Grapple offers true versatility! The bolt-on sides help when rock picking and sifting but can be removed for carrying logs and brush. The angled and scalloped edge excels at leveling and raking.

#### FEATURES INCLUDE

- No-pinch hose routing for grapple
- · Back is open on either side of quick attach for better sifting
- New style of cutting edge for better leveling
- · Increased structure in top clamps to prevent twisting
- 1/2" bucket tines

| PART<br>NUMBER | MODEL                                  | WEIGHT    |
|----------------|--|-----------|
| 108450         | 72" Rock Bucket, Severe Duty W/Grapple | 1,096 lbs |
| 108455         | 78" Rock Bucket, Severe Duty W/Grapple | 1,142 lbs |
| 108460         | 84" Rock Bucket, Severe Duty W/Grapple | 1,194 lbs |



SEVERE DUTY


# **GRAPPLES** *RAKE -* **HEAVY DUTY**

The Blue Diamond<sup>®</sup> Heavy Duty Grapple Rake for skid steers is a great alternative to a root grapple when visibility is important. This grapple rake features a single top clamp and 1/2" tines. It fully opens to 52"

#### FEATURES INCLUDE

- Single top clamp
- Opens to 52"
- 1/2" tine width

| PART<br>NUMBER | MODEL                               | WEIGHT  |
|----------------|-------------------------------------|---------|
| 107001         | 63" Grapple, Rake, HD, Single Clamp | 689 lbs |
| 107005         | 72" Grapple, Rake, HD, Single Clamp | 740 lbs |
| 107010         | 80" Grapple, Rake, HD, Single Clamp | 770 lbs |
| 107015         | 84" Grapple, Rake, HD, Single Clamp | 955 lbs |





# **RAKE - SEVERE DUTY**

The Blue Diamond<sup>®</sup> Severe Duty Grapple Rake for skid steers is built to tackle the most demanding projects. The attachment comes with 3/4" tines, replaceable teeth, and dual top clamps.

- Dual top clamps
- 3/4" tine width
- Replaceable teeth

| PART<br>NUMBER | MODEL                             | WEIGHT    |
|----------------|-----------------------------------|-----------|
| 106515         | 72" Grapple, Rake, SD, Dual Clamp | 1,256 lbs |
| 106520         | 78" Grapple, Rake, SD, Dual Clamp | 1,269 lbs |
| 106525         | 84" Grapple, Rake, SD, Dual Clamp | 1,350 lbs |





# GRAPPLES ROOT - LIGHT DUTY

The Blue Diamond<sup>®</sup> Light Duty Root Grapple is designed with small skid steers in mind with limited lift capacity. Weighing only 454 lbs, this attachment lets you grab a load without the fear of tipping your machine. Dual top clamps and grease fittings are standard.

| PART<br>NUMBER | MODEL                                       | WEIGHT  |
|----------------|---|---------|
| 106053-S       | 48" Grapple, Root, Light Duty, Single Clamp | 350 LBS |
| 106054-S       | 52" Grapple, Root, Light Duty, Single Clamp | 365 LBS |
| 106053         | 48" Grapple, Root, Light Duty, Dual Clamps  | 399 LBS |
| 106054         | 52" Grapple, Root, Light Duty, Dual Clamps  | 407 LBS |
| 106057         | 56" Grapple, Root, Light Duty, Dual Clamps  | 425 LBS |
| 106055         | 60" Grapple, Root, Light Duty, Dual Clamps  | 440 LBS |
| 106060         | 66" Grapple, Root, Light Duty, Dual Clamps  | 689 LBS |



#### FEATURES INCLUDE

- 3/8" Tines
- Dual or Single Top Clamps
- Greasable Pivot Pins
- Universal Mount
- 3"x3" Tube
- 1" Pivot Pins
- Includes hoses and couplers
- 1,500 lb lifting capacity

#### ROOT - HEAVY DUTY

The Blue Diamond<sup>®</sup> Heavy Duty Root Grapple is designed for up to 50 hp machines with a moderate work load. Made from 1/2" steel, this attachment is strong yet light enough for smaller machines such as skid steers. Pivot-point grease fittings and couplers are standard.

| PART<br>NUMBER | MODEL                              | WEIGHT  |
|----------------|------------------------------------|---------|
| 106075         | 60" Grapple, Root, HD, Dual Clamps | 608 lbs |
| 106080         | 66" Grapple, Root, HD, Dual Clamps | 633 lbs |
| 106090         | 72" Grapple, Root, HD, Dual Clamps | 689 lbs |

For machines with up to 50 HP

#### **ROOT - SEVERE DUTY**

This Blue Diamond<sup>®</sup> Severe Duty Root Grapple has a number of improved features that take it a step above the extreme design. An enclosed back, heavier top clamps, 1-piece tines, and hose routing are all improvements to reinforce areas that are prone to damage from heavy use. In addition, extra long tubing in the top clamp prevents twisting.

| PART<br>NUMBER | MODEL                          | WEIGHT  |
|----------------|--------------------------------|---------|
| 106440         | 66" Grapple, Root, Severe Duty | 608 lbs |
| 106450         | 72" Grapple, Root, Severe Duty | 633 lbs |
| 106460         | 78" Grapple, Root, Severe Duty | 689 lbs |
| 106470         | 84" Grapple, Root, Severe Duty | 740 lbs |



FEATURES INCLUDE

- 1/2" thick top clamps
- Cylinder protection covers
- Opens to 32"
- Best suited for machines up to 50hp or 1800 lb lift capacity
- Protected hoses



- 1/2" thick tines
- Closed-in quick-attach area
- Reinforced top clamps
- Hoses exit left cylinder tower to prevent pinching

#### **GRAPPLES** *ROOT -* EXTREME DUTY, HIGH CAPACITY

This Blue Diamond<sup>®</sup> Extreme Duty, High Capacity Root Grapple is designed to handle very large jobs with ease. The protected cylinders and hoses ensure that down time is kept to a minimum. From the heavily reinforced mount to the rugged top clamps, this grapple is one of the toughest on the market. The massive top clamps allow for 25" x 42" worth of material to be grabbed in each load.



| PART<br>NUMBER | MODEL  | WEIGHT    |
|----------------|--|-----------|
| 106220         | 72" Grapple, Root, Extreme Duty, High Capacity | 1,159 lbs |
| 106230         | 78" Grapple, Root, Extreme Duty, High Capacity | 1,194 lbs |
| 106240         | 84" Grapple, Root, Extreme Duty, High Capacity | 1,294 lbs |
| 106260         | 96" Grapple, Root, Extreme Duty, High Capacity | 1,360 lbs |

- 3/8" thick tines with 1/2" top clamps
- 25" x 42" opening inside of clamps
- Opens to 59" at tip of tines/clamp
- Dual acting cylinders
- Heavily reinforced mount
- Serrated tine tips to rip through roots



# HAY ACCUMULATOR

| WEIGHT  |   |
|---------|---|
| 785 lbs |   |
|         | V |

Holds up to 10 square bales

# **HAY SPEARS**

PART

NUMBER 111405

Blue Diamond® offers a very high quality yet compact Hay Spear. It is available in three styles: a single spear with standard or heavy duty stabilizers for round bales, a double bottom, or a quad bottom style for large square bales which can also be used as a pallet fork. The high quality German-made spear tines are rated for 3,500 lbs each, and the lower stabilizers are replaceable. These strong frames are powder coated, and a bolt-on back rack is available.

#### All of our hay spears carry a 1-year warranty, with a 2-year warranty on tines.

MODEL

Hay Accumulator Grapple, Fit 8-10 SQ Bales





SINGLE SPEAR

888-376-7027

DOUBLE BOTTOM SPEAR

QUAD BOTTOM SPEAR

OPTIONAL BOLT-ON RACK SHOWN ON DOUBLE BOTTOM

| PART<br>NUMBER | MODEL  | SPEAR<br>LENGTH | WEIGHT  |
|----------------|--|-----------------|---------|
| 311003         | Hay Spear W/ HD Stabilizers (Short Spear)      | 36"             | 154 lbs |
| 311006         | Hay Spear W/Standard Stabilizers               | 48"             | 160 lbs |
| 311007         | Hay Spear W/Standard Stabilizers & Back Rack   | 48"             | 204 lbs |
| 311008         | Hay Spear W/ HD Stabilizers                    | 48"             | 165 lbs |
| 311009         | Double Bottom Hay Spear (Short Spears)         | 36"             | 180 lbs |
| 311010         | Double Bottom Hay Spear                        | 48"             | 190 lbs |
| 311011         | Double Bottom Hay Spear W/Rack                 | 48"             | 218 lbs |
| 311040         | Double Top Tine Hay Spear W/Bottom Stabilizers | 48"             | 190 lbs |
| 311045         | Quad Bottom Hay Spear, 45" Wide                | 48"             | 262 lbs |
| 311050         | Quad Bottom Hay Spear, 60" Wide                | 48"             | 280 lbs |
| 311060         | Quad Bottom Hay Spear, 75" Wide                | 48"             | 304 lbs |



# LAND PLANE



The Blue Diamond<sup>®</sup> Land Plane, also known as a land leveler, is a very useful tool for doing fine leveling and site preparation. Cut, grade, and level faster with this bidirectional attachment.

#### FEATURES INCLUDE

- Excellent grading tool for leveling dirt and gravel
- Works in forward or reverse
- Multiple cutting edges
- Great sod removal capabilities

| PART<br>NUMBER | MODEL          | WEIGHT  |
|----------------|----------------|---------|
| 115040         | 72" Land Plane | 350 lbs |
| 115060         | 84" Land Plane | 450 lbs |





# LOG GRAPPLE

The Blue Diamond Rotating<sup>®</sup> Log Grapple is a high quality attachment for tree work. Whether you are working in the log yard or clearing land, this tool can handle the load. The serrated brace helps stabilize logs when moving. The impressive clamping force tightly holds onto large logs. Two models are offered: 180° manual rotation and 360° hydraulic rotation.

#### FEATURES INCLUDE

- 2,500 lb capacity
- Serrated quick attach for load stabilization
- HD welded cylinder
- Serrated boom to stabilize and push
- Rope tie / chain tie off attach point
- Closes up to 5 inches
- Opens to 62 inches

| PART<br>NUMBER | MODEL              | WEIGHT  |
|----------------|--------------------|---------|
| 106815         | Manual Rotation    | 500 lbs |
| 106820         | Hydraulic Rotation | 550 lbs |





LOAD STABILIZATION BASE

# LOG SPLITTER 25-TON

The Blue Diamond<sup>®</sup> 25-Ton Traditional Log Splitter can be used horizontally or vertically. The powerful cylinder is controlled by a single easy-to-use lever. It can handle up to a 24" long log with ease.


| PART<br>NUMBER | MODEL                            | WEIGHT  |
|----------------|----------------------------------|---------|
| 150000         | 25-Ton Log Splitter, Traditional | 475 lbs |

# 35-TON

The Blue Diamond<sup>®</sup> 35-Ton Inverted Log Splitter takes firewood production to the next level. With the optional 4-way wedge and the 35-ton cylinder, you can split incredible amounts of wood from the comfort of your cab!

#### FEATURES INCLUDE

- 2- or 4-way wedge available
- Heavy duty sliders
- e available Opens to 30"
- Protected 35-ton cylinder
- 1-year warranty
- PART<br/>NUMBERMODELWEIGHT15001535-Ton Log Splitter, Inverted (Req Wedge)450 lbs150017Single Wedge For 35-Ton Inverted85 lbs1500184-Way Wedge For 35-Ton Inverted105 lbs





35-TON

# MATERIAL ROLLER

Your workday just got a lot easier, introducing the Blue Diamond<sup>®</sup> Material Roller. Precisely crafted and ruggedly built, the material roller will not only lighten your load, but cut your crew requirements by almost half. From loading and unloading the flat-bed to laying down roll after roll, any project will get done faster with less physical effort with the material roller.

| PART<br>NUMBER | MODEL   | WEIGHT  |
|----------------|---|---------|
| 174005         | Material Roller, Hydraulic Side Angle (Requires Stem) | 500 lbs |
| 174105         | 3 1/2" Dia, Roll Stem for 4' Wide Roll                | 40 lbs  |
| 174110         | 3 1/2" Dia, Roll Stem for 6.67' Wide Roll             | 60 lbs  |
| 174115         | 3 1/2" Dia, Roll Stem for 8' Wide Roll                | 66 lbs  |
| 174120         | 3 1/2" Dia, Roll Stem for 16' Wide Roll               | 174 lbs |
| 174130         | 2 3/8" Dia, Roll Stem for 4' Wide Roll                | 18 lbs  |
| 174135         | 2 3/8" Dia, Roll Stem for 6.67' Wide Roll             | 28 lbs  |
| 174140         | 2 3/8" Dia, Roll Stem for 8' Wide Roll                | 33 lbs  |



FOLDS UP FOR STORAGE AND

#### FEATURES INCLUDE

- Hydraulic actuator allows the stem to swing 180° left or right, 115° up, and 8° down
- Detachable stem available in 3 lengths
- Retaining collar with quick pin keeps material perfectly positioned on the stem

SKID STEER ATTACHMENTS

ŷ

# MATERIAL SPREADER

The Blue Diamond<sup>®</sup> Heavy Duty Material Spreader is the most efficient way to spread material! Simply use the hopper like a bucket to scoop your material then turn on the hydraulics to spread up to 30' wide.

#### FEATURES INCLUDE

- Available in 8 and 18 cu. ft. capacity
- Spreads up to 30' wide
- Self-loading: scoop material into the hopper
- Hardened Steel cutting edge
- Protective Grate to prevent clogging
- Adjustable flow with a manually operated gate
- Steel spreader with replaceable paddles
- Steel agitator to keep material flowing smoothly
- Optional sidewalk deflector

| PART<br>NUMBER | MODEL   | WEIGHT  |
|----------------|---|---------|
| 101055         | Spreader, Standard Duty, 5 Cu/Ft                    | 95 lbs  |
| 101060         | Receiver 2, Heavy Duty (For Standard Duty)          | 10 lbs  |
| 101065         | Salt Spreader, Vibrator Kit (For Standard Duty)     | 9 lbs   |
| 101070         | Gate Kit Spreader, Free Flowing (For Standard Duty) | 8 lbs   |
| 101110         | Spreader, Heavy Duty, 8 Cu/Ft                       | 415 lbs |
| 101115         | Spreader, Heavy Duty, 18 Cu/Ft                      | 635 lbs |
| 101155         | Sidewalk Deflector Kit For Heavy Duty               | 27 lbs  |







# **MOUNT PLATE**

Make your own attachment or make your old attachments fit your new skid steer. Mounts available to fit to all universal hitch machines, John Deere 400/500, and Euro-AG. Made from  $\frac{1}{4}$  or  $\frac{1}{2}$  thick solid plate.



UNIVERSAL SKID STEER MOUNT

| PART NUMBER | MOUNT                | THICKNESS | WEIGHT  |
|-------------|----------------------|-----------|---------|
| 113005      | Universal Skid Steer | 1/4"      | 75 lbs  |
| 113005-14   | JD 400/500           | 1/4"      | 54 lbs  |
| 113005-16   | Euro-AG              | 1/4"      | 55 lbs  |
| 113006      | Universal Skid Steer | 1/2"      | 140 lbs |



[/]

# **POST DRIVER** VIBRATORY SERIES 2

The Blue Diamond<sup>®</sup> Vibratory Series 2 Post Driver is the best post driver for full-size skid steers, mini skid steers, and excavators, ideal for both commercial and for rental fleet use! Useful for many industries, a vibratory post driver makes the job faster and more efficient for works in construction, agriculture, solar installation, and more!

| PART<br>NUMBER | MODEL   | WEIGHT  |
|----------------|---|---------|
| 100502         | Post Driver, Vibratory S2 (Requires Mount)      | 264 lbs |
| 100507         | Post Driver, Vibratory, W/Tilt (Requires Mount) | 400 lbs |
| 100510         | Vibratory Tilt Option                           | 123 lbs |
| 100555         | Skid Steer Mount                                | 125 lbs |
| 100516         | 4" Round Post Adapter                           | 15 lbs  |
| 100521         | 6" Round Post Adapter                           | 17 lbs  |
| 100526         | 9" Round Post Adapter                           | 19 lbs  |
| 100528         | 10" Round Post Adapter                          | 37 lbs  |
| 100531         | 12" Round Post Adapter                          | 50 lbs  |
| 100552         | 12" Square Flat Post Adapter                    | 41 lbs  |
| 100553         | 12" Round Flat Post Adapter                     | 35 lbs  |



- Optional tilt function allows for 10 degrees of adjustment
- Hydraulic orbital technology maximizes auxiliary flow
- Available with 4" 12" round and flat post adapters
- Compact design that is easy to transport and store
- Requires 7-26 GPM auxiliary flow and case drain
- OEM and universal wiring harnesses available
- Easily swap between machines with the interchangeable mount



#### POWER RAKE HEAVY DUTY SERIES 2

This Heavy Duty Series 2 Power Rake follows close on the heels of our previously released Severe Duty model. This lighter unit is suited to smaller frame skid steers and walk behind machines. The bolt-on mount allows greater flexibility for rental companies and dealers to have the correct model for the right machine, with mounts offered for mini and full size skid steer machines.



SHOWN WITH FIXED TEETH OPTION





REVERSIBLE SIDE SHIELD



HYDRAULIC ANGLE KIT SHOWN ATTACHED



HEAVY DUTY PROTECTED BEARING

| PART<br>NUMBER | MODEL                                   | WEIGHT  |
|----------------|---|---------|
| 132407         | 48" Power Rake, HD2, Replaceable Teeth  | 528 lbs |
| 132408         | 60" Power Rake, HD2, Replaceable Teeth  | 580 lbs |
| 132409         | 72" Power Rake, HD2, Replaceable Teeth  | 600 lbs |
| 132400         | 48" Power Rake, HD2, Fixed Teeth        | 526 lbs |
| 132401         | 60" Power Rake, HD2, Fixed Teeth        | 584 lbs |
| 132402         | 72" Power Rake, HD2, Fixed Teeth        | 714 lbs |
| 132404         | Skid Steer Mount, Heavy Duty Series 2   | 159 lbs |
| 132406         | HD2 Hose Kit For Manual Angle           | 10 lbs  |
| 132410         | HD2 Hose Kit For Manual Angle 78" Hoses | 15 lbs  |
| 232469         | HD2 Hydraulic Angle Hoses 85" Oal       | 9 lbs   |

Select base model, mount and hydraulic kit. You can get harden steel or carbide teeth that are either replaceable or fixed.

#### **SEVERE DUTY SERIES 3**

The Blue Diamond<sup>®</sup> Severe Duty Series 3 Power Rake is a must-have for anyone who uses a power rake for a living. This unit is the biggest and strongest power rake that we offer, and an industry leader for durability and ease of maintenance. It comes standard with the airless tires you've come to love, and the increased drum diameter moves soil faster than ever before.

J/8" THICK WALL TUBE FRAME

PART MODEL WEIGHT NUMBER 132515 84" Power Rake, Replaceable Teeth 1,225 lbs 1,275 lbs 132520 96" Power Rake, Replaceable Teeth 132055 Case Drain Line 84" Cut Length 2 lbs 132056 Case Drain Line 156" Cut Length For 96" & 120" 5 lbs 132525 1.385 lbs 108" Power Rake, Replaceable Teeth 132530 120" Power Rake, Replaceable Teeth 1,366 lbs



You can get harden steel or carbide teeth that are either replaceable or fixed.



48

# SKID STEER

# POWER RAKE EXTREME DUTY



When productivity matters, look no further. Travel faster, cut deeper, and get on to the next job! With skid steer machine sizes increasing in the industry, there is a need for a more powerful and durable power rake/soil conditioner attachment. The Blue Diamond® Extreme Duty Power Rake is designed to power though jobs where others fail and is set up for simple servicing. This massive 6000 series motor and optimal drum size produce maximum torque, and the motor is kept out of the way, maximizing usable width in tighter areas. Aggressive 2" teeth are ideal for leaving a fresh seed bed with fewer passes.

| eth are ideal for leaving a fresh seed bed with fewer passes. |  |           |          |  |  |  |
|---|--|-----------|----------|--|--|--|
| PART<br>NUMBER  | MODEL  | WEIGHT    | F<br>  • |  |  |  |
| 132126  | 48" Power Rake, Replaceable Teeth (W/Skid Steer<br>Mount)  | 590 lbs   |          |  |  |  |
| 132110  | 72" Power Rake, Replaceable Teeth  | 1,136 lbs |          |  |  |  |
| 132115  | 84" Power Rake, Replaceable Teeth  | 1,160 lbs | •        |  |  |  |
| 132120  | 96" Power Rake, Replaceable Teeth  | 1,185 lbs |          |  |  |  |
| 132125  | 48" Power Rake, Fixed Teeth (W/Skid Steer Mount)   | 590 lbs   | •        |  |  |  |
| 132112  | 72" Power Rake, Fixed Teeth  | 1,085 lbs |          |  |  |  |
| 132117  | 84" Power Rake, Fixed Teeth  | 1,110 lbs | •        |  |  |  |
| 132122  | 96" Power Rake, Fixed Teeth  | 1,135 lbs |          |  |  |  |
| 332520  | Hydraulic Angle Kit, Fits 72-84" (Universal Harness<br>Included, OEM Connection Sold Separately) | 51 lbs    | •        |  |  |  |
| 332525  | Hydraulic Angle Kit, Fits 96" (Universal harness included, OEM connection sold separately)       | 52 lbs    | •        |  |  |  |
| 132065  | Power Rake Manual Angle Kit, Fits 72-96"   | 20 lbs    |          |  |  |  |
| 132066  | Power Rake Manual Angle Kit, Fits 120"   | 25 lbs    | •        |  |  |  |
| 132050  | Optional Power Rake Skid Shoes   | 30 lbs    | •        |  |  |  |
| 216900  | OEM 14-Pin Harness (Specify Machine)   | 1 lbs     | ]        |  |  |  |
| 216915  | OEM 14-Pin Jd Harness  | 3 lbs     |          |  |  |  |
| 216905  | OEM 8-Pin Cat Harness  | 3 lbs     | •        |  |  |  |
| 216950  | OEM 7-Pin Bobcat Harness   | 1 lbs     | •        |  |  |  |



#### FEATURES INCLUDE

- 6,000 series motor weighs twice what competitive models do, and has around 40% more torque
- 4" x 4" square tube frame
- 18 26 GPM hydraulic flow, max 4000 PSI
- Optional replaceable teeth versus fixed teeth that require welding to replace
- 1.5" spindle on castors with spacers versus friction adjusters that work loose
- Airless tires no flats
- 1" front wheel axles versus competitive <sup>3</sup>/<sub>4</sub>"
- 1.5" motor shaft and high pressure seals
- 5 position, 20 degree angle, manual or hydraulic
- Optional bolt-on skid shoes add 30% load capacity over side plates alone
- 6 3/4" drum diameter, 10 3/4" including teeth
- Replaceable teeth hardness is
   HRC 50
- Double struts on the castors

You can get harden steel or carbide teeth that are either replaceable or fixed.

**OEM Extension Harness** 



SIDE PLATE WITH SKID SHOE



1 lbs

AIRLESS TIRES - NO FLATS

200011

# **POWER RAKE** STANDARD DUTY

This lighter unit is suited to smaller frame skid steers and walk behind machines. The bolt-on mount allows greater flexibility for rental companies and dealers to have the correct model for the right machine, with mounts offered for mini and full size skid steer machines.

| PART<br>NUMBER | MODEL                                     | WEIGHT* |
|----------------|---|---------|
| 332450         | 48" Power Rake With Fixed Mount           | 550 lbs |
| 332451         | 48" Power Rake With Manual Angle Mount    | 600 lbs |
| 332452         | 48" Power Rake With Hydraulic Angle Mount | 625 lbs |
| 332453         | 60" Power Rake With Fixed Mount           | 600 lbs |
| 332454         | 60" Power Rake With Manual Angle Mount    | 650 lbs |
| 332455         | 60" Power Rake With Hydraulic Angle Mount | 675 lbs |
| 332456         | 72" Power Rake With Fixed Mount           | 700 lbs |
| 332457         | 72" Power Rake With Manual Angle Mount    | 750 lbs |
| 332458         | 72" Power Rake With Hydraulic Angle Mount | 775 lbs |

\* — Add -25 for Mini Universal and add -26 for Bobcat MT. \*\* — Weight varies on mount



#### FEATURES INCLUDE

- Flip up wheels
- No-flat airless wheels
- Drum width 48", 60", and 72"
- 5/8" greaseable axles on wheels
- 7" diameter drum with 1 1/2" teeth
- Overall width 12" more than drum width
- 11/4" spindles with adjustable height
- Bolt-on mount (can be switched for a different mini or full size skid steer mount)
- Spindles on drum are 13/8" diameter greaseable bearings
- Fixed carbide teeth
- Available with manual or hydraulic angle

# RIPPER

Our Blue Diamond<sup>®</sup> Ripper is great for penetrating the ground on farms, gardens, and driveways. You can easily prepare a garden or till up a large parcel of land, and it's great for loosening hard-packed ground. The tines on the ripper can be adjusted for more or less ground penetration. Alternate names for the ripper include tiller and field cultivator in the skid steer and related industries. This ripper fits mini and full-sized skid steer machines.

| PART<br>NUMBER | MODEL                       | WEIGHT  |
|----------------|-----------------------------|---------|
| 170210         | 60" Ripper Skid Steer Mount | 300 lbs |
| 170215         | 72" Ripper Skid Steer Mount | 405 lbs |
| 170225         | 84" Ripper Skid Steer Mount | 419 lbs |
| 170230         | 96" Ripper Skid Steer Mount | 519 lbs |
| 170310         | Optional, Finish Rake 60"   | 440 lbs |
| 170315         | Optional, Finish Rake 72"   | 487 lbs |
| 170325         | Optional, Finish Rake 84"   | 512 lbs |
| 170330         | Optional, Finish Rake 96"   | 554 lbs |



#### **FEATURES INCLUDE**

- Adjustable tines
- Available sizes: 60", 72", 84", or 96"
- Optional finishing rake
- 1-year warranty

50



# **ROAD SAW**

Blue Diamond<sup>®</sup> high flow road saws offer high rates of production at a substantially lower cost than smaller, self-propelled wheel saws. Our high flow skid steer road saws are offered in cutting depths up to 10- or 18-inches! All feature planetary reduction drives, which efficiently provide maximum cutting torque under load. All saws utilize a ground-engaging frame, which provides accurate depth of cut control. This means the frame is in contact with the ground during the cutting operation, and the cutting wheel moves up and down within this frame, giving the operator the ability to maintain control of the cut.

| PART<br>NUMBER | MODEL                                       | WEIGHT    |
|----------------|---|-----------|
| 161000         | 10" Cut Depth, Road Saw (Req Cutting Wheel) | 1,196 lbs |
| 161005         | 18" Cut Depth, Road Saw (Req Cutting Wheel) | 1,972 lbs |
| 161505         | 10" Depth X 2.5"W Cutting Wheel             | 127 lbs   |
| 161510         | 10" Depth X 4.5"W Cutting Wheel             | 165 lbs   |
| 161530         | 18" Depth X 3"W Cutting Wheel               | 372 lbs   |
| 161533         | 18" Depth X 4.5"W Cutting Wheel             | 426 lbs   |
| 161535         | 18" Depth X 6"W Cutting Wheel               | 481 lbs   |





# **ROCK & CONCRETE GRINDER**

The Blue Diamond<sup>®</sup> Rock & Concrete Grinders are a must have tool for any application where rock, concrete, or asphalt need to be removed. They allow for a clean trench to be made with vertical walls. Four different models are available. When pairing with a skid steer, use the model with the flow that matches the best host machine.

#### **APPLICATIONS:**

- Trenching
- Demolition
- Rock Excavation
- FEATURES INCLUDE
- All American-made parts & components
- Powerful high torque hydraulic motors
- Robust cutting drums to ensure maximum production & prolonged life
- Customizable drums to accommodate performance maximized applications
- Durable spur gears & housing
- Bolt-on mount for excavator or skid steer



| PART<br>NUMBER | MODEL | WEIGHT<br>(WITHOUT MOUNT) | CUTTING<br>WIDTH | HEAD<br>DIAMETER | REQUIRED FLOW<br>(GPM) | CARRIER WEIGHT    |
|----------------|-------|---------------------------|------------------|------------------|------------------------|-------------------|
| 159010         | G1S   | 265 lbs                   | 19"              | 9"               | 5-12                   | 1,300-5,000 lbs   |
| 159015         | G1    | 635 lbs                   | 21"              | 11"              | 8-20                   | 6,900-17,000 lbs  |
| 159020         | G2    | 1,035 lbs                 | 25"              | 16.5"            | 12-26                  | 17,000-30,000 lbs |
| 159025         | G3    | 2,045 lbs                 | 31"              | 22"              | 30-45                  | 22,000-39,000 lbs |

# **ROOF TRUSS JIB**

The Blue Diamond<sup>®</sup> Roof Truss Jib is a hydraulically driven pole allows for easy transportation of your items, with the ability to hydraulically extend your height by 72". The pole has a 4" x 4" base with 3/8" thick walls. The manual extension arm can be positioned in 2 different height locations, one at 12" and the other at 24".

#### FEATURES INCLUDE

- Up to 220" additional reach
- 1,200 lbs capacity retracted, 500 lb extended
- 3" X 3" X 48" hydraulic extension arm
- 2" X 2" X 24" manual extension arm
- 2 1/2" hole for hooking chains and straps
- Ideal for setting roof trusses or beams

| PART<br>NUMBER | MODEL  | WEIGHT  |
|----------------|--|---------|
| 112105         | Roof Truss Jib, Hydraulic Telescopic, 1200 LB<br>Capacity, 220" Long | 265 lbs |

# ROOT RAKE SEVERE DUTY

The Blue Diamond<sup>®</sup> Severe Duty Root Rake is great for cleaning up your land. The 5 1/4" tine spacing allows you to rake through the dirt and push out rocks, sticks, and other debris.

| PART<br>NUMBER | MODEL                     | WEIGHT  |
|----------------|---------------------------|---------|
| 170165         | 60" Root Rake Severe Duty | 235 lbs |
| 170170         | 66" Root Rake Severe Duty | 392 lbs |
| 170175         | 72" Root Rake Severe Duty | 415 lbs |
| 170180         | 78" Root Rake Severe Duty | 453 lbs |
| 170185         | 84" Root Rake Severe Duty | 547 lbs |



#### FEATURES INCLUDE

- Solid 1 piece tines
- 5/8" thick tines
- Reinforced tubing in main frame
- 33" tall

# ROTOTILLER



Till 6" or 8" deep with the heavy duty bidirectional Blue Diamond® Rototiller. A heavy front cross-tube keeps the unit floating and strengthens the leading edge. Minimum required 15 GPM. The pivoting tines allow for maximum bite in either direction.

| PART<br>NUMBER | MODEL                    | WEIGHT  |
|----------------|--------------------------|---------|
| 129010         | 68" Rototiller, 6" Depth | 490 lbs |
| 129012         | 68" Rototiller, 8" Depth | 590 lbs |
| 129015         | 76" Rototiller, 6" Depth | 630 lbs |
| 129017         | 76" Rototiller, 8" Depth | 630 lbs |



SKID STEER

# SILT FENCE INSTALLER

The Blue Diamond<sup>®</sup> Silt Fence Installer is essential for erosion control. Easily install silt fencing in a fraction of the time. The design allows a trench to be cut and installs the fence up to 20" deep without needing to pre-trench and backfill. Two models are available to best suit your application; a fixed center mount fits most applications, or a sliding offset mount for installation near buildings or other structures.

#### FEATURES INCLUDE

- Trench and install fencing in once pass
- 40° pivot to either side of center for turning
- Fits up to 30" diameter roll
- Spring loaded coulter easily cuts through trash, roots and other debris
- Installs up to 20" deep


- Fits 36", 42", and 48" tall fencing
- Sliding offset mount allows for installation next to buildings/ structures
- No hydraulics = minimal maintenance
- Install thousands of feet of fencing per hour

| PART<br>NUMBER | MODEL   | WEIGHT  |
|----------------|---|---------|
| 175015         | Silt Fence, W/Center Mount                    | 775 lbs |
| 175020         | Silt Fence, W/Side Shift Mount                | 780 lbs |
| 275110         | Silt Fence Fabric Bulk Roll 36"H X 1,500 FT   | 68 lbs  |
| 275108         | Silt Fence Fabric 3' (Sold Per Ft, Min 100')  | .10 lbs |
| 475015         | Silt Fence, W/Center Mount, 3-point hitch     | 800 lbs |
| 475020         | Silt Fence, W/Side Shift Mount, 3-point hitch | 800 lbs |



SKID STEER

CENTER MOUNT MODEL





SIDE SHIFT MODEL

Move more snow with a snow plow that thinks for itself with the Blue Diamond<sup>®</sup> Autowing Snow Plow. Its mechanical wings automatically adjust from scoop mode to windrow position as you angle the plow allowing multiple angles to add torsional strength and prevent twisting under heavy loads. By combining the ease of straight blade operation with the productivity of a winged snow plow, the Blue Diamond<sup>®</sup> Autowing Snow Plow clears big jobs fast and ensures quality and consistency on every plow.



#### FEATURES INCLUDE

- 103" width
- 29" blade height
- Side wings adjust automatically
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle
- 6° oscillation to follow ground contour





FULL-TRIP MOLDBOARD

FULLY ANGLED BLADE

| PART<br>NUMBER | STRAIGHT<br>WIDTH                                   | ANGLED<br>WIDTH | ANGLE | COUPLERS       | SIDE<br>MARKERS | CYLINDERS | MOUNT                   | WEIGHT  |
|----------------|---|-----------------|-------|----------------|-----------------|-----------|-------------------------|---------|
| 120720         | 103"  | 93.4°           | 25°   | 1/2" Flat Face | Yes             | 2         | Universal<br>Skid Steer | 945 lbs |
| 120730         | Autowing Skid Steer Mount Assembly (Includes Hoses) |                 |       |                |                 |           | Skid Steer              | 463 lbs |

# **SNOW BLADE** HEAVY DUTY SERIES 2 MULTI-PURPOSE

The Blue Diamond<sup>®</sup> Heavy Duty Series 2 Multi-Purpose Blade is designed for commercial contractors. At 28" tall, this blade is purpose-built for large applications and has an optional 8" height extension that can be bolted on for even more capacity. The curved back keeps the material rolling for maximum efficiency. Adjustable skid shoes allow the cutting edge to land perfectly every time. The full-trip moldboard protects the operator and equipment from hidden obstacles or curbs. These blades have a trip-lockout pin that can be installed when using the blade for dirt applications.

| PART<br>NUMBER | STRAIGHT<br>WIDTH | ANGLED<br>WIDTH | ANGLE | HEIGHT | WEIGHT    |
|----------------|-------------------|-----------------|-------|--------|-----------|
| 123470         | 84"               | 72 1/2"         | 30°   | 28"    | 901 lbs   |
| 123475         | 96"               | 83"             | 30°   | 28"    | 946 lbs   |
| 123480         | 108"              | 93"             | 30°   | 28"    | 986 lbs   |
| 123485         | 120"              | 104"            | 30°   | 28"    | 1,016 lbs |



- Available in 84", 96", 108", and 120" widths
- 28" blade height
- Optional bolt-on 8" height
   extension
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle



#### **SNOW BLADE** STANDARD DUTY SERIES 2 MULTI-PURPOSE

The Blue Diamond<sup>®</sup> Standard Duty Series 2 Multi-Purpose Blade is great for snow and light dirt work. At 22" tall, this blade is a great fit for most users and has an optional 8" height extension that can be bolted on for high-volume applications. The curved back keeps the material rolling for maximum efficiency. Adjustable skid shoes allow the cutting edge to land perfectly every time. The full-trip moldboard protects the operator and equipment from hidden obstacles or curbs. These blades have a trip-lockout pin that can be installed when using the blade for dirt applications.



SHOWN WITH OPTIONAL HEIGHT EXTENSION

| PART<br>NUMBER | STRAIGHT<br>WIDTH | ANGLED<br>WIDTH | ANGLE | HEIGHT | WEIGHT  |
|----------------|-------------------|-----------------|-------|--------|---------|
| 123415         | 72"               | 62 1/4"         | 30°   | 22"    | 560 lbs |
| 123420         | 84"               | 72 1/2"         | 30°   | 22"    | 590 lbs |

#### FEATURES INCLUDE

- Available in 72" and 84" widths
- 22" blade height
- Optional bolt-on 8" height extension
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle

# **SNOW PLOW V-BLADE**

The Blue Diamond<sup>®</sup> Snow Plow V-Blade is a versatile, heavy duty V-style blade that can be used both for snow and for dirt work. The electric-over-hydraulic controls allow this blade to be used in a conventional-style straight blade. The V-back style pushes off to both sides and the V-forward setting scoops material. The trip function has a lockout for use in dirt, and the electrical hookup can be set for use with any skid steer model.

| PART<br>NUMBER | MODEL            | ANGLED<br>WIDTH | WEIGHT  |
|----------------|------------------|-----------------|---------|
| 120500         | 6' Without Float | 63.87"          | 823 lbs |
| 120505         | 6' W/Float       | 63.87"          | 823 lbs |
| 120510         | 7' Without Float | 78.38"          | 863 lbs |
| 120515         | 7' W/Float       | 78.38"          | 863 lbs |
| 120520         | 8' Without Float | 84.87"          | 903 lbs |
| 120525         | 8' W/Float       | 84.87"          | 903 lbs |
| 120530         | 9' Without Float | 95.38"          | 943 lbs |
| 120535         | 9' W/Float       | 95.38"          | 943 lbs |



- Best for snow and light dirt applications
- V, scoop, and angle up to 30° left or right
- Trip springs for snow; trip lockout for dirt applications
- Replaceable cutting edge; adjustable skid shoes
- Rolled moldboard for better material flow
- Available for mini-machines

# SNOW BLOWER EXTREME DUTY

The Blue Diamond<sup>®</sup> Extreme Duty Snow Blower is engineered for years of use. A high-pressure bypass relief system eliminates the need for shear pins during sudden stops. With a choice of widths and motor packages, you can find the optimal size of snow blower to match your skid steer or compact track loader's capacity.

| PART<br>NUMBER | MODEL           | BEST FLOW | WEIGHT    |
|----------------|-----------------|-----------|-----------|
| 119098         | 68" Snow Blower | 11-16 GPM | 915 lbs   |
| 119099         | 68" Snow Blower | 17-20 GPM | 915 lbs   |
| 119100         | 68" Snow Blower | 21-23 GPM | 915 lbs   |
| 119103         | 72" Snow Blower | 17-20 GPM | 950 lbs   |
| 119104         | 72" Snow Blower | 21-23 GPM | 950 lbs   |
| 119105         | 72" Snow Blower | 24-25 GPM | 950 lbs   |
| 119106         | 72" Snow Blower | 26-29 GPM | 950 lbs   |
| 119107         | 72" Snow Blower | 30-40 GPM | 950 lbs   |
| 119109         | 84" Snow Blower | 21-23 GPM | 1,050 lbs |
| 119110         | 84" Snow Blower | 24-25 GPM | 1,050 lbs |
| 119111         | 84" Snow Blower | 26-29 GPM | 1,050 lbs |
| 119112         | 84" Snow Blower | 30-40 GPM | 1,050 lbs |



- 4-blade fan, 22" diameter, 6 1/2" deep
- 16" auger with teeth and 2 1/4" x 1/4" ribbon flighting
- No shear pins; high-pressure bypass relief system
- No chains; direct-drive auger and fan
- 270° hydraulic rotary chute angle with 7" opening
- Hydraulic chute deflector
- Adjustable steel skid shoes
- 7-gauge steel fan housing
- 10-gauge steel blower shell
- 1/4" end plates
- High-strength corner bracing
- Heavy duty polyurethane idler wheels
- Bolt-on grader cutting edge





# SKID STEER

#### **SNOW PUSHER** *STANDARD & HEAVY DUTY*

The Blue Diamond<sup>®</sup> Standard and Heavy Duty Snow Pushers offer excellent value for anyone from light users to commercial snow removal contractors. Both models use an adjustable rubber cutting-edge and bolt-on wear shoes made from AR400. The rolled moldboard keeps the snow load live to reduce the host machine horsepower needed to move large snow loads. The Heavy Duty model uses thicker wear shoes, heavier side plates, and more crossbraces than the Standard Duty model. A vertical brace ties the crossbraces together to spread out the impact force on the Heavy Duty unit.



| PART<br>NUMBER | MODEL   | WEIGHT  |
|----------------|---|---------|
| 120111         | 60" Snow Pusher, W/Rubber Edge                  | 625 lbs |
| 120113         | 72" Snow Pusher, W/Rubber Edge                  | 650 lbs |
| 120115         | 96" Snow Pusher, W/Rubber Edge                  | 835 lbs |
| 120135         | 72" Snow Pusher, Heavy Duty                     | 624 lbs |
| 120150         | 96" Snow Pusher, Heavy Duty                     | 770 lbs |
| 120155         | 120" Snow Pusher, Heavy Duty                    | 839 lbs |
| 120114         | 72" Snow Pusher, Pull Back Option, Standard/HD  | 100 lbs |
| 120117         | 96" Snow Pusher, Pull Back Option, Standard/HD  | 132 lbs |
| 120122         | 120" Snow Pusher, Pull Back Option, Standard/HD | 165 lbs |
| 220330         | Optional Poly Skid Shoe (Req 2)                 | 14 lbs  |



# SOD ROLLER



The Blue Diamond<sup>®</sup> Sod Roller makes laying large sod rolls simple. Slide the roller shaft through the center of the roll, then pick it up with the attachment and roll sod out. The sod roll can be mounted to roll out while driving either forward or in reverse.

| PART<br>NUMBER | MODEL  | WEIGHT  |
|----------------|--|---------|
| 102202         | 36" Sod Roller with 32" Arms                 | 205 lbs |
| 102200         | 36" Sod Roller with 40" Arms                 | 235 lbs |
| 102206         | 42" Sod Roller with 32" Arms                 | 251 lbs |
| 102210         | 42" Sod Roller with 40" Arms                 | 251 lbs |
| 102216         | 50" Sod Roller with 32" Arms                 | 268 lbs |
| 102215         | 50" Sod Roller with 40" Arms                 | 284 lbs |
| 302310         | 36"- 48" Adjustable Sod Roller with 32" Arms | 265 lbs |
| 302305         | 36"- 48" Adjustable Sod Roller with 40" Arms | 280 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.



FIXED WIDTH MODEL



ADJUSTABLE WIDTH MODEL



# STUMP GRINDER EXTREME DUTY

This tough package has it all! It has the highest torque in its class, it is compact, it cuts forward or in reverse, and it has great visibility! Using an extremely durable piston motor and Greenteeth<sup>®</sup> setup, the Blue Diamond<sup>®</sup> Extreme Duty Stump Grinder will push through the most demanding applications. A skid steer is limited in its ability to produce hydraulic horsepower, but this stump grinder is designed to maximize performance. Being engineered to cut while moving forward or in reverse sets this machine ahead of its rivals, which are often limited to a single direction. Spend less on fuel! This highly efficient motor can keep your RPMs down in some applications. Spend less time on each stump and increase your profitability. We are sure you will agree that it's worth going with the best!

| PART<br>NUMBER | MODEL                    | MOTOR  | BEST FLOW | WEIGHT  |
|----------------|--------------------------|--------|-----------|---------|
| 104110         | 24" Wheel, Standard Flow | 60 CC  | 16-20 GPM | 747 lbs |
| 104120         | 24" Wheel, Standard Flow | 75 CC  | 20-25 GPM | 745 lbs |
| 104130         | 24" Wheel, Standard Flow | 90 CC  | 25-29 GPM | 740 lbs |
| 104210         | 26" Wheel, High Flow     | 130 CC | 29-33 GPM | 801 lbs |
| 104220         | 26" Wheel, High Flow     | 150 CC | 33-39 GPM | 784 lbs |
| 104230         | 26" Wheel, High Flow     | 170 CC | 39-45 GPM | 787 lbs |





#### FEATURES INCLUDE

- High-torque radial piston motor
- Cuts when moving forward or in reverse
- Excellent visibility
- Compact
- No electrical power needed
- Requires case drain line
- 3 standard-flow models and 3 high-flow models

# SWING ARM

The Blue Diamond<sup>®</sup> Swing Arm Stump Grinder is an incredibly efficient tool for commercial stump grinding. The unique design of this model makes it equal in performance to a 75 HP dedicated stump grinder. This model allows the host machine to remain stationary and can be operated using the OEM controls or a universal control box.

| PART<br>NUMBER | MODEL                | MOTOR  | BEST FLOW | WEIGHT    |
|----------------|----------------------|--------|-----------|-----------|
| 104605         | Swing Arm, High Flow | 130 CC | 29-33 GPM | 1,472 lbs |
| 104610         | Swing Arm, High Flow | 150 CC | 33-39 GPM | 1,459 lbs |
| 104615         | Swing Arm, High Flow | 170 CC | 39-45 GPM | 1,740 lbs |



- 6-way cutting positioning (up/down, side/side, in/out)
- Piston motor for best-in-class cutting efficiency
- Built with oversized components for longevity
- 26" wheel with 30 durable green teeth
- Push blade for backfill
- Best suited for machines with 50-95 HP
- Chain guard for debris

# TRAILER SPOTTER



The Blue Diamond® Trailer Spotter is a great tool for moving trailers in tight areas with your skid steer.

| PART<br>NUMBER | MODEL                             | WEIGHT  |
|----------------|-----------------------------------|---------|
| 112010         | Trailer Spotter, Skid Steer Mount | 118 lbs |



# TREE BOOM

The Blue Diamond<sup>®</sup> Tree Boom is designed for setting new trees or moving cut trees. The 3,500, 5,000 or 6,000 lb capacity makes this attachment useful in many applications. This attachment also features a hole for mounting a chain, strap, or our optional clevis with swivel hook.



STANDARD DUTY



HEAVY DUTY SERIES 2

| PART<br>NUMBER | MODEL  | WEIGHT  |
|----------------|--|---------|
| 112005         | Tree Boom, 3,500 Lift Cap                      | 169 lbs |
| 112003         | Tree Boom, Heavy Duty Series 2, 5,000 Lift Cap | 328 lbs |
| 112002         | Tree Boom, Severe Duty, 6,000 Lift Cap         | 400 lbs |
| 212050         | Optional Clevis W/Swivel Hook                  | 4 lbs   |



SEVERE DUTY SHOWN WITH OPTIONAL SWIVEL HOOK AND CLEVIS

#### **Applications:**

- Nurseries
- Landscaping
- Setting pipe in trenches
- Mechanical contracting
- Scrap yards
- Lifting feed totes

# TREE GRUBBER EXTREME DUTY

The Blue Diamond<sup>®</sup> Tree Grubber attachment is an effective skid steer tool for permanent removal of unwanted shrubs and trees. Designed to prevent regrowth from the taproot, the grubber can protect your land from persistent invasive brush and trees.

| PART<br>NUMBER | MODEL                               | WEIGHT  |
|----------------|-------------------------------------|---------|
| 102100         | Tree Grubber, Extreme Duty          | 285 lbs |
| 102105         | Tree Grubber, Extreme Duty, W/Teeth | 345 lbs |





### TREE PULLER STANDARD & HEAVY DUTY

The Blue Diamond<sup>®</sup> Tree Puller is an excellent tool for removing small trees and shrubs when the roots need to be pulled out. The serrated teeth lock onto the base of the tree, then pry or pull roots and all from the ground, shake the dirt out of the roots, and carry removed tree or shrub to where you want to stack your material. The heavy duty version has 2 rows of teeth for added grip.

#### FEATURES INCLUDE

- Heavy Duty Tree Puller has protected cylinder
- Heavily gusseted quick attach
- Opens to 11"
- 1-year warranty

| PART<br>NUMBER | MODEL                             | WEIGHT  |
|----------------|-----------------------------------|---------|
| 127006         | Tree & Post Puller, Standard Duty | 291 lbs |
| 127010         | Tree & Post Puller, Heavy Duty    | 415 lbs |

STANDARD DUTY



# **TREE SHEAR**

PART

NUMBER

The Blue Diamond<sup>®</sup> Tree Shear cuts trees up to 12" diameter with ease. The powerful 5" x 12" cylinder produces 29 tons of force at 2,500 psi. By simply pulling a pin, the shear will rotate 90° for cutting limbs or felled trees.

MODEL

| 9r                    |          |
|-----------------------|----------|
| CUTTER<br>ROTATES 90° |          |
| GHT                   | T1 STEEL |
| llha                  |          |



WEIGHT

# TRENCHER

The Blue Diamond<sup>®</sup> Trencher is extremely durable and has a number of features to make it more productive than our competitors' models. The extended auger carries the dirt farther from the trench to prevent it from falling back in. The self-adjusting crumber brings any residual dirt back to the chain to be removed from the trench for a very clean finish. A selection of chain options is available from dirt to rock and with varying widths. An adjustable foot keeps the trench depth consistent. The Eaton drive motor mounts to an industry-leading planetary drive that provides the high torque to the digging chain. This attachment has been designed and built for the serious contractor who depends on production and reliability. And it is made in USA with American components!

| PART<br>NUMBER | MODEL                                 | WEIGHT    |
|----------------|---------------------------------------|-----------|
| 131110         | Trencher, 36"Depth, 4" Dirt Chain     | 390 lbs   |
| 131115         | Trencher, 36"Depth, 6" Dirt Chain     | 575 lbs   |
| 131120         | Trencher, 36"Depth, 8" Dirt Chain     | 585 lbs   |
|                |                                       |           |
| 113125         | Trencher, 36"Depth, 4" Combo Chain    | 697 lbs   |
| 131130         | Trencher, 36"Depth, 6" Combo Chain    | 780 lbs   |
| 131135         | Trencher, 36"Depth, 8" Combo Chain    | 780 lbs   |
|                |                                       |           |
| 131140         | Trencher, 36"Depth, 4" Rock Chain     | 751 lbs   |
| 131145         | Trencher, 36"Depth, 6" Rock Chain     | 751 lbs   |
| 131150         | Trencher, 36"Depth, 8" Rock Chain     | 751 lbs   |
|                |                                       |           |
| 131210         | Trencher, 48"Depth, 6" Earth Chain    | 1,120 lbs |
| 131215         | Trencher, 48"Depth, 8" Earth Chain    | 1,120 lbs |
| 131220         | Trencher, 48"Depth, 10" Earth Chain   | 1,120 lbs |
| 131225         | Trencher, 48"Depth, 12" Earth Chain   | 1,120 lbs |
|                |                                       |           |
| 131230         | Trencher, 48"Depth, 6" Combo Chain    | 1,075 lbs |
| 131235         | Trencher, 48"Depth, 8" Combo Chain    | 1,120 lbs |
| 131240         | Trencher, 48"Depth, 10" Combo Chain   | 1,120 lbs |
| 131245         | Trencher, 48"Depth, 12" Combo Chain   | 1,120 lbs |
|                |                                       |           |
| 131250         | Trencher, 48"Depth, 6" Rock Chain     | 1,075 lbs |
| 131255         | Trencher, 48"Depth, 8" Rock Chain     | 1,120 lbs |
| 131260         | Trencher, 48"Depth, 10" Rock Chain    | 1,120 lbs |
| 131265         | Trencher, 48"Depth, 12" Rock Chain    | 1,120 lbs |
|                |                                       |           |
| 131005         | Trencher Mount Skid Steer             | 146 lbs   |
| 131006         | Trencher Mount, Wide Frame Side Shift | 200 lbs   |

High-flow models listed on next page



- Extended auger
- Self-adjusting crumber
- Adjustable foot to keep the trench depth consistent
- Eaton drive motor
- Side shift option





#### TRENCHER HIGH-FLOW (28-45 GPM)

| PART<br>NUMBER | MODEL                                     | WEIGHT    |
|----------------|---|-----------|
| 131300-HF      | Trencher, High Flow, 60" Depth, 6" Combo  | 1,020 lbs |
| 131305-HF      | Trencher, High Flow, 60" Depth, 8" Combo  | 1,040 lbs |
| 131310-HF      | Trencher, High Flow, 60" Depth, 12" Combo | 1,080 lbs |

Includes Crumber





# **VIBRATORY ROLLER**



The Blue Diamond<sup>®</sup> Vibratory Rollers are available in 73" and 84" working widths. All models feature hydraulically powered exciter systems designed with oil-mist lubrication. All models minimize exciter shaft deflection, lower operating temperatures, and provide our customers with the industry's lowest incidence of bearing and seal failure. A knockdown blade is integral to the roller frame. Vibrating drums are isolated from the frame, minimizing transmission of vibration to the host machine. All models come with a universal quick-attach system. Smooth or pad foot drum options are available.

- Industry leading bearing design
- Integral knockdown blade
- Smooth or pad foot models
- Exciter systems are oil mist lubricate
- Vibrating drums are effectively isolated from the roller frame
- 12 heavy duty rubber shock mounts
- Control valve block compensates for the correct flow of oil to
   prevent over speeding andover pressure of the exciter shaft
- Universal adapter plate
- Drive motor is inside a heavy duty steel frame

| PART<br>NUMBER | MODEL                          | WEIGHT    |
|----------------|--------------------------------|-----------|
| 124010         | 73" Vibratory Roller, Smooth   | 2,050 lbs |
| 124015         | 73" Vibratory Roller, Pad Foot | 2,210 lbs |
| 124030         | 84" Vibratory Roller, Smooth   | 2,300 lbs |
| 124035         | 84" Vibratory Roller, Pad Foot | 2,450 lbs |





PAD FOOT



SMOOTH

# EXCAVATOR ATTACHMENTS



## AUGER DRIVE EXTREME DUTY - SERIES 2

Blue Diamond<sup>®</sup> Extreme Duty Series 2 Auger Drive offers the ultimate in performance, quality, and cost effectiveness. Designed with high-grade materials and innovation, this design allows the gearbox to go down the hole, maximizing drilling depth while eliminating downtime. These drives are perfect for drilling and augering in most ground conditions.





#### FEATURES INCLUDE

- Compact high torque manufactured gearbox
- 2-piece shaft design ensures maximum side load ratings
- 2" hex shaft comes standard but also available with 2 9/16" round
- Lifetime shaft pull-out warranty, 5-year planetary drive warranty, 3-year hydraulic motor warranty, and 1-year mount and mount components warranty

| MODEL                            | EX1    | EX2         | EX3      | EX4    | EX4HF              | EX5HF   | EX6HF   | EX7HF   |
|----------------------------------|--------|-------------|----------|--------|--------------------|---------|---------|---------|
| PART NUMBER                      | 305705 | 305708      | 305712   | 305715 | 305720             | 305725  | 305728  | 305730  |
| TORQUE FT-LBS @ 3,000 PSI        | 1,467  | 2,254       | 2,829    | 3,275  | 3,583              | 3,903   | 4,909   | 6,162   |
| MAX TORQUE FT-LBS @ 3,500 PSI    | 1,712  | 2,630       | 3,300    | 3,821  | 4,180              | 4,553   | 5,728   | 7,189   |
| RECOMMENDED FLOW (GPM)           | 6–16   | 10–26       | 10–30    | 10–30  | 10–36              | 10-36   | 12-36   | 14-36   |
| PEAK EFFICIENCY (GPM)            | 8—11   | 12–16       | 17–20    | 19–23  | 21–26              | _       | _       | _       |
| MOTOR TYPE                       | Eaton  |             |          |        |                    |         |         |         |
| MAX PRESSURE - DO NOT EXCEED     | 3      | 8,500 psi ( | @ 16 GPN | l      | 3,500 psi @ 27 GPM |         |         |         |
| MAX FLOW – DO NOT EXCEED         | ()     | 30 GPM @    | 1,800 ps | i      | 42 GPM @ 2,250 psi |         |         |         |
| MAX HP                           |        | 33          | 3        |        | 55                 |         |         |         |
| PRESSURE RELIEF VALVE            |        | N/          | A        |        | Included           |         |         |         |
| STANDARD OUTPUT SHAFT            |        |             | 2"       | Hex    | 2 1/2" Hex         |         |         | (       |
| MAX DRILLING DIAMETER CLAY/SHALE | 12"    |             |          |        | 24"                |         | 3       | O"      |
| MAX DRILLING DIAMETER EARTH      | 24"    | 24" 30"     |          |        | 40                 | "       |         | 48"     |
| WEIGHT (LBS)                     | 101    | 12          | 3        | 125    | 180                | 290 lbs | 477 lbs | 438 lbs |
| OVERALL LENGTH (IN)              | 24.5"  | 25.9"       |          | 29"    |                    | 33.7"   |         |         |
| DIAMETER (IN)                    | 7.4"   |             |          | 9.4"   |                    |         | 11.4"   |         |

Available to fit machines up to 60,000 lbs.

# HYDRAULIC BREAKER HAMMER



Our 10-year quest to develop a superior hydraulic breaker is now available from Blue Diamond<sup>®</sup>. This "hammer" design offers technology, simplicity, reliability, ease of setup, and service support. No more downtime! Get started on your demolition, construction, and quarry jobs now. A 3-year warranty comes with all breakers.

#### FEATURES INCLUDE

- 3-year warranty
- Mono-block design / no tie rods
- Anti-blank firing system hydraulic brake
- No re-gassing needed

- Only 2 internal moving parts
- 2 speed control / variable stroke
- Quiet Operation
- Self-regulating
- Body bushings around piston

| PART<br>NUMBER | MODEL  | WORKING<br>PRESSURE | MAX<br>OIL<br>FLOW | FREQUENCY<br>(BPM) | OPERATING<br>WEIGHT | TOOL<br>DIAMETER | ENERGY<br>CLASS | CARRIER WEIGHT     | (PSI) BACK<br>PRESSURE |
|----------------|--------|---------------------|--------------------|--------------------|---------------------|------------------|-----------------|--------------------|------------------------|
| 135005         | HB50   |                     | 7                  |                    | 132 LBS             | 1.5              | 100             | 1,500-2,650 lbs    |                        |
| 135009         | HB95   |                     | 11                 | 1,200              | 220 LBS             | 1.8              | 200             | 2,650-4,000 lbs    |                        |
| 135016         | HB165  |                     | 13                 |                    | 370 LBS             | 2.2              | 400             | 4,000-6,600 lbs    | 290-360                |
| 135021         | HB210  | 1,750               | 16                 | 440.0              | 463 LBS             | 2.5              | 500             | 6,100-9,900 lbs    |                        |
| 135030         | HB300  |                     | 21.2               | 1,100              | 661 LBS             | 2.9              | 700             | 8,800-15,500 lbs   |                        |
| 135040         | HB400  |                     | 29.2               |                    | 882 LBS             | 3.1              | 1,000           | 13,500-20,900 lbs  |                        |
| 135053         | HB530  |                     | 32                 | 900                | 1,169 LBS           | 3.3              | 1,200           | 17,650-25,350 lbs  | 363                    |
| 135095         | HB950  | 1,950               | 34                 |                    | 2,161 LBS           | 4                | 2,000           | 22,000-33,000 lbs  |                        |
| 135098         | HB1400 | 2.050               | 37                 | 600-800            | 2,976 LBS           | 4.6              | 3,000           | 30,000-50,000 lbs  |                        |
| 135100         | HB1800 | 2,050               | 53                 | 490-630            | 3,968 LBS           | 5.4              | 4,000           | 48,000-70,000 lbs  | 145                    |
| 135105         | HB2500 | 2,200               | 61                 | 460-630            | 5,291 LBS           | 6                | 5,000           | 60,000-80,000 lbs  | 145                    |
| 135110         | HB3000 | 2,350               | 75                 | 380-500            | 6,614 LBS           | 6.5              | 7,000           | 70,000-110,000 lbs |                        |



#### BREAKER CUTAWAY

ACCUMULATOR: The large dimension accumulator with diaphragm supplies power to the breaker and protects the excavator hydraulic

pump and pipeline from damage due to the backshock blows

#### ISOLATION:

An isolation with vulcanized polyurethane between the metal case and the monoblock drastically reduced noise and vibrations

MONOBLOCK: The absence of a tie rod increases reliability and makes eventual servicing more simple and economical



65

**BODY BUSHINGS:** 

In case of a damaged

piston, body bushings

protect the monoblock

HYDRAULIC BRAKE:

A hydraulic brake on the

from harmful blank firing

piston prohibits the breaker

#### BRUSH CUTTER HEAVY DUTY MINI EXCAVATOR


The Blue Diamond<sup>®</sup> Heavy Duty Brush Cutter has an extremely rugged direct-drive system with a large flywheel that stores energy and keeps the blades cutting, even in difficult conditions. All models use a 3-blade system with straight blades to give better cutting capabilities than the competitive units.

#### FEATURES INCLUDE

- Bidirectional operation
- Closed deck
- 3 double-sided blades
- Greasable drive system
- 1/4" deck thickness

- 4" diameter cutting capacity
- 3 1/2" forged drive spindle
- 5-year warranty on drive
- spindle
- 1-year warranty







# Rubber flaps available for 36" and 42" models.

\*Attachment only. Mount weight is additional and varies by machine

# SEVERE DUTY MINI EXCAVATOR

The Blue Diamond<sup>®</sup> Severe Duty Brush Cutter provides the largest cutting capacity in its class. The high-torque piston motor maintains incredible torque through its RPM range. Industry-leading technology introduced on this brush cutter allows the motor to be used without a case drain line, saving added expense and installation time.

#### **FEATURES INCLUDE**

- 6" diameter cutting capacity
- Open deck

- Fits 10,000 19,000 lb machines
- No case drain needed

| PART<br>NUMBER | MODEL                     | BEST FLOW | WEIGHT   |
|----------------|---------------------------|-----------|----------|
| 103820         | 42" SD, 80CC Piston Motor | 16-26 GPM | 729 lbs* |

\*Attachment only. Mount weight is additional and varies by machine





# **BRUSH CUTTER** SEVERE DUTY SERIES 2 MINI EXCAVATOR

The Blue Diamond® Severe Duty Brush Cutter provides the largest cutting capacity in its class. The high-torque piston motor maintains incredible torque through its RPM range. Industry-leading technology introduced on this brush cutter allows the motor to be used without a case drain line, saving added expense and installation time.

#### **FEATURES INCLUDE**

- 6" diameter cutting capacity
- Deck cutouts to expose blades
- Fits 10,000 19,000 lb machines
- No case drain needed
- 3/4" thick blade carrier
- · Direct drive is filled with oil
- · Improved wire protection for the oil seal

| PART<br>NUMBER | MODEL                     | BEST FLOW | WEIGHT   |
|----------------|---------------------------|-----------|----------|
| 103820-2       | 42" SD, 80CC Piston Motor | 16-26 GPM | 718 lbs* |

\*Attachment only. Mount weight is additional and varies by machine

# **BRUSH CUTTER** EXTREME DUTY

This powerful brush cutter is a serious attachment for clearing land! The piston motor will tear through large brush with ease, boasting 40% more torque than geroler/gerotor type motors. The cut-away design allows better access to larger material and keeps grass standing while cutting, leaving a cleaner finish. The three AR400 blades make quick work of brush or grass. Available only in 60" cutting width.

#### **FEATURES INCLUDE**

- 6" cutting capacity
- · Cut away side
- · Case drain required on host machine
- Grease-filled drive dramatically improves bearing life
- Fits 28,000-38,000 lb machines
- Bearing seal protection kit under deck
- 1-year warranty

| PART<br>NUMBER | MODEL  | BEST FLOW | WEIGHT     |
|----------------|--|-----------|------------|
| 103850         | 60" Excavator, Extreme Duty,<br>150CC Piston Motor | 22-30 GPM | 1,790 lbs* |

\*Attachment only. Mount weight is additional and varies by machine













# BRUSH CUTTER SEVERE DUTY

The Blue Diamond<sup>®</sup> Severe Duty 60" Excavator Cutter is the big brother to the 60" Extreme Duty Excavator Cutter. Rated to fit up to 60,000 lb excavators, this cutter will clear any piece of land that you need it to. It is great for reaching down embankments and in hard to access areas. The 1/2" thick deck with strong reinforcements is sure to hold up to whatever you demand of it.



#### FEATURES INCLUDE

- 7" cutting capacity
- Cut away side
- Case drain required on host machine
- Grease-filled drive dramatically improves bearing life
- Fits 38,000-60,000 lb machines
- Bearing seal protection kit under deck
- 1-year warranty

| PART<br>NUMBER | MODEL                                  | BEST FLOW | WEIGHT     |
|----------------|--|-----------|------------|
| 303860         | 60" Excavator , SD, 150CC Piston Motor | 22-30 GPM | 2,447 lbs* |
| 303865         | 60" Excavator , SD, 200CC Piston Motor | 30-40 GPM | 2,397 lbs* |
| 303867         | 60" Excavator , SD, 250CC Piston Motor | 40-50 GPM | 2,403 lbs* |

\*Attachment only. Mount weight is additional and varies by machine



888-376-7027

#### EXCAVATOR BUCKET HEAVY DUTY

Blue Diamond<sup>®</sup> Buckets are our most popular general purpose and heavy duty for excavators. They are used for digging in a broad range of materials, including dirt, clay, and rock. Optional side cutters are available for all buckets for machines 12,000 lbs and larger. We use AR400 on the sides, cutting edge, mounting brackets, and reinforcing wear bars. AR400 is much stronger than T1 and more wear-resistant. The shell is constructed from A-572-50 because it has to be rolled. J Series Style Teeth are standard, but other teeth are available.









|                | EXCAVATOR BUCKETS FOR JOHN DEERE |      | EXCAVATOR BUCKETS<br>FOR <b>TAKEUCHI</b> |                 |      | EXCAVATOR BUCKETS FOR CAT |                    |      | EXCAVATOR BUCKETS<br>FOR <b>KUBOTA</b> |  |      |
|----------------|----------------------------------|------|--|-----------------|------|---------------------------|--------------------|------|--|--|------|
| PART<br>NUMBER | MODEL                            | SIZE | PART<br>NUMBER                           | MODEL           | SIZE | PART<br>NUMBER            | MODEL              | SIZE | PART<br>NUMBER                         | MODEL                                      | SIZE |
| 7010512        |                                  | 12"  | 7051012                                  |                 | 12"  | 7100512                   |                    | 12"  | 7200512                                |  | 12"  |
| 7010518        | 27/35 ZTS                        | 18"  | 7051018                                  | TB135/          | 18"  | 7100518                   | 303/303.5          | 18"  | 7200518                                | 10/057                                     | 18"  |
| 7010524        | Coupler                          | 24"  | 7051024                                  | TB235           | 24"  | 7100524                   | 304E               | 24"  | 7200524                                | KX057<br>Quick                             | 24"  |
| 7010530        |                                  | 30"  | 7051030                                  |                 | 30"  | 7100530                   |                    | 30"  | 7200530                                | Coupler                                    | 30"  |
| 7011012        |                                  | 12"  | 7051512                                  |                 | 12"  | 7101012                   |                    | 12"  | 7200536                                |  | 36"  |
| 7011018        |                                  | 18"  | 7051518                                  |                 | 18"  | 7101018                   |                    | 18"  | 7201512                                |  | 12"  |
| 7011024        | 50/60 ZTS<br>Coupler             | 24"  | 7051524                                  | TB145/<br>TB250 | 24"  | 7101024                   | 304C<br>304C-CR    | 24"  | 7201518                                | KX121<br>KX040<br>KX91<br>Quick<br>Coupler | 18"  |
| 7011030        |                                  | 30"  | 7051530                                  |                 | 30"  | 7101030                   |                    | 30"  | 7201524                                |  | 24"  |
| 7011036        |                                  | 36"  | 7051536                                  |                 | 36"  | 7101036                   |                    | 36"  | 7201530                                |  | 30"  |
| 7011512        |                                  | 12"  | 7052012                                  |                 | 12"  | 7102112                   |                    | 12"  | 7201536                                |  | 36"  |
| 7011518        |                                  | 18"  | 7052018                                  |                 | 18"  | 7102118                   |                    | 18"  | 7203012                                |  | 12"  |
| 7011524        | 75/85<br>Mount                   | 24"  | 7052024                                  | ТВ260           | 24"  | 7102124                   | 307E<br>308D &E    | 24"  | 7203018                                | 24 Quick<br>Coupler                        | 18"  |
| 7011530        |                                  | 30"  | 7052030                                  |                 | 30"  | 7102130                   |                    | 30"  | 7203024                                |  | 24"  |
| 7011536        | 36"                              | 36"  | 7052036                                  |                 | 36"  | 7102136                   |                    | 36"  | 7203030                                |  | 30"  |
| 7012018        |                                  | 18"  | 7052518                                  |                 | 18"  | 7103018                   |                    | 18"  | 7203036                                |  | 36"  |
| 7012024        |                                  | 24"  | 7052524                                  | 1               | 24"  | 7103024                   | 311/312<br>313/314 | 24"  |  |  |      |
| 7012036        | Mount                            | 36"  | 7052530                                  | TB1140          | 36"  | 7103036                   |                    | 36"  |  |  |      |
| 7012042        | 1                                | 42"  | 7052536                                  |                 | 42"  | 7103042                   | 1                  | 42"  |  |  |      |

# BUCKETS SCREENING

The Blue Diamond<sup>®</sup> Screening Bucket is used for the screening, aerating, separating and mixing of soils, aggregates, wood chips and compost. The efficient screening process is created by the star rotors agitating the material, causing the fines to flow through the rotating stars leaving the oversized material in the bucket. A hydraulic flow regulator is included to maintain correct RPM for poly stars.



| PART<br>NUMBER | MODEL             | HOST MACHINE<br>SIZE | WEIGHT    |
|----------------|-------------------|----------------------|-----------|
| 145110         | 33" MODEL 3-33E   | Fits 6K-11K          | 557 lbs   |
| 145115         | 40" MODEL 4-40HE  | Fits 11K-22K         | 1,104 lbs |
| 145117         | 47" MODEL 4-47HE  | Fits 22K-30K         | 1,179 lbs |
| 145120         | 60" MODEL 4-60HE  | Fits 28K-35K         | 1,585 lbs |
| 145135         | 60" MODEL 6-60HDX | Fits 35K-44K         | 1,635 lbs |

Optional comb kits.

#### **FEATURES INCLUDE**

- 1" or smaller material will flow through
- Horizontal shafts, fitted with poly stars that rotate in the same upwards direction
- Hardened steel cutting edge
- 2-position mount plate
- Hoses and couplers included
- Mounts available to fit most machines
- 1-year warranty

# LOG SPLITTER

The Blue Diamond<sup>®</sup> Heavy Duty Excavator Log Splitter is a great tool to get your firewood ready. Fit up to 22" logs and split them with the powerful 25-ton cylinder. The bolt-on mounting plate allows the operator to switch mounts when changing machines. It can be mounted parallel or perpendicular to the operator for visibility preference. The reinforced tubular frame is designed to withstand many years of use.



- Fits up to 22" long
- 25-ton cylinder
- Protected hose routing
- Bolt-on mount for use with multiple machines
- Single or 4-way wedge
- Perpendicular or parallel to operator for preferred visibility
- Rated for 8,000-20,000 lb. excavators



| PART NUMBER | MODEL                     | DIMENSIONS            | WEIGHT (WITHOUT<br>MOUNT OR WEDGE) |
|-------------|---------------------------|-----------------------|------------------------------------|
| 150112      | HD Excavator Log Splitter | 77" L x 19" W x 13" H | 340 lbs                            |



# PLATE COMPACTOR

The Blue Diamond<sup>®</sup> Plate Compactor can be used on excavators, backhoes, skid steers, and mini machines. The industry leading technology protects the machine from excessive vibrations, yet offers excellent compaction ability.

#### FEATURES INCLUDE

- Advanced technology for low vibration and noise
- Same width as standard trenching buckets
- High-pressure cut off valve to protect motor

| PART NUMBER | MODEL         | HOST MACHINE<br>SIZE | WEIGHT    |
|-------------|---------------|----------------------|-----------|
| 151005      | C310, 24"X12" | Fits 5K-12K          | 552 lbs   |
| 151010      | C410, 32"X16" | Fits 12K-22K         | 880 lbs   |
| 151015      | C610, 48"X24" | Fits 24K-42K         | 2,000 lbs |





# RAKE FITS 6K-10K LB. MACHINES

The Blue Diamond<sup>®</sup> Rake is an excellent tool for cleaning roots, limbs, and other debris while leaving behind valuable soil. Quickly turn your excavator into the ultimate cleanup machine! Available to fit 6,000 lbs machines or larger.

| PART NUMBER | MODEL                   | HEIGHT | WEIGHT  |
|-------------|-------------------------|--------|---------|
| 170405      | 24" Wide Excavator Rake | 21"    | 185 lbs |
| 170410      | 30" Wide Excavator Rake | 21"    | 205 lbs |
| 170415      | 36" Wide Excavator Rake | 21"    | 225 lbs |
| 170420      | 42" Wide Excavator Rake | 21"    | 245 lbs |
| 170425      | 48" Wide Excavator Rake | 21"    | 265 lbs |
| 170430      | 54" Wide Excavator Rake | 21"    | 285 lbs |
| 170435      | 60" Wide Excavator Rake | 21"    | 305 lbs |



# FITS 10K-15K LB. MACHINES

| PART NUMBER | MODEL                   | HEIGHT | WEIGHT  |
|-------------|-------------------------|--------|---------|
| 170470      | 42" Wide Excavator Rake | 28"    | 340 lbs |
| 170475      | 48" Wide Excavator Rake | 28"    | 372 lbs |
| 170480      | 54" Wide Excavator Rake | 28"    | 404 lbs |
| 170485      | 60" Wide Excavator Rake | 28"    | 436 lbs |
| 170490      | 66" Wide Excavator Rake | 28"    | 468 lbs |

# **ROCK & CONCRETE GRINDER**

The Blue Diamond<sup>®</sup> Rock & Concrete Grinders are a must-have tool for any application where rock, concrete, or asphalt need to be removed. They allow for a clean trench to be made with vertical walls. Six different models are available with mounts to fit most excavators and skid steers.

#### **APPLICATIONS:**

- Trenching
- Demolition
- Rock Excavation

- All American-made parts & components
- Powerful high torque hydraulic motors
- Robust cutting drums to ensure maximum production & prolonged life



- Customizable drums to accommodate performance maximized applications
- Durable spur gears & housing
- Bolt on mount for excavator or skid steer

| PART<br>NUMBER | MODEL | WEIGHT<br>(WITHOUT MOUNT) | CUTTING<br>WIDTH | HEAD<br>DIAMETER | REQUIRED FLOW<br>(GPM) | CARRIER WEIGHT    |
|----------------|-------|---------------------------|------------------|------------------|------------------------|-------------------|
| 159010         | G1S   | 265 lbs                   | 19"              | 9"               | 5-12                   | 1,300-5,000 lbs   |
| 159015         | G1    | 635 lbs                   | 21"              | 11"              | 8-20                   | 6,900-17,000 lbs  |
| 159020         | G2    | 1,035 lbs                 | 25"              | 16 1/2"          | 12-26                  | 17,000-30,000 lbs |
| 159025         | G3    | 2,045 lbs                 | 31"              | 22"              | 30-45                  | 22,000-39,000 lbs |
| 159030         | G3XL  | 2,290 lbs                 | 32"              | 23"              | 34-65                  | 33,000-66,000 lbs |
| 159035         | G4    | 4,100 lbs                 | 40"              | 29"              | 50-85                  | 50,000-90,000 lbs |



## **TREE GRUBBER**

The Blue Diamond<sup>®</sup> Tree Grubber attachment is an effective excavator tool for permanent removal of unwanted shrubs and trees. Designed to prevent regrowth from the taproot, the grubber can protect your land from persistent invasive brush and trees.

#### **FEATURES INCLUDE**

PART

NUMBER 102110

102150

- Heavy Duty 1" steel construction
- Bolt-on mount for easy machine exchange
- Dull V to grab root instead of cutting through
- Serrated edge for extra grip
- The 18  $\times$  19 version fits 6,000-20,000 lb machines
- The 24 x 24 version fits 20,000-40,000 lb machines

MODEL

Tree Grubber, W/18 x 19 Blank Plate

Tree Grubber, W/24 x 24 Blank Plate



18X19

WEIGHT

285 lbs

342 lbs





| VIBRATORY | POST | DRIVER |
|-----------|------|--------|
| SERIES 2  |      |        |

The Blue Diamond<sup>®</sup> Vibratory Series 2 Post Driver is the best post driver for full-size skid steers, mini skid steers, and excavators, ideal for both commercial and for rental fleet use! Useful for many industries, a vibratory post driver makes the job faster and more efficient for works in construction, agriculture, solar installation, and more!



| PART NUMBER | MODEL   | WEIGHT  |
|-------------|---|---------|
| 100502      | Vibrating Post Driver Case Drain Req On<br>Machine (Add Mount)        | 264 lbs |
| 100507      | Vibrating Post Driver W/Tilt Case Drain Req<br>On Machine (Add Mount) | 400 lbs |

- Optional tilt function allows for 10 degrees of adjustment
- Hydraulic orbital technology maximizes
   auxiliary flow
- Available with 4" 12" round and flat post adapters
- Compact design that is easy to transport and store
- Requires 7-26 GPM auxiliary flow and case drain
- OEM and universal wiring harnesses available
- Easily swap between machines with the interchangeable mount



## TRACTOR ATTACHMENTS



## **3-POINT CONVERSION ADAPTER**

The Blue Diamond<sup>®</sup> 3-Point Conversion Adapter allows you to use your rear 3-point farm tractor attachments on the front of your skid steer or tractor. Great for moving or using farm implements that do not require PTO.



| PART<br>NUMBER | MODEL                                     | WEIGHT  |
|----------------|---|---------|
| 113105         | Universal To 3 Pt Hitch Conversion, Cat 1 | 147 lbs |
| 113110         | Universal To 3 Pt Hitch Conversion, Cat 2 | 225 lbs |



## AUGER DRIVE EXTREME DUTY - SERIES 2

Blue Diamond<sup>®</sup> Extreme Duty Series 2 Auger Drive offers the ultimate in performance, quality, and cost effectiveness. Designed with high-grade materials and innovation, this design allows the gearbox to go down the hole, maximizing drilling depth while eliminating downtime. These drives are perfect for drilling and augering in most ground conditions.



| PART<br>NUMBER | MODEL                 | BEST FLOW | WEIGHT  |
|----------------|-----------------------|-----------|---------|
| 305705         | EX1, W/2" HEX SHAFT   | 8-11 GPM  | 260 lbs |
| 305708         | EX2, W/2" HEX SHAFT   | 12-16 GPM | 277 lbs |
| 305712         | EX3, W/2" HEX SHAFT   | 17-20 GPM | 282 lbs |
| 305715         | EX4, W/2" HEX SHAFT   | 19-23 GPM | 342 lbs |
| 305720         | EX4HF, W/2" HEX SHAFT | 21-26 GPM | 337 lbs |

Mounts available to fit most tractors.

- Compact high torque
   manufactured gearbox
- 2-piece shaft design ensures maximum side load ratings
- 2" hex shaft comes standard but also available with 2 9/16" round
- Lifetime shaft pull-out warranty, 5-year planetary drive warranty, 3-year hydraulic motor warranty, and 1-year mount and mount components warranty

| MODEL                            | EX1                                   | EX2     | EX3    | EX4    | EX4HF    |
|----------------------------------|---------------------------------------|---------|--------|--------|----------|
| PART NUMBER                      | 305705 305708 305712                  |         | 305715 | 305720 |          |
| TORQUE FT-LBS @ 3,000 PSI        | 1,467                                 | 2,254   | 2,829  | 3,275  | 3,583    |
| MAX TORQUE FT-LBS @ 3,500 PSI    | 1,712                                 | 2,630   | 3,300  | 3,821  | 4,180    |
| RECOMMENDED FLOW (GPM)           | 6–16                                  | 10–26   | 10–30  | 10–30  | 10–36    |
| PEAK EFFICIENCY (GPM)            | 8–11 12–16 17–20 19–23                |         |        | 21–26  |          |
| MOTOR TYPE                       |                                       |         | Ea     | aton   |          |
| MAX PRESSURE – DO NOT EXCEED     | 3,500 psi @ 16 GPM 3,500 psi @ 27 GPM |         |        |        |          |
| MAX FLOW - DO NOT EXCEED         | 30 GPM @ 1,800 psi 42 GPM @ 2,250 p   |         |        |        |          |
| MAX HP                           |                                       | 33      | 3      |        | 55       |
| PRESSURE RELIEF VALVE            |                                       | N/      | A      |        | Included |
| STANDARD OUTPUT SHAFT            |                                       |         | 2"     | Hex    |          |
| MAX DRILLING DIAMETER CLAY/SHALE | 12"                                   |         |        | 24"    |          |
| MAX DRILLING DIAMETER EARTH      | 24"                                   |         | 30"    |        | 40"      |
| WEIGHT (LBS)                     | 101                                   | 123 125 |        |        | 180      |
| OVERALL LENGTH (IN)              | 24.5"                                 | 25.9"   |        |        | 29"      |
| DIAMETER (IN)                    | 7.4"                                  |         |        | 9.4"   |          |

## **BALE SQUEEZE**

The Blue Diamond<sup>®</sup> Bale Squeeze is an excellent alternative to a bale spear, especially when using wrapped bales. This versatile attachment can pick up bales whether they are sitting flat or on their side.

| PART<br>NUMBER | MODEL                                  | WEIGHT  |
|----------------|--|---------|
| 111105         | Bale Squeeze 2,000 Capacity            | 400 lbs |
| 211110         | Optional Bolt-On Grippers (Requires 2) | 60 lbs  |



#### **FEATURES INCLUDE**

- Strong tubular design
- 1-year warranty
- Flat-face couplers

- Use on skid steers or tractors with universal or Euro Ag mount
- Opens to 72" for handling up to 60" bales
- Equalizer bar standard

## **BOX BLADE SCRAPER**

The Blue Diamond<sup>®</sup> Standard Duty Box Blade Scraper is designed for working topsoil, gravel, mulch, or manure. Ideal for use on the farm, at building sites, or for outdoor arenas. This scraper works with 15 hp to 45 hp tractors and is available in 5 widths, from 48" to 96".

For tough jobs, the Heavy Duty Box Blade Scraper will stand up to the tasks required to maintain your farm, building site, or landscaping projects. This unit makes quick work of ripping up dirt, grading and leveling land, or spreading soil. Models are available in 3 working widths from 72" to 96", with adjustable heavy duty ripper shanks, and are compatible with a Category 1 and Category 2 quick hitches, and are designed to work with 30 hp to 70 hp tractors. It comes with a 2-year warranty.

|                        | Standard Duty Heavy Duty |         |         |                |         |
|------------------------|--------------------------|---------|---------|----------------|---------|
| PART NUMBERS           | 426010 426015            |         | 426110  | 426115         | 426120  |
| MODEL                  | 48"                      | 60"     | 72"     | 84"            | 96"     |
| HORSEPOWER             | 15–45                    | 15–45   | 30–70   | 30–70          | 30–70   |
| WIDTH                  | 48"                      | 60"     | 72"     | 84"            | 96"     |
| MOLDBOARD HEIGHT       | 17"                      |         |         |                |         |
| OVERALL DEPTH          | 22"                      |         |         |                |         |
| WEIGHT                 | 290 lbs                  | 323 lbs | 530 lbs | 586 lbs        | 640 lbs |
| NUMBER OF SHANKS       | 3                        | 4       | 5       | 6              | 6       |
| A-FRAME MATERIAL       | 3/8" 1/2"                |         |         |                |         |
| CUTTING EDGES          | 6"                       |         |         |                |         |
| QUICK-HITCH COMPATIBLE |                          |         | Yes     |                |         |
| нітсн                  | Cate                     | gory 1  | Catego  | ory 1 and Cate | gory 2  |







888-376-7027

## **GRADER BLADE** *HEAVY DUTY*

The Blue Diamond<sup>®</sup> Grader Blade is our toughest grader blade. These heavy duty models will easily meet all of your land grading, leveling, or backfilling needs. Designed for 45 hp to 75 hp tractors, they feature a 5-position angle adjustment and 3-position tilt adjustment, and use a ratchet jack for the offset adjustment.

- Fits Category 1 and Category 2 hitches
- Ratchet jack offset adjustment
- Used for grading, leveling, and backfilling needs
- 5-position angle moving forward and in reverse
- 3-position tilt adjustment
- 2-year warranty

PULL DIRT

| PUSH D | IRT |
|--------|-----|
|--------|-----|

| PART NUMBERS           | 423010           | 423015         | 423020    |  |  |
|------------------------|------------------|----------------|-----------|--|--|
| MODEL                  | 6'               | 7'             | 8'        |  |  |
| HORSEPOWER             | 45–75 50–75 55–7 |                |           |  |  |
| WIDTH                  | 72" 84" 96       |                |           |  |  |
| MOLDBOARD HEIGHT       | 17"              |                |           |  |  |
| WEIGHT                 | 439 lbs          | 503 lbs        |           |  |  |
| ANGLE ADJUSTMENT       | 5-Positior       | n, Forward and | d Reverse |  |  |
| TILT ADJUSTMENT        |                  | 3-Position     |           |  |  |
| OFFSET ADJUSTMENT      |                  | Ratchet Jack   |           |  |  |
| A-FRAME MATERIAL       | 3/8"             |                |           |  |  |
| CUTTING EDGES          | 6"               |                |           |  |  |
| QUICK-HITCH COMPATIBLE | Yes              |                |           |  |  |
| нітсн                  | Category 1 and 2 |                |           |  |  |





## **DUAL-EDGE GRADER**

The Blue Diamond® Dual-Edge Grader can be used to maintain gravel driveways, level a garden plot, and smooth dirt areas including horse arenas and barn floors. It is designed with an adjustable cutting depth, making the shanks optional. These dual-edge graders feature replaceable skid shoes, reversible blades, adjustable blade height, and optional adjustable shanks.

#### **FEATURES INCLUDE**

- Dual cutting edges
- Side plates to float the cutting edges along the surface
- · Adjustable/removable shanks with replaceable teeth
- Shank adjustment at grade level. 11/2" & 3" below grade level
- 2-year warranty





| PART NUMBERS | 423105  | 423110  | 423112  | 423115  | 423117  | 423120  | 423122  | 423127  |
|--------------|---------|---------|---------|---------|---------|---------|---------|---------|
| MODEL        | 48"     | 60"     | 60"     | 72"     | 72"     | 84"     | 84"     | 96"     |
| HORSEPOWER   | 20-35   | 25-55   | 25-55   | 35-55   | 30-70   | 40-80   | 30-70   | 30-70   |
| WEIGHT       | 421 lbs | 447 lbs | 490 lbs | 545 lbs | 530 lbs | 700 lbs | 586 lbs | 640 lbs |
| нітсн        | CAT 1   |         |         |         | CAT     | 1&2     |         |         |

## **ANGLE BROOM HEAVY DUTY - SERIES 2**

The Blue Diamond® Heavy Duty Series 2 Angle Broom is available in manual and hydraulic angles. A simple-to-use control comes with the hydraulic angle model to handle from inside your cab. The 26" bristles are available in poly, or steel, or poly/steel mix and are protected by retractable legs when not in use.



#### **FEATURES INCLUDE**

- Manual or hydraulic angle
- · Stands protect bristles when not in use
- 14-pin OEM connector available
- 1-year warranty
- · Optional water kit
- 30° pivot angle



OPTIONAL WATER KIT

| PART NUMBERS | 116207  | 116212    | 116217    | 116222    | 116205    | 116210    | 116215  | 116220    |
|--------------|---------|-----------|-----------|-----------|-----------|-----------|---------|-----------|
| MODEL        | 60"     | 72"       | 84"       | 96"       | 60"       | 72"       | 84"     | 96"       |
| ANGLE        | Manual  |           |           | Hydraulic |           |           |         |           |
| WEIGHT       | 995 lbs | 1,300 lbs | 1,450 lbs | 980 lbs   | 1,300 lbs | 1,450 lbs | 850 lbs | 1,015 lbs |



888-376-7027

## BROOMS - PUSH HEAVY & STANDARD DUTY

This incredible broom will amaze you! Clean up job sites, push light snow, sweep leaves, squeegee water, or groom ball fields. Add our heavy duty magnet for picking up screws, nails, and other steel debris. The Standard Duty comes with 8 rows of bristles, and the Heavy Duty has 11 rows of bristles. Models are available in 60", 72", or 96" widths.



| PART<br>NUMBER | MODEL                                  | WEIGHT  | BRISTLES |
|----------------|--|---------|----------|
| 316030         | 60" Standard Duty                      | 146 lbs | 8 rows   |
| 316035         | 72" Standard Duty                      | 173 lbs | 8 rows   |
| 316040         | 60" Push Heavy Duty                    | 206 lbs | 11 rows  |
| 316045         | 72" Push Heavy Duty                    | 239 lbs | 11 rows  |
| 316055         | 96" Push Heavy Duty                    | 535 lbs | 11 rows  |
| 116020         | Forklift Mount (HD Model Req 116027)   | 52 lbs  | _        |
| 116026         | Skid Steer Mount (HD Model Req 116027) | 187 lbs | _        |

## **DISPENSING BUCKET**



The Blue Diamond<sup>®</sup> Dispensing Bucket is great for any flowable material from feed to concrete. The hopper has splash guards around the top to contain material while traveling on rough terrain. The heavy duty chute is enclosed at the back to control the flow and can be removed for transportation or storage.

- Available with 1/2-yard or 3/4-yard hopper with tapered front
- Removable chute for cleaning and storage
- Splash guard around top lip
- Available with or without hydraulic door
- 1-year warranty

| PART<br>NUMBER | MODEL                                       | WEIGHT  |
|----------------|---|---------|
| 110005         | 1/2 Yard Dispensing Bucket                  | 393 lbs |
| 110010         | 1/2 Yard Dispensing Bucket W/Hydraulic Door | 403 lbs |
| 110035         | 3/4 Yard Dispensing Bucket                  | 452 lbs |
| 110040         | 3/4 Yard Dispensing Bucket W/Hydraulic Door | 477 lbs |



## **ROCK BUCKET**

| PART<br>NUMBER | MODEL                         | TINE<br>THICKNESS | WEIGHT  |
|----------------|-------------------------------|-------------------|---------|
| 108320         | 66" Standard Duty Rock Bucket | 3/8"              | 424 lbs |
| 108335         | 72" Standard Duty Rock Bucket | 3/8"              | 465 lbs |
| 108350         | 78" Standard Duty Rock Bucket | 3/8"              | 512 lbs |
| 108405         | 66" Extreme Duty Rock Bucket  | 1/2"              | 615 lbs |
| 108410         | 72" Extreme Duty Rock Bucket  | 1/2"              | 615 lbs |
| 108415         | 78" Extreme Duty Rock Bucket  | 1/2"              | 656 lbs |
| 108420         | 84" Extreme Duty Rock Bucket  | 1/2"              | 690 lbs |
| 108425         | 96" Extreme Duty Rock Bucket  | 1/2"              | 775 lbs |



#### **FEATURES INCLUDE**

- 3" spacing between tines
- Available in 60", 72", 78", 84", and 96" widths
   2/8" Thick tipes
- 3/8" Thick tines
- Available with Euro/Global mount

## **SNOW & MULCH BUCKET**



#### STANDARD / HEAVY DUTY

#### **FEATURES INCLUDE**

- 26" high-back bucket, 38" bottom
- Available in 3/16" or 1/4"
- High-capacity sides
- Predrilled for bolt-on edge

See pages 29-30 for all Snow and Mulch Bucket Models

## **HIGH-BACK SNOW & MULCH**

#### **FEATURES INCLUDE**

- 32" high-back bucket, 38" bottom
- Mesh back increases visibility
- Ribs inside strengthen floor and back
- Pre-drilled for bolt-on edge
- 3/16" material


## **TRACTOR BUCKET**

Blue Diamond<sup>®</sup> offers several styles of buckets to fit most any application you may encounter with a tractor. Our bolt-on cutting edges and tooth bars fit any of these buckets to adapt them into the perfect tool to use wherever you might need them.



| FEAT | URES | INCLU | DE |
|------|------|-------|----|
|      |      |       |    |

- Heavy duty construction
- 3/4" x 6" cutting edge
- Rolled back for easy clean out
- Bolt-on edge or toothbar available





## 4' STANDARD DUTY CUTTER

The Blue Diamond<sup>®</sup> Rotary Cutter is designed for standard duty applications such as weeds, grass, and light brush up to 11/2" diameter. This cutter is designed to work with 15 hp to 45 hp tractors, and are available in a 48" width. This cutter uses a single spindle with two free-swinging blades, which reduce the shock of impact when a stationary



object is contacted. A standard slip clutch protects the gearbox and driveline from damage. Standard equipment includes driveline, shields, clutch shields, and front and rear chains.

| PART NUMBER      | 403010         |  |
|------------------|----------------|--|
| MODEL            | 4'             |  |
| HORSEPOWER       | 15–45          |  |
| WIDTH            | 48"            |  |
| WEIGHT           | 538 lbs        |  |
| CUTTING CAPACITY | 1.5"           |  |
| DECK THICKNESS   | 11 Gauge       |  |
| SIDE BANDS       | 7"             |  |
| PTO DRIVE SHAFT  | Series 4       |  |
| STUMP JUMPER     | PAN            |  |
| GEARBOX          | 55 hp          |  |
| WHEEL            | Laminated      |  |
| HUB              | Greasable      |  |
| нітсн            | Category 1     |  |
| GEARBOX WARRANTY | 5-year limited |  |
| CHAIN GUARDS     | Standard       |  |
|                  |                |  |



- Fully welded gearbox channel and deck
- Replaceable wear skids
- Front/rear chain discharge shield
- 5-year limited gearbox warranty
- 2-year warranty



## ROUND BACK CUTTER HEAVY DUTY

The Blue Diamond<sup>®</sup> Heavy Duty Round Back Cutter is designed for heavy duty applications such as thick weeds and grass and brush up to 2 1/2" or 3" diameter, depending on the model. These cutters use a single spindle with two free-swinging blades, which reduce the shock of impact when a stationary object is contacted. A slip clutch protects the gearbox and driveline from damage. Standard equipment includes driveline shields and clutch shields.



- Fully welded cutter deck
- Heavy duty round back design
- 2 1/2"-3" cutting capacities

- 5-year limited gearbox warranty
- Fully welded cutter gears 1/2" thick
- Replaceable wear skids
- Front chain and rear chain discharge shields
- 2-year warranty

| PART NUMBER         | 403110         | 403115    | 403120     |  |
|---------------------|----------------|-----------|------------|--|
| MODEL               | 5'             | 6'        | 7'         |  |
| HORSEPOWER          | 35–80          | 40–80     | 55–95      |  |
| WIDTH               | 60"            | 72"       | 84"        |  |
| WEIGHT              | 745 lbs        | 900 lbs   | 1,305 lbs  |  |
| CUTTING CAPACITY    | 3"             |           |            |  |
| DECK THICKNESS      | 10 Gauge       |           |            |  |
| SIDE BANDS          | 7              | 8"        |            |  |
| PTO DRIVE SHAFT     | Series 4       |           | Series 6   |  |
| STUMP JUMPER        | 1/2" Plate     |           |            |  |
| GEARBOX             | 100 hp 150 h   |           | 150 hp     |  |
| TAILWHEEL           | 1              |           |            |  |
| WHEEL               |                | Laminated |            |  |
| HUB                 | Bearing        |           |            |  |
| нітсн               | Category 1     |           | Category 2 |  |
| GEARBOX<br>WARRANTY | 5-year limited |           |            |  |
| CHAIN GUARDS        | Standard       |           |            |  |



## **DUAL SPINDLE CUTTER** *LIFT TYPE - HEAVY DUTY*

The Blue Diamond<sup>®</sup> Lift Type Heavy Duty Dual Spindle Cutter is designed for heavy duty applications, such as thick weeds and grass and brush up to 3" diameter. The cutter uses dual spindles with 2 free-swinging blades each, which reduces the shock of impact when a stationary object is contacted.



| PART NUMBER           | 403125                  | 403127  |  |
|-----------------------|-------------------------|---------|--|
| MODEL                 | 8' 10'                  |         |  |
| MIN. HORSEPOWER       | 42 52                   |         |  |
| CUTTING WIDTH         | 94"                     | 117"    |  |
| TRANSPORT WIDTH       | 98"                     | 122"    |  |
| НІТСН                 | Lift Type               |         |  |
| CUTTING HEIGHT        | 2"-                     | 10"     |  |
| MAX. CUTTING CAPACITY | 3"                      |         |  |
| DECK THICKNESS        | 10 Gauge                | 7 Gauge |  |
| SIDE BANDS            | 8"                      |         |  |
| PTO DRIVE SHAFT       | Series 5 w/ Slip Clutch |         |  |
| CENTER DRIVE SHAFT    | Shock Coupler Protected |         |  |
| STUMP JUMPER          | 5/8" Plate              |         |  |
| CENTER GEARBOX        | 125 hp                  |         |  |
| OUTBOARD GEARBOXES    | 100                     | hp      |  |
| WHEEL                 | Lamir                   | nated   |  |
| HUB                   | Greasable               |         |  |
| WEIGHT                | 1,250 lbs 1,405 lbs     |         |  |
| SKID SHOES            | Replaceable             |         |  |
| GEARBOX WARRANTY      | 5-year limited          |         |  |
| CHAIN GUARDS          | Standard                |         |  |

- Fully welded cutter deck and gearbox channel
- Heavy duty round back design
- 5-year limited gearbox warranty
- Fully welded cutter gears 1/2" thick
- Replaceable wear skids
- Compact dual spindle design
- Slip clutch protection/dual couplers and front/ rear chain discharge shields are standard
- 2-year warranty



FLEX PROTECTION



CUTTING HEIGHT ADJUSTMENT



## **DUAL SPINDLE CUTTER** PULL TYPE - HEAVY DUTY

#### **FEATURES INCLUDE**

- Pull type hitch with hydraulic rear wheels
- Compact dual spindle design
- 3" diameter cutting capacity
- Slip clutch protection, dual shock couplers, and front/ rear chain discharge shields are standard
- Laminated flat-proof wheels
- 2-year warranty



DUAL ADJUSTMENT LEVELING



FLAT-PROOF TIRES



HOSES INCLUDED



| PART NUMBER           | 403129                  | 403130  |  |
|-----------------------|-------------------------|---------|--|
| MODEL                 | 8'                      | 10'     |  |
| MIN. HORSEPOWER       | 42                      | 52      |  |
| CUTTING WIDTH         | 94"                     | 117"    |  |
| TRANSPORT WIDTH       | 98"                     | 122"    |  |
| НІТСН                 | Pull                    | Туре    |  |
| CUTTING HEIGHT        | 2"-                     | -10"    |  |
| MAX. CUTTING CAPACITY | 3"                      |         |  |
| DECK THICKNESS        | 10 Gauge                | 7 Gauge |  |
| SIDE BANDS            | 8"                      |         |  |
| PTO DRIVE SHAFT       | Series 6 w/ Slip Clutch |         |  |
| CENTER DRIVE SHAFT    | Shock Coupler Protected |         |  |
| STUMP JUMPER          | 5/8" Plate              |         |  |
| CENTER GEARBOX        | 125                     | hp      |  |
| OUTBOARD GEARBOXES    | 100                     | hp      |  |
| WHEEL                 | Laminated               |         |  |
| HUB                   | Greasable               |         |  |
| WEIGHT                | 1,575 lbs 1,705 lb      |         |  |
| SKID SHOES            | Replaceable             |         |  |
| GEARBOX WARRANTY      | 5-year                  | limited |  |
| CHAIN GUARDS          | Standard                |         |  |



## 12' & 15' FLEX-WING ROTARY CUTTER





FLAT-PROOF TIRES



WING LOCKOUT



RACHET LEVEL ADJUSTMENT





#### 12' FLEX-WING

#### **FEATURES INCLUDE**

- Smooth top deck design
- Protected gearboxes and drivelines
- Debris discharge safety chains
- 6 free-swinging blades
- Storage for jack stand when not in use
- Single-circuit hydraulics; only 1 hose connection required
- Single-spring suspension
- 144" cutting width
- 4 flat-free tires
- 2-year warranty



#### 15' FLEX-WING

#### **FEATURES INCLUDE**


- · Protected gearboxes and drivelines
- Debris discharge safety chains
- 6 free-swinging blades
- Storage for jack stand when not in use
- · Easy adjustment leveling with ratchet
- Triple-spring suspension
- 180" cutting width
- 6 flat-free tires
- 2-year warranty

ATTACHMENT SPECS ON NEXT PAGE

## 12' & 15' FLEX-WING ROTARY CUTTER



#### 12' FLEX-WING



#### 15' FLEX-WING

| 15 FLEX-WING          |                               |   |                    |  |
|-----------------------|-------------------------------|---|--------------------|--|
| PART NUMBER           |                               | 403155                                    |                    |  |
| MODEL                 |                               | 15'                                       |                    |  |
| MIN. HORSEPOWI        | ER                            | 55 hp                                     |                    |  |
| нітсн                 |                               | ç   | Swivel Pivot       |  |
| DECK THICKNESS        | ;                             |   | 10 Gauge           |  |
| BODY DEPTH            |                               |   | 9 1/2"             |  |
| SIDE SKIRT MATE       | RIAL                          | 1   | /4" x 13 1/2"      |  |
| UNDERNEATH DE         | СК                            | He  | eavily Braced      |  |
| OUTBOARD GEAR         | RBOX                          |   | 190 hp             |  |
| SPLITTER GEARB        | хс                            |   | 235 hp             |  |
| GEARBOX               |                               | 540 RP                                    | M (1,000 optional) |  |
| BLADES                |                               |   | 1/2" × 4"          |  |
| BLADE TIP SPEED       |                               |   | 17,135 FPM         |  |
| BLADE OVERLAP         |                               | 6"  |                    |  |
| BLADE CARRIERS        |                               | 3/16" Formed Plate<br>w/ 5/8" x 10" x 23" |                    |  |
|                       |                               | W/ 5/8" X 10" X 23"<br>Blade Bar          |                    |  |
| CUTTING WIDTH         |                               | 15'                                       |                    |  |
| OVERALL WIDTH         |                               | 188"                                      |                    |  |
| OVERALL LENGTH        | 1                             |   | 189"               |  |
| OVERALL WEIGH         | г                             |   | 5,175 lbs          |  |
| <b>CUTTING HEIGHT</b> |                               |   | 2"–15"             |  |
| CUTTING CAPACI        | ТҮ                            |   | 3 1/2"             |  |
| INPUT PTO             |                               | ASA                                       | AE Category 6      |  |
| WING DRIVE PTO        |                               | AS  | AE Category 4      |  |
| SKID SHOES            |                               | Replaceable                               |                    |  |
| CHAIN SHIELDS         | Standard                      |   | Standard           |  |
| TOWING SAFETY         | TOWING SAFETY CHAINS Standard |   | Standard           |  |
| GEARBOX WARRA         |                               | 5   | -year limited      |  |
| WHEEL TYPE            |                               | 5-Lug Laminated Standard                  |                    |  |
|                       |                               |   |                    |  |
| PART NUMBERS          |                               |   |                    |  |
| WHEEL TYPE            | Aircraft tires                |   | Aircraft tires w/  |  |

888-376-7027

LED lights

## **DISC HARROW**

The Blue Diamond<sup>®</sup> Disc Harrow is for medium duty usage with notched discs that easily break up and redistribute cultivated topsoil. It will certainly meet the needs of commercial landscapers, larger nurseries and gardens, as well as small farms. Accepts a Category 1 quick hitch.



| PART NUMBER            | 445010     | 445015  | 445020  |
|------------------------|------------|---------|---------|
| MODEL                  | 5'         | 6'      | 7'      |
| HORSEPOWER             | 30–40      | 35–45   | 40–60   |
| CUTTING WIDTH          | 60"        | 72"     | 84"     |
| WEIGHT                 | 577 lbs    | 700 lbs | 780 lbs |
| NUMBER OF DISC BLADES  | 16         | 20      | 24      |
| DISC BLADE SIZE        | 18"        |         |         |
| DISC BLADE SPACING     | 7 1/2"     |         |         |
| BEARINGS               | Sealed     |         |         |
| QUICK-HITCH COMPATIBLE | Yes        |         |         |
| НІТСН                  | Category 1 |         |         |

## FEATURES INCLUDE

- Sealed bearings for long life
- Heavy duty tube frame construction
- 2-year warranty

## **FINISHING MOWER**

The Blue Diamond<sup>®</sup> Finishing Mower suits 20 hp to 60 hp tractors with a Category 1 hitch and can be used in front of or behind the tractor. The finishing mower will make your land look sharp with fine and controlled cuts in small to medium grass, thanks to its 3 blades.

| PART NUMBER               | 403510                          | 403515 | 403520 | 403525 |
|---------------------------|---------------------------------|--------|--------|--------|
| MODEL                     | 4'                              | 5'     | 6'     | 7'     |
| OVERALL WIDTH             | 52"                             | 65"    | 76"    | 89"    |
| WORKING WIDTH             | 48"                             | 60"    | 72"    | 84"    |
| TRACTOR HP RANGE          | 20-50                           | 25-50  | 30-50  | 35-60  |
| CUTTING HEIGHT            | 1"-4"                           |        |        |        |
| <b>3-POINT HITCH TYPE</b> | Category 1                      |        |        |        |
| NUMBER OF BLADES          | 3                               |        |        |        |
| PTO INPUT SPEED           | 540 rpm                         |        |        |        |
| DECK THICKNESS            | 7 Gauge                         |        |        |        |
| PTO SHAFT TYPE            | Series 4                        |        |        |        |
| WEIGHT W/OUT PTO          | 529 lbs 440 lbs 590 lbs 720 lbs |        |        |        |
| BELTS                     | 2                               |        |        |        |
| FRONT ROLLER              | Standard                        |        |        |        |



- Usable on front or rear of tractor
- Quickly converts tractor to turf
  maintenance
- 2-year warranty

## **FLAIL MOWER**

The Blue Diamond<sup>®</sup> Flail Mower is suitable for tractors from 40 hp to 100 hp. The Standard Duty fits Category 1 hitches and the Heavy Duty fits Category 2. The flails or hammers allow them to mow grass and brush up to 11/2" thick. Both models feature hydraulic side shift, rear roller, and rakes.

#### **FEATURES INCLUDE**

- Multi-purpose for grass and brush
- 11/2" diameter brush capacity
- Dual tapered bearing design for easy adjustment
- Minimum tractor weight of 2,000 lbs
- Counterweight recommended
- Hydraulic side shift
- Rear anti-scalp roller
- 2-year warranty

## STANDARD DUTY

| PART NUMBER        | 403710     | 403720    | 403730    |  |
|--------------------|------------|-----------|-----------|--|
| SIZE               | 69"        | 81"       | 87"       |  |
| OVERALL WIDTH      | 69"        | 75.5"     | 87.4"     |  |
| MOWING WIDTH       | 63"        | 69"       | 80.7"     |  |
| TRACTOR HP RANGE   | 35-70      | 40-70     | 45-70     |  |
| 3-POINT HITCH TYPE | Category 1 |           |           |  |
| HYDRAULIC OFFSET   | 12"        |           |           |  |
| NUMBER OF HAMMERS  | 20         | 22        | 26        |  |
| WEIGHT W/OUT PTO   | 1,100 lbs  | 1,120 lbs | 1,160 lbs |  |
| BELTS              | 4          |           |           |  |





#### HEAVY DUTY

| PART NUMBER               | 403740     | 403750    |  |
|---------------------------|------------|-----------|--|
| SIZE                      | 87" 98"    |           |  |
| OVERALL WIDTH             | 96"        | 106"      |  |
| WORKING WIDTH             | 87" 98"    |           |  |
| TRACTOR HP RANGE          | 50–100     |           |  |
| <b>3-POINT HITCH TYPE</b> | Category 2 |           |  |
| HYDRAULIC OFFSET          | 15"        |           |  |
| NUMBER OF HAMMERS         | 20 24      |           |  |
| NUMBER OF BLADES          | 60 72      |           |  |
| ROLLER DIAMETER           | 6.69"      |           |  |
| ROTOR DIAMETER            | 6.69"      |           |  |
| WEIGHT W/OUT PTO          | 1,730 lbs  | 1,840 lbs |  |
| BELTS                     | 4 5        |           |  |

## **TRACTOR GRAPPLE**

The Blue Diamond<sup>®</sup> Tractor grapple was designed to fill a gap in the market where a quality grapple was needed at an economical price. With dual independent cylinders and constructed on 1/2" steel, this grapple is sure to meet all your needs for general purpose tasks and light land clearing.

## **FEATURES INCLUDE**

- 1" thick steel end tines
- 8" spacing between tines
- Opens to 42"
- Available with universal skid steer, Euro-Ag/Global, or JD 400/500 mounts



- Hoses included with 1/2" flat face couplers
- OEM colors available

| PART NUMBER | 107204  | 107207  | 107210  |
|-------------|---------|---------|---------|
| MODEL       | 60"     | 66"     | 72"     |
| WEIGHT      | 727 lbs | 756 lbs | 725 lbs |



88

## GRAPPLES



## Light Duty Root Grapple FEATURES INCLUDE

- Dual independent clamps
- 3/8" steel
- Greasable 1" pivot pins
- 1-piece tines
- Flat-face couplers included
- Opens to 30"



## Light Duty Grapple Bucket

#### FEATURES INCLUDE

- 3/8" steel
- Dual independent clamps
- Greasable 1" pivot pins
- Flat-face couplers included
- Opens to 30"



Heavy Duty Grapple Rake FEATURES INCLUDE

- 3/8" steel
- Dual cylinders
- Greasable 1" pivot pins
- Flat-face couplers included
- Opens to 30"



## Heavy Duty Root Grapple

#### **FEATURES INCLUDE**

- 1/2" thick top clamps
- Cylinder protection covers
- Opens to 32"
- Best for machines up to 50HP or 1800 lb lift capacity



Heavy Duty Grapple Bucket FEATURES INCLUDE

- Laser-cut cutting edge gussets on tips of tines with 3" spacing
- Works great as a land plane and for light clearing



#### Heavy Duty Rock Bucket Grapple

#### FEATURES INCLUDE

- 1/2" top tines
- Centered, protected cylinders
- No-pinch hose routing
- Protected hydraulic lines



## Severe Duty Root Grapple FEATURES INCLUDE

- 1/2", extra strong one-piece tines throughout
- Closed in quick attach area
- Reinforced top clamps
- "No pinch" hose routing



Severe Duty Grapple Bucket FEATURES INCLUDE

- No-pinch hose routing
- Bolt-on sides
- 3/4" top tines
- Heavily reinforced top clamps



Severe Duty Grapple Rake FEATURES INCLUDE

- Dual top clamps
- 3/4" tine width
- Replaceable teeth

See pages 38-42 for all Grapple Models

## **HAY SPEARS**

The Blue Diamond<sup>®</sup> Hay Spear is high quality yet compact. It is available in 3 styles: a single spear with standard or heavy duty stabilizers for round bales, a double bottom and a quad bottom style for large square bales, which can also be used as a pallet fork. The high-quality German-made spear tines are rated for 3,500 lbs each, and the lower stabilizers are replaceable. These strong frames are powder coated, and a bolt-on back rack is available.

All of our hay spears carry a 1-year warranty with a 2-year warranty on tines.



DOUBLE BOTTOM SPEAR

QUAD BOTTOM SPEAR

OPTIONAL BOLT-ON RACK SHOWN ON DOUBLE BOTTOM 3 PT. TRACTOR SPEAR

| PART NUMBER | MODEL  | SPEAR LENGTH | WEIGHT  |
|-------------|--|--------------|---------|
| 311003      | Hay Spear W/ HD Stabilizers                    | 36"          | 154 lbs |
| 311006      | Hay Spear W/Standard Stabilizers               | 48"          | 165 lbs |
| 311007      | Hay Spear W/Standard Stabilizers & Back Rack   | 48"          | 204 lbs |
| 311008      | Hay Spear W/ HD Stabilizers                    | 48"          | 160 lbs |
| 311009      | Double Bottom Hay Spear (Short Spears)         | 36"          | 180 lbs |
| 311010      | Double Bottom Hay Spear                        | 48"          | 214 lbs |
| 311011      | Double Bottom Hay Spear W/Rack                 | 48"          | 218 lbs |
| 311040      | Double Top Tine Hay Spear W/Bottom Stabilizers | 48"          | 180 lbs |
| 311045      | Quad Bottom Hay Spear, 45" Wide                | 48"          | 280 lbs |
| 311050      | Quad Bottom Hay Spear, 60" Wide                | 48"          | 262 lbs |
| 311060      | Quad Bottom Hay Spear, 75" Wide                | 48"          | 304 lbs |
| 311405      | 3 pt. Tractor Hay Spear, Category 1 Mount      | 49"          | 86 lbs  |
| 311408      | 3 pt. Tractor Hay Spear, Category 2 Mount      | 49"          | 128 lbs |

High-quality tines, removable stabilizers, Euro-Ag/Global, and John Deere mounts available. Double spears are spaced at 30".

## **MOUNT PLATE**

Make your own attachment or make your old attachments fit your new skid steer. Mounts available to fit to all universal hitch machines, John Deere 400/500, and Euro-AG. Made from ¼" or ½" thick solid plate.

| PART NUMBER | MOUNT                | THICKNESS | WEIGHT  |
|-------------|----------------------|-----------|---------|
| 113005      | Universal Skid Steer | 1/4"      | 75 lbs  |
| 113005-14   | JD 400/500           | 1/4"      | 54 lbs  |
| 113005-16   | Euro-AG              | 1/4"      | 55 lbs  |
| 113006      | Universal Skid Steer | 1/2"      | 140 lbs |



0

## **PALLET FORKS**

Blue Diamond<sup>®</sup> Pallet Forks are some of the most used attachments, next to a bucket, and must be built well. Being able to see your tines is an important consideration, and all Blue Diamond<sup>®</sup> frames have excellent visibility. We offer pallet forks from 2,000 lbs to 6,000 lbs capacity with a variety of tine lengths.



Heavy Duty Pallet Fork





HD Extra Large Pallet Fork



**Block & Brick Pallet Fork HD** 



Light Duty Pallet Fork



Heavy Duty with D-Ring Pallet Fork



Heavy Duty Hydraulic Pallet Fork



**Standard Duty Pallet Fork** 

See pages 35-37 for all Pallet Fork Models



Wide-Frame Heavy Duty Pallet Fork



**Grapple Pallet Fork** 

## **MOLDBOARD PLOW**

The Blue Diamond<sup>®</sup> Moldboard Plows come in single bottom and double bottom models, designed for tractors ranging from 18 hp to 50 hp. Both models are our basic moldboard plow, best suited for gardens, nurseries, hobby farms, and wild game food plots. They are designed to turn over and aerate the soil for primary tillage and to bury residue. Both are available in single or double 16" plowshare lengths with replaceable plowshares and are shear-bolt protected and compatible with a Category 1 hitch.

#### **FEATURES INCLUDE**

- 16" plowshare length
- Replaceable share and moldboard
- 2-year warranty

| PART NUMBER | 440012       | 440010       | 440015<br>16" (double) |  |
|-------------|--------------|--------------|------------------------|--|
| MODEL       | 14" (single) | 16" (single) |                        |  |
| WEIGHT      | 188 lbs      | 205 lbs      | 348 lbs                |  |



SINGLE BOTTOM



DOUBLE BOTTOM

## POWER RAKE HEAVY DUTY SERIES 2

This Heavy Duty Series 2 Power Rake follows close on the heels of our previously released Severe Duty model. This lighter unit is suited to smaller compact tractors with a Category 1 hitch.

| 1              |   | 240 | -     | d . |
|----------------|---|-----|-------|-----|
| and the second | - |     |       |     |
|                | 1 | 1   |       |     |
|                |   |     |       |     |
|                |   | 1.0 | · · · |     |

| PART<br>NUMBER | MODEL  | WEIGHT  |
|----------------|--|---------|
| 432402         | 48" Power Rake, HD, Replaceable Teeth                              | 690 lbs |
| 432401         | 48" Power Rake, HD, Fixed Teeth                                    | 690 lbs |
| 432404         | 60" Power Rake, HD, Replaceable Teeth                              | 850 lbs |
| 432403         | 60" Power Rake, HD, Fixed Teeth                                    | 750 lbs |
| 432409         | 72" Power Rake, HD, Replaceable Teeth                              | 825 lbs |
| 432405         | 72" Power Rake, HD, Fixed Teeth                                    | 825 lbs |
| 332760         | Power Rake HD, 3 pt. Hitch Hydraulic Angle Kit<br>w/60" long hoses | _       |
| 332765         | Power Rake HD, 3 pt. Hitch Hydraulic Angle Kit<br>w/84" long hoses | _       |



HYDRAULIC ANGLE KIT SHOWN ATTACHED

Select base model, mount and hydraulic kit



REVERSIBLE SIDE SHIELD



FLIP UP WHEELS



HEAVY DUTY PROTECTED BEARING



## **POWER RAKE** EXTREME DUTY

When productivity matters, look no further. Travel faster, cut deeper, and get on to the next job! With skid steer machine sizes increasing in the industry, there is a need for a more powerful and durable power rake/soil conditioner attachment. The Blue Diamond<sup>®</sup> Extreme Duty Power Rake is designed to power though jobs where others fail, and is set up for simple servicing. This massive 6,000 series motor and optimal drum size produce maximum torque, and the motor is kept out of the way, maximizing usable width in tighter areas. The aggressive 2" teeth are ideal for leaving a fresh seed bed with fewer passes.



| PART NUMBER | MODEL  | WEIGHT    |
|-------------|--|-----------|
| 432105      | 72" Power Rake, Replaceable Teeth                                  | 1,217 lbs |
| 432107      | 72" Power Rake, Fixed Teeth  | 981 lbs   |
| 432110      | 84" Power Rake, Replaceable Teeth                                  | 1,124 lbs |
| 432112      | 84" Power Rake, Fixed Teeth  | 1,155 lbs |
| 432115      | 96" Power Rake, Replaceable Teeth                                  | 1,685 lbs |
| 432117      | 432117 96" Power Rake, Fixed Teeth                                 |           |
| 332735      | Power Rake HD, 3 pt. Hitch Hydraulic<br>Angle Kit w/60" long hoses | 25 lbs    |
| 332740      | Power Rake HD, 3 pt. Hitch Hydraulic<br>Angle Kit w/84" long hoses | 25 lbs    |



# TRACTOR ATTACHMENTS 0

## **POWER RAKE** SEVERE DUTY WITH 3 PT. HITCH

The Blue Diamond<sup>®</sup> Severe Duty Power Rake for tractors is designed to succeed in conditions where others start failing - structurally and mechanically, and is set up for simple servicing. With the same frame design as our proven Severe Duty model for skid steers, this unit features a Category 2 hitch and a PTO drive to power the drum. The optional hydraulic angle kit is a great accessory that allows you to angle the unit from the operator's seat.



| PART NUMER                          | 432005      | 432007 | 432007      | 432007 | 432015      | 432017 |
|-------------------------------------|-------------|--------|-------------|--------|-------------|--------|
| TEETH                               | Replaceable | Fixed  | Replaceable | Fixed  | Replaceable | Fixed  |
| WORKING WIDTH<br>(STRAIGHT)         | 72"         | 72"    | 84"         | 84"    | 96"         | 96"    |
| WORKING WIDTH<br>(ANGLED)           | 66"         | 66"    | 78"         | 78"    | 90"         | 90"    |
| OVERALL WORKING<br>WIDTH (STRAIGHT) | 82"         | 82"    | 94"         | 94"    | 106"        | 106"   |

## LANDSCAPE RAKE STANDARD DUTY

The Blue Diamond<sup>®</sup> Standard Duty Landscape Rake works well for cleaning and preparing sites for seeding. It can spread rocks, move debris, and reshape soil. Designed for use by landscapers and contractors, it will meet the demands required for golf course maintenance, terracing hillsides, shaping run-off control ditches, and preparing areas for reforestation.



| PART NUMBER      | 433010        | 433015     | 433020         | 433025    | 433030  |  |
|------------------|---------------|------------|----------------|-----------|---------|--|
| MODEL            | 4'            | 5'         | 6'             | 7'        | 8'      |  |
| HORSEPOWER       | 15–45         | 20–45      | 25–45          | 30-45     | 35-45   |  |
| TINES/FOOT       | 6 per ft      |            |                |           |         |  |
| WORKING WIDTH    | 48"           | 60"        | 72"            | 84"       | 96"     |  |
| WEIGHT           | 174 lbs       | 198 lbs    | 224 lbs        | 251 lbs   | 281 lbs |  |
| A-FRAME MATERIAL | 3/8"          |            |                |           |         |  |
| MAINFRAME        | 4" x 4" Angle |            |                |           |         |  |
| ANGLE ADJUSTMENT |               | 5-Positior | n, Forward and | d Reverse |         |  |
| НІТСН            |               | Cat        | egory 1 & 3 P  | oint      |         |  |

- 5-position angle adjustment
- Category 1 hitch & 3
   Point
- Quick hitch
   compatible
- 2-year warranty





## ROTOTILLER

The Blue Diamond<sup>®</sup> Heavy Duty Rototiller is designed and manufactured for many years of dependable use. Designed to work with 20 hp to 65 hp tractors. With a gear-drive transmission and 6 tines per flange, you can till 8" deep. A standard slip clutch protects the gearboxes and driveline from damage.



- Available in 48", 60", 72", and 84" widths
- 8" cutting depth
- Heavy duty gear-drive system
- 2-year warranty



ADJUSTABLE HITCH FOR CATEGORY 1 AND CATEGORY 2



DEPTH ADJUSTMENT



SPRING TENSIONED SMOOTHER

| PART NUMBERS           | 429010  | 429015     | 429020      | 429030    |
|------------------------|---------|------------|-------------|-----------|
| HORSEPOWER             | 20–35   | 25-40      | 35-50       | 50-65     |
| WIDTH                  | 48"     | 60"        | 72"         | 84"       |
| WEIGHT                 | 440 lbs | 650 lbs    | 762 lbs     | 1,033 lbs |
| DRIVE TYPE             |         | Heavy Duty | Gear Driven |           |
| FLANGES                | 6       | 7          | 9           | 9         |
| NUMBER OF TINES        | 24      | 42         | 54          | 54        |
| DEFLECTOR              |         | Rear H     | inged       |           |
| DRIVELINE              |         | Heavy Duty | Slip Clutch |           |
| нітсн                  | CAT 1   | CAT 1      | CAT 1       | CAT 1/2   |
| QUICK-HITCH COMPATIBLE |         | Ye         | 2S          |           |
| GEARBOX WARRANTY       |         | 1-year l   | imited      |           |

## SILT FENCE INSTALLER 3 POINT HITCH

The Blue Diamond<sup>®</sup> Silt Fence Installer is essential for erosion control. Easily install silt fencing in a fraction of the time. The design allows a trench to be cut and installs the fence up to 20" deep without needing to pre-trench and backfill.

Two models are available to best suit your application; a fixed center mount fits most applications, or a sliding offset mount for installation near buildings or other structures.

- Trench and install fencing in one pass
- 40° pivot to either side of center for turning
- Fits up to 30" diameter roll
- Spring loaded coulter easily cuts through trash, roots and other debris
- Installs up to 20" deep
- Fits 36", 42", and 48" tall fencing
- Sliding offset mount allows for installation next to buildings/structures
- Install thousands of feet of fencing per hour



| PART<br>NUMBER | MODEL                    | WEIGHT    | DIMENSIONS         |
|----------------|--------------------------|-----------|--------------------|
| 475015         | Fixed, Center Mount      | 760 LBS   | 41"W x 78"L x 70"H |
| 475020         | Sliding Offset, 84" Wide | 1,165 LBS | 84"W x 89"L x 70"H |



## **AUTOWING SNOW PLOW**

Move more snow with a snow plow that thinks for itself - the Blue Diamond<sup>®</sup> Autowing Snow Plow. Its mechanical wings automatically adjusting from scoop mode to windrow position as you angle the plow allowing multiple angles to add torsional strength and prevent twisting under heavy loads. By combining the ease of straight blade operation with the productivity of a winged snow plow, the Blue Diamond<sup>®</sup> Auto Wing Snow Plow clears big jobs fast to ensure quality and consistency on every plow.



#### **FEATURES INCLUDE**

- 103" width
- 29" blade height
- Side wings adjust automatically
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle
- 6° oscillation to follow ground contour



FULL-TRIP MOLDBOARD



FULLY ANGLED BLADE

| PART<br>NUMBER | STRAIGHT<br>WIDTH | ANGLED<br>WIDTH | ANGLE | COUPLERS       | MOUNT                   | SIDE<br>MARKERS | CYLINDERS |
|----------------|-------------------|-----------------|-------|----------------|-------------------------|-----------------|-----------|
| 120720         | 103"              | 93.4°           | 25°   | 1/2" Flat Face | Universal Skid<br>Steer | Yes             | 2         |

## **SNOW BLADE** HEAVY DUTY SERIES 2 MULTI-PURPOSE

The Blue Diamond<sup>®</sup> Heavy Duty Series 2 Multi-Purpose Blade is designed for commercial contractors. At 28" tall, this blade is purpose-built for large applications and has an optional 8" height extension that can be bolted on for even more capacity. The curved back keeps the material rolling for maximum efficiency. Adjustable skid shoes allow the cutting edge to land perfectly every time. The full-trip moldboard protects the operator and equipment from hidden obstacles or curbs. These blades have a trip-lockout pin that can be installed when using the blade for dirt applications.

| PART<br>NUMBER | STRAIGHT<br>WIDTH | ANGLED<br>WIDTH | ANGLE | HEIGHT | WEIGHT    |
|----------------|-------------------|-----------------|-------|--------|-----------|
| 123470         | 84"               | 72 1/2"         | 30°   | 28"    | 901 lbs   |
| 123475         | 96"               | 83"             | 30°   | 28"    | 946 lbs   |
| 123480         | 108"              | 93"             | 30°   | 28"    | 986 lbs   |
| 123485         | 120"              | 104"            | 30°   | 28"    | 1,016 lbs |



- Available in 84", 96", 108", and 120" widths
- 28" blade height
- Optional bolt-on 8" height
   extension
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle

## **SNOW BLADE** STANDARD DUTY SERIES 2 MULTI-PURPOSE

The Blue Diamond<sup>®</sup> Standard Duty Series 2 Multi-Purpose Blade is great for snow and light dirt work. At 22" tall, this blade is a great fit for most users and has an optional 8" height extension that can be bolted on for high-volume applications. The curved back keeps the material rolling for maximum efficiency. Adjustable skid shoes allow the cutting edge to land perfectly every time. The full-trip moldboard protects the operator and equipment from hidden obstacles or curbs. These blades have a trip-lockout pin that can be installed when using the blade for dirt applications.

| PART<br>NUMBER | STRAIGHT<br>WIDTH | ANGLED<br>WIDTH | ANGLE | HEIGHT | WEIGHT  |
|----------------|-------------------|-----------------|-------|--------|---------|
| 123415         | 72"               | 62 1/4"         | 30°   | 22"    | 590 lbs |
| 123420         | 84"               | 72 1/2"         | 30°   | 22"    | 620 lbs |



SHOWN WITH OPTIONAL HEIGHT EXTENSION

#### **FEATURES INCLUDE**

- Available in 72" and 84" widths
- 22" blade height
- Optional bolt-on 8" height
   extension
- Full-Trip moldboard
- Steel cutting edge
- Hydraulic angle

## **SNOW PUSHER**

The Blue Diamond<sup>®</sup> Snow Pusher is great! It uses a rolled moldboard to keep the snow rolling and reduce the horsepower required to move the snow. The bolt-on wear shoes are made from AR400 steel with excellent wear resistance. The basic design and profile are the same between the standard and heavy duty models, but the heavy duty uses more crosstubes and braces for commercial use.



## STANDARD DUTY

| PART<br>NUMBER | 120310  | 120111  | 120113  | 120115  |
|----------------|---------|---------|---------|---------|
| SIZE           | 48"     | 60"     | 72"     | 96"     |
| WEIGHT         | 403 lbs | 625 lbs | 650 lbs | 835 lbs |
| HEIGHT         | 35"     | 35"     | 35"     | 35"     |

## HEAVY DUTY

| PART<br>NUMBER | 120135  | 120150  | 120155  |
|----------------|---------|---------|---------|
| SIZE           | 72"     | 96"     | 120"    |
| WEIGHT         | 686 lbs | 770 lbs | 839 lbs |
| HEIGHT         | 35"     | 35"     | 35"     |



🐛 888-376-7027

## SOD ROLLER



The Blue Diamond<sup>®</sup> Sod Roller makes laying large sod rolls simple. Slide the roller shaft through the center of the roll, then pick it up with the attachment and roll sod out. The sod roll can be mounted to roll out while driving either forward or in reverse.



ADJUSTABLE WIDTH MODEL

#### **FEATURES INCLUDE**

- 36", 42", and 50" models
- Fixed and adjustable width models

| PART<br>NUMBER | MODEL                           | WEIGHT  |
|----------------|---------------------------------|---------|
| 102200         | 36" Sod Roller with 40" Arms    | 225 lbs |
| 102205         | 42" Sod Roller with 40" Arms    | 240 lbs |
| 102215         | 50" Sod Roller with 40" Arms    | 255 lbs |
| 302305         | Adjustable, 36" - 48" Wide Roll | 280 lbs |



FIXED WIDTH MODEL



## **TRAILER SPOTTER**



The Blue Diamond<sup>®</sup> Trailer Spotter is a great tool for moving trailers in tight areas with your tractor. Accepts 2" trailer hitch.

#### **FEATURES INCLUDE**

spreader

- Many mounts available
- ize Accepts 2" trailer hitch
- 3,500 lbs capacity full-size version
  Also able to accept salt/seed
  - PART NUMBER
     MODEL
     WEIGHT

     112010
     Trailer Spotter, Skid Steer Mount
     118 lbs



## **TREE BOOM**

The Blue Diamond<sup>®</sup> Tree Boom is designed for setting new trees or moving cut trees. The 3,500 or 5,000 lb capacity makes this attachment useful in many applications.

#### **FEATURES INCLUDE**

- 3,500 lbs or 6,000 lbs capacity
- Made from heavy duty tubing
- Hole for mounting a chain, strap, or our optional clevis with hook





3,500 LB CAPACITY

HEAVY DUTY SERIES 2 5,000 LB CAPACITY

| PART NUMBER | MODEL                                  | WEIGHT    |
|-------------|--|-----------|
| 112005      | Tree Boom, 3,500 Lift Cap              | 3,500 lbs |
| 112003      | Tree Boom, HD, Series 2,5,000 Lift Cap | 5,000 lbs |
| 212050      | Optional Clevis W/Swivel Hook          | 4 lbs     |

## **TREE PULLER**

The Blue Diamond<sup>®</sup> Tree Puller is an excellent tool for removing small trees and shrubs when the roots need to be pulled out. The serrated teeth lock onto the base of the tree, then pry or pull roots and all from the ground, shake the dirt out of the roots, and carry removed tree or shrub to where you want to stack your material. The heavy duty version has 2 rows of teeth for added grip.

#### **FEATURES INCLUDE**

- HD has protected cylinder
- Heavily gusseted quick attach
- Opens to 11"
- Available in Standard and Heavy Duty
- 1-year warranty

| PART NUMBER | MODEL                             | WEIGHT  |
|-------------|-----------------------------------|---------|
| 127006      | Tree & Post Puller, Standard Duty | 291 lbs |
| 127010      | Tree & Post Puller, Heavy Duty    | 415 lbs |



HEAVY DUTY



STANDARD DUTY





## MINI ATTACHMENTS



## **AUGER DRIVE**

Blue Diamond® Attachments is known for its reliability and quality, especially in the auger drives. This mini auger drive exceeds all industry standards with a 4-year warranty. Available to fit most mini-walk behind skid steers and compact track loaders.

#### **FEATURES INCLUDE**

- 2" hex shaft
- Double swing action
- Lifetime shaft pull-out warranty,
- 5-year planetary drive warranty
- 3-year hydraulic motor warranty
- 1-year mount and mount
- components warranty

| PART<br>NUMBER | MODEL          | WEIGHT  | HEX<br>SHAFT |
|----------------|----------------|---------|--------------|
| 105700         | MS1 2-Way      | 136 lbs | 2"           |
| 105702         | MS1 4-Way      | 145 lbs | 2"           |
| 305706         | EX1, 8-11 GPM  | 165 lbs | 2"           |
| 305709         | EX2, 12-16 GPM | 188 lbs | 2"           |
| 305713         | EX3, 17-20 GPM | 195 lbs | 2"           |
| 305716         | EX4, 29-23 GPM | 195 lbs | 2"           |





MS1

39 lbs

Part numbers listed are not machine specific. Specify which mount is needed.

## BACKHOE

The Blue Diamond® Mini Backhoe will take a serious beating! Because of its design for heavy use, this attachment is engineered to out perform all backhoes in its class.

## **FEATURES INCLUDE**

• 42" or 48" long with 8", 10", or 12" bucket

130500


130505

130509

130512

130515

Pivot linkage increases bucket rotation and breakout force



Part numbers listed are not machine specific. Specify which mount is needed.

12" Mini Backhoe Bucket



## **BLADES**



**MINI BLADE** 

#### **FEATURES INCLUDE**

- Manual or hydraulic angle
- 48" & 60" widths
- Trip lockout function for dirt work
- Wear shoes and trip springs for snow use
- Non-marking edge available for delicate surfaces



MINI V-BLADE

#### **FEATURES INCLUDE**

- Easy-to-use 9 position angle
- Replaceable cutting edge
- Optional height extender
- Heavy duty main pivot
- Adjustable skid shoes
- Trip lockout
- Mounts available to fit most mini machines

| PART NUMBER | MODEL                     | WEIGHT  |
|-------------|---------------------------|---------|
| 123165      | 48" Multi Purpose         | 296 lbs |
| 123170      | 60" Multi Purpose         | 322 lbs |
| 122305      | 48" V-Blade, Manual Angle | 315 lbs |
| 122310      | 60" V-Blade, Manual Angle | 325 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.



*[*]

MINI-MACHINE ATTACHMENTS



## HYDRAULIC BREAKER HAMMER

Our 10-year quest to develop a superior hydraulic breaker is now available from Blue Diamond<sup>®</sup>. This "hammer" design offers technology, simplicity, reliability, ease of setup, and service support. No more downtime! Get started on your demolition, construction, and quarry jobs now.





| PART<br>NUMBER | MODEL | MAX OIL<br>FLOW | FREQUENCY<br>(BPM) | OPERATING<br>WEIGHT | TOOL<br>DIAMETER | ENERGY<br>CLASS | CARRIER WEIGHT  | (PSI) BACK<br>PRESSURE |
|----------------|-------|-----------------|--------------------|---------------------|------------------|-----------------|-----------------|------------------------|
| 135005         | HB50  | 7               |                    | 132 lbs             | 1.5              | 100             | 1,500-2,650 lbs |                        |
| 135009         | HB95  | 11              | 1,200              | 220 lbs             | 1.8              | 200             | 2,650-4,000 lbs | 290-360                |
| 135016         | HB165 | 13              |                    | 370 lbs             | 2.2              | 400             | 4,000-6,600 lbs | 290-360                |
| 135021         | HB210 | 16              | 1,100              | 463 lbs             | 2.5              | 500             | 6,100-9,900 lbs |                        |

Part numbers listed are not machine specific. Specify which mount is needed. Working pressure is 1,750.

#### **FEATURES INCLUDE**

- 3-year warranty
- Mono-block design / no tie rods
- Anti-blank firing system hydraulic brake
- No re-gassing needed

- Only 2 internal moving parts
- 2 speed control / variable stroke
- Quiet operation
- Self-regulating
- Body bushings around piston

## **ROTARY ANGLE BROOMS** *HEAVY DUTY SERIES 2*

The Blue Diamond<sup>®</sup> Mini Angle Broom is a smaller version of our original angle broom. It still uses the heavy duty bearings, frame and motor. The bidirectional motor allows debris to be swept while moving forward or in reverse. The manual or hydraulic angle is perfect to make sure you put your debris where you want it.

| PART<br>NUMBER | MODEL               | WEIGHT  |
|----------------|---------------------|---------|
| 116180         | 36" Hydraulic Angle | 495 lbs |
| 116182         | 36" Manual Angle    | 495 lbs |
| 116200         | 48" Hydraulic Angle | 564 lbs |
| 116202         | 48" Manual Angle    | 564 lbs |
| 116205         | 60" Hydraulic Angle | 760 lbs |
| 116207         | 60" Manual Angle    | 760 lbs |

Part numbers listed are not machine specific. Specify which mount is needed. Includes Poly/Steel Bristles & requires wire harness.





#### FEATURES INCLUDE

- 36", 48", or 60" widths
- 26" Bristles
- Poly or poly/steel bristles available
- Manual or Hydraulic angle
- Stands protect bristles when not in use
- 1-year warranty

0/

## PICK-UP BROOM

The Blue Diamond® Attachments Mini Pick-up Broom is just as robust as the full size pickup broom, just in a smaller package! The reinforced hood and heavy front bumper protects the bristles from any impact. The greasable bearings and pivot points allow for extra longevity. It is available in 42", 48", and 54" widths with mounts available to fit most machines.

#### **FEATURES INCLUDE**

- 18" poly/steel bristles
- Reinforced hood and bumper
- Optional dust suppression water kit
- Adjustable sweeping height
- Mounts available to fit most machines



| PART NUMBER | MODEL            | WEIGHT  |
|-------------|------------------|---------|
| 116810      | 42" Pickup Broom | 584 lbs |
| 116815      | 48" Pickup Broom | 655 lbs |
| 116820      | 54" Pickup Broom | 705 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## PUSH BROOM **STANDARD & HEAVY DUTY**

This incredible broom will amaze you! Clean up job sites, push light snow, sweep leaves, squeegee water, or groom ball fields. Add our heavy duty magnet for picking up screws, nails, and other steel debris. The Standard Duty comes with 8 rows of bristles, and the Heavy Duty has 11 rows of bristles. Models are available in 60", 72", or 96" widths.

#### **FEATURES INCLUDE**

- 60", 72", and 96" widths
- 8 or 11 rows of bristles
- · Easy to change mount
- Does not require hydraulics

| PART<br>NUMBER | MODEL                                | WEIGHT  | BRISTLES |
|----------------|--------------------------------------|---------|----------|
| 316030         | 60" Standard Duty Push Broom         | 271 lbs | 8 Rows   |
| 316035         | 72" Standard Duty Push Broom         | 341 lbs | 8 Rows   |
| 316040         | 60" Push Heavy Duty Push Broom       | 426 lbs | 11 Rows  |
| 316045         | 72" Push Heavy Duty Push Broom       | 459 lbs | 11 Rows  |
| 316055         | 96" Push Heavy Duty Push Broom       | 535 lbs | 11 Rows  |
| 116020         | Forklift Mount (Hd Model Req 116027) | 52 lbs  | _        |

Part numbers listed are not machine specific. Specify which mount is needed.







**ATTACHMENTS** 

**MINI-MACHINE** 

## PUSH BROOMS LIGHT DUTY

The Blue Diamond<sup>®</sup> Light Duty Push Broom is an economical solution for sweeping. Available in 36", 48", and 60" widths, the Light Duty Push Broom is a great fit for mini skid steers and fork lifts. 5 rows of bristles push dust and debris with ease.

- Bolt-on mount for use with multiple machines
- Mounts available to fit mini skid steers, mini excavators, and forklifts
- 5 rows of bristles
- 36", 48", and 60" widths



| PART<br>NUMBER | MODEL             | DIMENSIONS         | WEIGHT  |
|----------------|-------------------|--------------------|---------|
| 316010         | 36" LD Push Broom | 36"W x 28"H x 28"D | 114 lbs |
| 316015         | 48" LD Push Broom | 48"W x 28"H x 28"D | 130 lbs |
| 316020         | 60" LD Push Broom | 60"W x 28"H x 28"D | 146 lbs |



## MINI BRUSH CUTTER SERIES 2



The Blue Diamond<sup>®</sup> Mini Brush Cutter has top performance in grass and up to 4" brush. With a minimum required flow of 9 GPM, this mini brush cutter can go on almost any machine! The 3 double-sided blades with bi-directional cutting extend the lifespan of your blades and keep you working longer. The exceptionally strong direct drive makes this mini brush cutter a front runner in its class. Choose the open front design to allow for a good bite at the base of trees and shrubs.





| PART<br>NUMBER | MODEL                       | BEST FLOW | WEIGHT  |
|----------------|-----------------------------|-----------|---------|
| 303716         | 36" Cut, 80cc, Closed Front | 9-20 GPM  | 500 lbs |
| 303728         | 42" Cut, 80cc, Open Front   | 12-20 GPM | 600 lbs |
| 303722         | 42" Cut, 80cc, Closed Front | 12-20 GPM | 600 lbs |
| 303731         | 50" Cut, 80cc, Closed Front | 10-20 GPM | 800 lbs |

Mini Universal (-25), Bobcat MT (-26) and Avant (-35) mounts are available for the open and closed front models. Specify which machine that you have. Weights could increase by 50 lbs, depending on the mount. CLOSED-FRONT

#### **FEATURES INCLUDE**

- 3 double-edged blades
- 4" cutting capacity
- Direct Drive with lifetime warranty on the spindle
- Minimum required flow: 9 GPM
- Bidirectional cutting

## BUCKETS MINI 4-IN-1



The Blue Diamond<sup>®</sup> Mini 4-in-1 Bucket for mini skid steers is modeled after its big brother, our Skid Steer 4-in-1 bucket. With the same durable build and versatility, it's a great tool to have on your mini machine.



## FEATURES INCLUDE

- Smooth or with teeth
- 36", 42", 48", or 50" available
- Mounts available to fit most mini skid steers

| PART<br>NUMBER | MODEL                      | STRUCK<br>CAP. | WEIGHT  |
|----------------|----------------------------|----------------|---------|
| 108755         | 36" Bucket, 4-In-1, Smooth | 4.64 CU FT     | 355 lbs |
| 108760         | 42" Bucket, 4-In-1, Smooth | 5.59 CU FT     | 375 lbs |
| 108765         | 48" Bucket, 4-In-1, Smooth | 6.48 CU FT     | 341 lbs |
| 108766         | 48" Bucket, 4-In-1, Tooth  | 6.48 CU FT     | 356 lbs |
| 108770         | 50" Bucket, 4-In-1, Smooth | 7.7 CU FT      | 425 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## BUCKETS MINI DISPENSING BUCKET

The Blue Diamond<sup>®</sup> Dispensing Bucket is great for flowable material and can be used for anything from feed to concrete! This 1/4-yard model is the perfect size for Mini Skid Steers. The tapered front helps material flow freely and the removeable chute makes cleaning and storage easy!

| PART<br>NUMBER | MODEL  | WEIGHT  |
|----------------|--|---------|
| 110002-26      | 1/4 Yard Dispensing Bucket W/ Bobcat Mt Mount      | 393 lbs |
| 110002-36      | 1/4 Yard Dispensing Bucket W/ASV RT25              | 403 lbs |
| 110002-25      | 1/4 Yard Dispensing Bucket W/ Mini Universal Mount | 452 lbs |



#### **FEATURES INCLUDE**

- Available with 1/4-yard hopper with tapered front
- Splash guard around top lip
- 1-year warranty

## MINI FRONT DUMP BUCKET



The Blue Diamond<sup>®</sup> Front Dump Bucket allows you to load trucks and dumpsters you normally could not reach. You gain up to 43" when fully extended.

| PART<br>NUMBER | MODEL                  | STRUCK<br>CAP. | WEIGHT  |
|----------------|------------------------|----------------|---------|
| 108990         | 36" Bucket, Front Dump | 5.89 CU FT     | 340 lbs |
| 108992         | 38" Bucket, Front Dump | 6.1 CU FT      | 350 lbs |
| 108994         | 42" Bucket, Front Dump | 7.3 CU FT      | 360 lbs |
| 108996         | 44" Bucket, Front Dump | 7.43 CU FT     | 375 lbs |
| 108998         | 50" Bucket, Front Dump | 8.6 CU FT      | 395 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## MINI ROCK BUCKET

The Blue Diamond<sup>®</sup> Mini Rock Bucket is an excellent multi-purpose bucket! Designed as a sifting bucket for mini skid steers, it does exceptionally well used as a land plane or for light clearing. Move rocks and firewood and leave the dirt behind with this bucket, then rake your ground smooth again when you are done.

| PART NUMBER | MODEL            | WEIGHT  |
|-------------|------------------|---------|
| 108305      | 36" Bucket, Rock | 160 lbs |
| 108310      | 42" Bucket, Rock | 175 lbs |
| 108315      | 48" Bucket, Rock | 190 lbs |
| 108317      | 52" Bucket, Rock | 200 lbs |
| 108311      | 42" w/Grapple    | 425 lbs |
| 108316      | 48" w/Grapple    | 450 lbs |

Part numbers listed are not machine specific. Specify which mount is needed. See Page 113 for Rock Bucket w/grapple.



## FEATURES INCLUDE

- Available widths: 36", 38", 42"
   44", or 50"
- Gain up to 43" height
- Single cylinder
- Greasable pivot pins

0/



- 3/8" tines throughout
- Great visibility through the back
- Available from 36" to 52" wide
- Available with grapple
- Webbed front edge for raking & smoothing





#### **FEATURES INCLUDE**

- 15" back height
- Smooth or Tooth
- Bolt-on edge optional



## 15" BACK

| PART<br>NUMBER | MODEL  | STRUCK<br>CAP. | WEIGHT  |
|----------------|--|----------------|---------|
| 108005         | 34" Bucket, Low Profile, 15" Back Smooth     | 3.83 CU FT     | 160 lbs |
| 108007         | 34" Bucket, Low Profile, 15" Back Tooth      | 3.83 CU FT     | 135 lbs |
| 108010         | 36" Bucket, Low Profile, 15" Back Smooth     | 4.43 CU FT     | 181 lbs |
| 108015         | 36" Bucket, Low Profile, 15" Back Tooth      | 4.43 CU FT     | 200 lbs |
| 108020         | 42" Bucket, Low Profile, 15" Back Smooth     | 5.17 CU FT     | 225 lbs |
| 108025         | 42" Bucket, Low Profile, 15" Back Tooth      | 5.17 CU FT     | 250 lbs |
| 108030         | 44" Bucket, Low Profile, 15" Back Smooth     | 5.42 CU FT     | 200 lbs |
| 108031         | 44" Bucket, Low Profile, 15" Back Tooth      | 5.42 CU FT     | 269 lbs |
| 108040         | 48" Bucket, Low Profile, 15" Back Smooth     | 5.91 CU FT     | 275 lbs |
| 108045         | 48" Bucket, Low Profile, 15" Back Tooth      | 5.91 CU FT     | 285 lbs |
| 108060         | 52" Bucket, Low Profile, 15" Back Smooth     | 6.40 CU FT     | 195 lbs |
| 108065         | 52" Bucket, Low Profile, 15" Back Tooth      | 6.40 CU FT     | 215 lbs |
| 108070         | 54" Bucket, Low Profile, 15" Back Smooth     | 6.12 CU FT     | 215 lbs |
| 108075         | 54" Bucket, Low Profile, 15" Back Tooth      | 6.12 CU FT     | 215 lbs |
| 108090         | 60" Bucket, Low Profile, Back Smooth         | 6.83 CU FT     | 334 lbs |
| 108095         | 60" Bucket, Low Profile, Back Tooth          | 6.83 CU FT     | 373 lbs |
| 108140         | 60" Bucket, Low Profile, Long Bottom, Smooth | 6.83 CU FT     | 385 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.





#### **FEATURES INCLUDE**

- 20" back height
- Smooth or Tooth
- Bolt-on edge optional



#### 20" BACK

| PART<br>NUMBER | MODEL                       | STRUCK<br>CAP. | WEIGHT  |
|----------------|-----------------------------|----------------|---------|
| 108006         | 34" Bucket, 20" Back Smooth | 5.53 CU FT     | 140 lbs |
| 108012         | 36" Bucket, 20" Back Smooth | 6.14 CU FT     | 249 lbs |
| 108017         | 36" Bucket, 20" Back Tooth  | 6.14 CU FT     | 249 lbs |
| 108022         | 42" Bucket, 20" Back Smooth | 7.16 CU FT     | 269 lbs |
| 108027         | 42" Bucket, 20" Back Tooth  | 7.16 CU FT     | 225 lbs |
| 108032         | 44" Bucket, 20" Back Smooth | 7.50 CU FT     | 275 lbs |
| 108037         | 44" Bucket, 20" Back Tooth  | 7.50 CU FT     | 247 lbs |
| 108042         | 48" Bucket, 20" Back Smooth | 8.19 CU FT     | 310 lbs |
| 108047         | 48" Bucket, 20" Back Tooth  | 8.19 CU FT     | 276 lbs |
| 108052         | 50" Bucket, 20" Back Smooth | 8.59 CU FT     | 195 lbs |
| 108057         | 50" Bucket, 20" Back Tooth  | 8.59 CU FT     | 195 lbs |
| 108062         | 52" Bucket, 20" Back Smooth | 8.87 CU FT     | 300 lbs |
| 108067         | 52" Bucket, 20" Back Tooth  | 8.87 CU FT     | 215 lbs |
| 108072         | 54" Bucket, 20" Back Smooth | 9.29 CU FT     | 215 lbs |
| 108077         | 54" Bucket, 20" Back Tooth  | 9.29 CU FT     | 215 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

0

#### **BUCKETS MINI SNOW & MULCH BUCKET**



#### **FEATURES INCLUDE**

- · Available to fit most mini skid steers
- 34" to 60" widths available
- Reinforced frame
- 22" tall
- D-Ring
- Optional bolt-on cutting edge



| PART<br>NUMBER | MODEL  | STRUCK CAP. | WEIGHT  |
|----------------|--|-------------|---------|
| 108503         | 34" Bucket, Snow/Mulch, 22" Back                 | 8.51 CU FT  | 101 lbs |
| 108505         | 36" Bucket, Snow/Mulch, 22" Back                 | 9.41 CU FT  | 249 lbs |
| 108510         | 44" Bucket, Snow/Mulch, 22" Back                 | 11.50 CU FT | 275 lbs |
| 108512         | 48" Bucket, Snow/Mulch, 22" Back                 | 12.09 CU FT | 325 lbs |
| 108515         | 50" Bucket, Snow/Mulch, 22" Back                 | 12.55 CU FT | 310 lbs |
| 108517         | 52" Bucket, Snow/Mulch, 22" Back                 | 13.64 CU FT | 331 lbs |
| 108518         | 54" Bucket, Snow/Mulch, 22" Back                 | 14.09 CU FT | 450 lbs |
| 108520         | 60" Bucket, Snow/Mulch, 3/16" Wrap               | 15.17 CU FT | 450 lbs |
| 108685         | 44" Bucket, Snow/Mulch, High Back W/Mesh         | 12.31 CU FT | 400 lbs |
| 108690         | 48" Bucket, Snow/Mulch, High Back W/Mesh         | 13.5 CU FT  | 350 lbs |
| 108513         | 48" Bucket, Snow/Mulch                           | 1 YARD      | 507 lbs |
| 108612         | 48" Bucket, Snow/Mulch, 1/4 Wrap                 | 1 YARD      | 620 lbs |
| 108525         | 60" Bucket, Snow/Mulch, 3/16"                    | 1 YARD      | 509 lbs |
| 108625         | 60" Bucket, Snow/Mulch, 1/4 Wrap, Mini Uni Mount | 1 YARD      | 600 lbs |

Part numbers listed are not machine specific. Weight could vary depending on mount.

#### MINI STUMP BUCKET

The Blue Diamond® Mini Stump Bucket is designed exactly like its big brother, the Extreme Duty Stump Bucket. This incredible tool is like having a crowbar on the front of your machine. Digging stumps is just one job this tough little attachment can do.

#### **FEATURES INCLUDE**

- 42" long
- 3 cast pin-on teeth
- · Serrated teeth on sides
- Curved bottom
- Largest in its class



Part numbers listed are not machine specific. Specify which mount is needed.



## FORK GRAPPLE

The Blue Diamond<sup>®</sup> Mini Grapple Fork for mini skid steers is a versatile attachment for carrying everything from pipes and logs to pallets.

| PART<br>NUMBER | MODEL                   | LIFT CAP. | WEIGHT  |
|----------------|-------------------------|-----------|---------|
| 306000         | Grapple Fork, 36" Tines | 3,000 LBS | 405 lbs |
| 306005         | Grapple Fork, 42" Tines | 3,000 LBS | 423 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## NURSERY

The Blue Diamond<sup>®</sup> Mini Nursery Fork is a perfect tool for moving trees and other landscaping materials around. They open to 42" wide at the inside tip of tines and can hold up to 2,000 lbs. The tines also allow them to be used as pallet forks in some applications. The curved 50" tall back rest holds trees steady during transportation. Grease fittings are on all pivot points to ensure a long life.

#### FEATURES INCLUDE

- 45" long tines
- Hoses and couplers included
- Can be used as pallet fork
- Mounts available to fit most mini skid steers
- 1-year warranty

| PART<br>NUMBER | MODEL                   | WEIGHT  |
|----------------|-------------------------|---------|
| 114088         | Nursery Fork, Hydraulic | 400 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## PALLET

R

The Blue Diamond<sup>®</sup> Mini Pallet Forks for Mini Skid Steer and Mini Track Loaders offer great visibility without sacrificing durability. The class 2 fork tines are hooked in the top and bottom of the machine carriage bar. These tines can be locked into various positions and range from 24" to 48" long. The Low Profile Mini Forks are built just like our larger frame but offer more visibility and clearance when needed.

| PART<br>NUMBER | MODEL                                       | WEIGHT  |
|----------------|---|---------|
| 313940         | 11/4"X 36" Tines, Pallet Fork, Low Profile  | 250 lbs |
| 313950         | 11/4" X 42" Tines, Pallet Fork, Low Profile | 280 lbs |
| 313970         | 11/2" X 48" Tines, Pallet Fork, Low Profile | 330 lbs |
| 314002         | 1 1/4" X 36" Tines, Pallet Fork             | 240 lbs |
| 314001         | 1 1/4" X 42" Tines, Pallet Fork             | 313 lbs |
| 314000         | 11/2" X 48" Tines, Pallet Fork              | 313 lbs |
| 314040         | 24" Tines, Pallet Fork, 1,300 Lbs Cap       | 180 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.





### FEATURES INCLUDE

- Non-floating tines are hooked in top and bottom and adjust from side to side
- 2-year warranty

0/





FEATURES INCLUDE
36" & 42" tines available
Hoses and couplers included

1-year warranty

## FORK **HYDRAULIC - PALLET**

The Blue Diamond® Mini Hydraulic Pallet Fork offers great load visibility and adjusts hydraulically from 8" to 40" on center.

#### **FEATURES INCLUDE**

- Offers great load visibility
- couplers • 4000 lbs capacity
  - 48" tines



| NUMBER       | MODEL                        | LIFT CAP. | WEIGHT  |
|--------------|------------------------------|-----------|---------|
| 114045 Palle | t Fork, Hydraulic, 48" Tines | 4,000 LBS | 419 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## GRAPPLE BUCKET



Includes hoses and

#### **FEATURES INCLUDE**

- 1" pivot pins in bushings
- Welded cylinder with 2" bore
- Protected cylinder and lines
- Available from 36" to 50" wide
- · Bolt-on edge included with grapple bucket

| PART<br>NUMBER | MODEL                            | WEIGHT  |
|----------------|----------------------------------|---------|
| 106020         | 36" Grapple Bucket, Single Clamp | 342 lbs |
| 106030         | 38" Grapple Bucket, Single Clamp | 350 lbs |
| 106032         | 42" Grapple Bucket, Single Clamp | 358 lbs |
| 106035         | 44" Grapple Bucket, Single Clamp | 350 lbs |
| 106045         | 50" Grapple Bucket, Single Clamp | 370 lbs |
| 106036         | 44" Grapple Bucket, Dual Clamp   | 441 lbs |
| 106042         | 50" Grapple Bucket, Dual Clamp   | 488 lbs |



SINGLE CLAMP



DUAL CLAMP

Part numbers listed are not machine specific. Specify which mount is needed.

### RAKE

The Blue Diamond<sup>®</sup> Mini Grapple Rake is a great tool for ripping up roots, pushing them into a pile, and grabbing that pile of roots. It also can be used in other applications for brush or small logs. The independently acting top clamps allow you to grab loads that are not even on both sides.

| PART<br>NUMBER | MODEL            | WEIGHT  |
|----------------|------------------|---------|
| 107105         | 42" Grapple Rake | 350 lbs |
| 107110         | 48" Grapple Rake | 360 lbs |
| 107120         | 60" Grapple Rake | 450 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.



**FEATURES INCLUDE** 

- Curved bottom
- 42" long
- · Serrated teeth on sides
- Largest in its class

#### 🐛 888-376-7027

## GRAPPLE ROCK BUCKET

The Blue Diamond<sup>®</sup> Mini Rock Bucket/Grapple sifts and rakes and includes dual grapples to hold your load. The leading edge can skim high spots, and the rear crossbar smooths loose soil.

| PART<br>NUMBER | MODEL                                       | WEIGHT  |
|----------------|---|---------|
| 108311         | 42" Bucket, Rock W/Grapple                  | 425 lbs |
| 108316         | 48" Bucket, Rock W/Grapple                  | 450 lbs |
| 108318         | 54" Bucket, Rock W/Grapple, Dual Top Clamps | 475 lbs |



54" WITH DUAL TOP CLAMPS

### ROOT



Blue Diamond<sup>®</sup> offers a Mini-Series Root Grapple. These exceptionally tough grapples were designed because of the need for a tough yet light grapple for interior demolition. This very demanding application gave this grapple an opportunity to make a name for itself as the top in its class. Industrial grade components from the pivot pins to the cylinders make this attachment ready for the most demanding conditions.

| PART<br>NUMBER | MODEL                              | WEIGHT  |
|----------------|------------------------------------|---------|
| 106022         | 36" Grapple Root, Single Top Clamp | 350 lbs |
| 106025         | 38" Grapple Root, Single Top Clamp | 360 lbs |
| 106031         | 42" Grapple Root, Single Top Clamp | 450 lbs |
| 106033         | 44" Grapple Root, Single Top Clamp | 358 lbs |
| 106040         | 50" Grapple Root, Single Top Clamp | 368 lbs |
| 106043         | 50" Grapple Root, Double Top Clamp | 500 lbs |
| 106425         | 54" Grapple Root, Severe Duty      | 520 lbs |
| 106435         | 60" Grapple Root, Severe Duty      | 550 lbs |



#### **FEATURES INCLUDE**

- 1" pivot pins in bushings
- Welded cylinder with 2" bore
- Protected cylinder and lines
- Available from 36" to 60" wide
- Bolt-on edge included with grapple bucket

0/

Part numbers listed are not machine specific. Specify which mount is needed.

## LAND PLANE



The Blue Diamond<sup>®</sup> Land Plane, also known as a land leveler, is a very useful tool for doing fine leveling and site preparation. Cut, grade, and level with this bi-directional attachment.

| PART<br>NUMBER | MODEL                | WEIGHT  |
|----------------|----------------------|---------|
| 115030         | 49" Wide, Land Plane | 275 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.



#### **FEATURES INCLUDE**

- Bidirectional use
- Level and grade quickly
- Available for most mini machines

## LOG GRAPPLE



The Blue Diamond® Mini Rotating Log Grapple is a high quality attachment for tree work. Whether you are working in the log yard or clearing land, this tool can handle the load. The serrated brace helps stabilize logs when moving. The impressive clamping force holds onto large logs very tightly. Two models are offered: manual rotation and hydraulic rotation.

#### **FEATURES INCLUDE**

- 2,000 lb capacity
- Manual or hydraulic rotation
- Opens to 66 1/2"
- Closes to under 4"
- Load stabilization brace
- Rope tie off point

| PART<br>NUMBER | MODEL                           | WEIGHT  |
|----------------|---------------------------------|---------|
| 106715         | Log Grapple, Manual Rotation    | 337 lbs |
| 106720         | Log Grapple, Hydraulic Rotation | 330 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## LOG SPLITTER

The Blue Diamond® Mini Log Splitter can be used horizontally or vertically. The log splitter's powerful cylinder is controlled by a single, easy-to-use lever. It can handle up to a 24" log with ease. The cylinder is a 4" bore, 24" stroke with a 1 1/4" rod.

| PART<br>NUMBER | MODEL        | WEIGHT  |
|----------------|--------------|---------|
| 150000         | Log Splitter | 475 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## VIBRATORY POST DRIVER **SERIES 2**

#### **FEATURES INCLUDE**

- 4" bore, 24" stroke, and 1.25" rod cylinder
- Can be used vertical or horizontal
- Splits up to 24" logs



The Blue Diamond® Mini Vibratory Series 2 Post Driver packs more of a punch than most hammer style drivers. By using hydraulic orbital technology, the Blue Diamond® Post Driver uses your machines' auxiliary flow in the most efficient way. Available with 4", 6", 9", 10", or 12" post adapters.

| PART<br>NUMBER | MODEL              | WEIGHT  |
|----------------|--------------------|---------|
| 100502         | Post Driver        | 264 lbs |
| 100507         | Post Driver w/tilt | 400 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.









## POWER RAKE STANDARD DUTY

The Blue Diamond<sup>®</sup> Standard Duty Power Rake is a lighter unit suited to smaller frame skid steers and walk behind machines. The bolt-on mount allows greater flexibility for rental companies and dealers to have the correct model for the right machine, with mounts offered for mini and full size skid steer machine.

| PART<br>NUMBER | MODEL                                     | WEIGHT  |
|----------------|---|---------|
| 332450         | 48" Power Rake With Fixed Mount           | 550 lbs |
| 332451         | 48" Power Rake With Manual Angle Mount    | 600 lbs |
| 332452         | 48" Power Rake With Hydraulic Angle Mount | 625 lbs |
| 332453         | 60" Power Rake With Fixed Mount           | 600 lbs |
| 332454         | 60" Power Rake With Manual Angle Mount    | 650 lbs |
| 332455         | 60" Power Rake With Hydraulic Angle Mount | 675 lbs |
| 332456         | 72" Power Rake With Fixed Mount           | 700 lbs |
| 332457         | 72" Power Rake With Manual Angle Mount    | 750 lbs |
| 332458         | 72" Power Rake With Hydraulic Angle Mount | 775 lbs |

Part numbers listed are not machine specific. add -25 for Mini Universal and add -26 for Bobcat MT. Weight varies on mount

## POWER RAKE HEAVY DUTY SERIES 2

The Blue Diamond<sup>®</sup> Heavy Duty Series 2 Mini Power Rake follows close on the heels of our previously released severe duty model. This lighter unit is suited to smaller-frame skid steers and walk-behind machines. The bolt-on mount provides greater flexibility for rental companies and dealers to have the right model for the right machine, with mounts offered for mini and full size skid steer machines.

#### **FEATURES INCLUDE**

- 7" diameter drum with 11/2" teeth
- Chain drive unit for increased torque
- Pre-lubricated chain for easy service
- Spindles on drum are 13/8" diameter in greasable bearings
- 7/8" greasable axles on wheels
- Airless tires and flip up wheels
- 1 1/4" spindles with adjustable height



#### FEATURES INCLUDE

- Flip up wheels
- No-flat airless wheels
- Drum width 48", 60", and 72"
- 5/8" greaseable axles on wheels
- 7" diameter drum with 1 1/2" teeth
- Overall width 12" more than drum width
- 11/4" spindles with adjustable height
- Bolt-on mount (can be switched for a different mini or full size skid steer mount)
- Spindles on drum are 13/8" diameter greaseable bearings
- Fixed carbide teeth
- Available with manual or hydraulic angle



0/





HYDRAULIC ANGLE KIT SHOWN ATTACHED

| PART<br>NUMBER | 132407      | 132400  | 132408      | 132401  | 132409      | 132402  | 132403              |
|----------------|-------------|---------|-------------|---------|-------------|---------|---------------------|
| SIZE/<br>MODEL | 48"         | 48"     | 60"         | 60"     | 72"         | 72"     | Power Rake<br>Mount |
| TEETH          | Replaceable | Fixed   | Replaceable | Fixed   | Replaceable | Fixed   | -                   |
| WEIGHT         | 580 lbs     | 580 lbs | 600 lbs     | 600 lbs | 628 lbs     | 628 lbs | 94 lbs              |

Part numbers listed are not machine specific. Specify which mount is needed. Weights do not include mounts. Select base model, mount and hydraulic kit.

## ROTOTILLER HEAVY DUTY

The Blue Diamond<sup>®</sup> Mini Rototiller is brutally strong for mini skid steer machines and uses all the same components as our full-size unit. The specially designed 315cc motor has built-in, oversized nose cone bearings for long life. It has swinging tines that rotate to a maximum performance angle in either direction.



#### **FEATURES INCLUDE**

- 6" tilling depth
- 12 GPM minimum flow required
- 315cc specially designed motor
- 1-year warranty

| PART<br>NUMBER | MODEL          | WEIGHT  |
|----------------|----------------|---------|
| 129005         | 48" Rototiller | 382 lbs |
| 129007         | 56" Rototiller | 410 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.





## **SNOW BLOWER**

The Blue Diamond<sup>®</sup> Mini Skid Steer Snow Blower is engineered for years of use. A high pressure bypass relief system eliminates the need for shear pins during sudden stops. With a choice of widths and motor packages, you can find the optimal sized snow blower to match your machine's capacity.

#### **FEATURES INCLUDE**

- All hydraulic fan, auger and discharge chute
- Independent fan and auger high pressure relief, no shear pins
- Direct drive auger motor, enclosed for long term protection
- Standard discharge chute with 7" opening, 52" discharge height
- 270° hydraulic rotary chute with deflector
- Single 16" auger with 4" center tube and 1 1/2" shaft
- 7-gauge auger ribbon flighting with aggressive cutting edge
- Adjustable rear skid shoes
- 18" x 6 1/2" 4-paddle fan, 7-gauge material
- 14-gauge blower shell with 12-gauge end plates
- 12-gauge fan housing with 7-gauge motor mount plate
- Powder coat finish
- Mounts available for mini universal or full size skid steer

| PART<br>NUMBER | MODEL           | BEST FLOW | WEIGHT  |
|----------------|-----------------|-----------|---------|
| 119058         | 48" Snow Blower | 10-13 GPM | 396 lbs |
| 119060         | 48" Snow Blower | 14-18 GPM | 396 lbs |
| 119070         | 60" Snow Blower | 14-18 GPM | 450 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

## **SNOW PUSHER**

The Blue Diamond<sup>®</sup> Mini Snow Pusher with its rubber edge is great for clearing sidewalks and other narrow spots. The durable rubber edge cleans away the snow while not scratching the concrete or asphalt. Several sizes are available to best suit your application, and most mini skid steer mounts can be attached.

| PART<br>NUMBER | MODEL           | WEIGHT  |
|----------------|-----------------|---------|
| 120305         | 42" Snow Pusher | 271 lbs |
| 120310         | 48" Snow Pusher | 271 lbs |
| 120320         | 60" Snow Pusher | 320 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.



#### **FEATURES INCLUDE**

- Available in 42", 48", and 60" widths
- Replaceable cutting edge
- Mounts available to fit most machines



0/

## SOD ROLLER



The Blue Diamond<sup>®</sup> Sod Roller makes laying large sod rolls simple. Slide the roller shaft through the center of the roll and then pick it up with the attachment and then roll sod out. The sod roll can be mounted to the roll out driving either forward or in reverse. The short arm models fit smaller diameter rolls for machines with less capacity.

| PART<br>NUMBER | MODEL  | WEIGHT  |
|----------------|--|---------|
| 102202         | 36" Sod Roller with 32" Arms                 | 205 lbs |
| 102200         | 36" Sod Roller with 40" Arms                 | 235 lbs |
| 102206         | 42" Sod Roller with 32" Arms                 | 251 lbs |
| 102210         | 42" Sod Roller with 40" Arms                 | 251 lbs |
| 102216         | 50" Sod Roller with 32" Arms                 | 268 lbs |
| 102215         | 50" Sod Roller with 40" Arms                 | 284 lbs |
| 302310         | 36"- 48" Adjustable Sod Roller with 32" Arms | 265 lbs |
| 302305         | 36"- 48" Adjustable Sod Roller with 40" Arms | 280 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.



ADJUSTABLE MODEL

#### **FEATURES INCLUDE**

- Fits 36", 42", and 50" rolls
- Works in forward or reverse
- Variety of mounts available
- New adjustable model available

## **STUMP GRINDER**

The Blue Diamond<sup>®</sup> Mini Stump Grinder offers extremely high torque to take the mini capability to an entirely new level. The incredibly efficient radial piston motor, dual direction grinding and the tooth setup make stump grinding a breeze.

#### **FEATURES INCLUDE**

- High torque piston motor
- Cut moving forward or in reverse
- Greenteeth series 900 teeth
- Excellent visibility
- Case drain line required
- 16-20 GPM minimum

| PART<br>NUMBER | MODEL             | MIN. FLOW | WEIGHT  |
|----------------|-------------------|-----------|---------|
| 104110-25      | 24" Cutting Wheel | 16-20 GPM | 795 lbs |

## **TRAILER SPOTTER**

The Mini Trailer Spotter is a great tool for moving trailers in tight areas with your mini skid steer. Accepts a 2" trailer hitch.

| PART<br>NUMBER | MODEL           | WEIGHT |
|----------------|-----------------|--------|
| 112012         | Trailer Spotter | 48 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.



#### **(** 888-376-7027



MINI-MACHINE

## **TREE BOOM**

The Blue Diamond<sup>®</sup> Tree Boom is designed for setting new trees or moving cut trees. The 1,500 lb. capacity makes this attachment useful in many applications.

| PART<br>NUMBER | MODEL           | WEIGHT |
|----------------|-----------------|--------|
| 112007         | Tree Boom, Mini | 94 lbs |

Part numbers listed are not machine specific. Specify which mount is needed.

#### **FEATURES INCLUDE**

- Made from heavy structural round tube
- Total attachment height, 60"
- Extends reach 51" (beyond the quick attach)
- Hole to mount chain or strap
- 4 1/2" thick main tube

## TRENCHER



The challenge with a trencher on a mini is that the limited flow range affects the performance. By using the planetary drive offered by Blue Diamond<sup>®</sup>, torque and durability are both improved substantially.



| PART<br>NUMBER | MODEL                    | REQUIRED<br>FLOW | WEIGHT  |
|----------------|--------------------------|------------------|---------|
| 131110-25      | 36"Depth, 4" Dirt Chain  | 8-14 GPM         | 310 lbs |
| 131115-25      | 36"Depth, 6" Dirt Chain  | 8-14 GPM         | 600 lbs |
| 131100-25      | 36"Depth, 4" Combo Chain | 8-14 GPM         | 685 lbs |
| 131125-25      | 36"Depth, 4" Combo Chain | 13-25 GPM        | 625 lbs |
| 131104-25      | 36"Depth, 6" Combo Chain | 8-14 GPM         | 700 lbs |
| 131130-25      | 36"Depth, 6" Combo Chain | 8-14 GPM         | 575 lbs |
| 131107-25      | 36"Depth, 8" Combo Chain | 8-14 GPM         | 715 lbs |
| 131140-25      | 36"Depth, 4" Rock Chain  | 8-14 GPM         | 570 lbs |
| 131145-25      | 36"Depth, 6" Rock Chain  | 8-14 GPM         | 580 lbs |

#### FEATURES INCLUDE

- Cuts up to 36" deep
- 4", 6" or 8" cut width
- Dirt, rock and combo teeth setups

Part numbers listed are not machine specific. Specify which mount is needed.



0/



## 



## **INDUSTRIAL JIB**


Get the extra reach you need with the Blue Diamond<sup>®</sup> Industrial Jib. Simply pull out the spring pin and go from 6' 9" to 12'. It has a lift capacity of 6,000 lbs at 6' 9" and 3,000 lbs fully extended. It slides onto forks for quick attachment. Add this jib to your inventory to get the most out of your telehandler.



| PART<br>NUMBER | MODEL  | WEIGHT  |
|----------------|--|---------|
| 118000         | Industrial Jib, Adjustable, 6,000 Cap                  | 450 lbs |
| 118050         | Industrial Jib, 10,000 Cap, Rigid Length               | 345 lbs |
| 118060         | Industrial Jib, 10,000 Cap,<br>Retracted, 4500 Lbs Cap | 885 lbs |

#### FEATURES INCLUDE

- Lift capacity of 6,000 lbs at 6' 9" and 3,000 lbs fully extended
- Slides onto forks for quick
   attachment





## **PUSH BROOM**

This incredible broom will amaze you! Clean up job sites, push light snow, sweep leaves, squeegee water, or groom ball fields. Add our heavy duty magnet for picking up screws, nails, and other steel debris. The Standard Duty comes with 8 rows of bristles, and the Heavy Duty has 11 rows. Models are available in 60", 72", or 96" widths.

#### **FEATURES INCLUDE**

- Safe around people and animals
- Less dust than a rotary broom
- Does not require auxiliary power
- Moves anything from dust to small rocks
- Maintenance free
- 1-year warranty
- Also available to fit full size or mini skid steers





| PART<br>NUMBER | MODEL                                | WEIGHT  | BRISTLES |
|----------------|--------------------------------------|---------|----------|
| 316030         | 60" Standard Duty                    | 158 lbs | 8 rows   |
| 316035         | 72" Standard Duty                    | 180 lbs | 8 rows   |
| 316040         | 60" Push Heavy Duty                  | 216 lbs | 11 rows  |
| 316045         | 72" Push Heavy Duty                  | 262 lbs | 11 rows  |
| 316055         | 96" Push Heavy Duty                  | 535 lbs | 11 rows  |
| 116020         | Forklift Mount (Hd Model Req 116027) | 52 lbs  | —        |

## WORK PLATFORM

The Blue Diamond<sup>®</sup> Work Platform is tough, lightweight, and has many features. The mesh floor gives the driver visibility while providing stable non-slip footing. The weight capacity is 2,000 lbs, and end-fork pockets are standard on 8' and larger platforms for moving and loading in tight areas.



| PART<br>NUMBER | MODEL   | WEIGHT  |
|----------------|---|---------|
| 117010         | 4' X 6' Work Platform                         | 305 lbs |
| 117015         | 4' X 8' Work Platform                         | 557 lbs |
| 117016         | 4' X 8' Work Platform, w/large fork pockets   | 675 lbs |
| 117020         | 4' X 9'8" Work Platform                       | 875 lbs |
| 117021         | 4' X 9'8" Work Platform, w/large fork pockets | 675 lbs |
| 117023         | 4' X 11'6" Work Platform                      | 685 lbs |
| 117025         | 4' X 12' Work Platform*                       | 750 lbs |
| 117026         | 4' X 12' Work Platform, w/large fork pockets  | 890 lbs |



#### **FEATURES INCLUDE**

- Anchors behind fork heel
- Safety harness tie-downs
- Safety pins on doors



For a full version of Parts & Accessories, please see our Parts & Accessories Catalog or visit our website at bluediamondattachments.com.

## INTERFACE CONVERSION ADAPTERS



For use with mini universal mount machine to Bobcat MT50. *Part Number: 125004* 



For use with skid steer to blank back; no plate, just frame tubing. *Part Number: 125055-00* 



For use with universal mount machine to universal skid steer. *Part Number: 125010* 



For use with John Deere 600/700 mount machine to universal skid steer mount. Part Number: 125110



For use with John Deere 400/500 mount machine to universal skid steer mount. *Part Number: 125108* 



For use with skid steer mount machine to Bobcat MT mount. *Part Number: 125013* 



For use with Avant/ Multi-one mount machine to full size skid steer mount. Part Number: 125020



For use with old style New Holland mount machine to full size skid steer mount. Part Number: 125030



## INTERFACE CONVERSION ADAPTERS



For use with blank 18x19 mini excavator machine to skid steer mount (45° angle). *Part Number: 125050* 



For use with Euro AG/ JD Global machine to universal skid steer mount. *Part Number: 125075* 



For use with ASV PT30/ RT40 skid steer mount machine to skid steer. *Part Number: 125022* 



For use with universal skid steer mount machine to mini universal mount. *Part Number: 125012* 



For use with Bobcat MT50 machine to mini universal skid steer mount. Part Number: 125005



For use with ASV PT30/RT40 skid steer mount machine to mini universal mount. Part Number: 125011



For use with Avant/ Multi-one mount machine to mini universal mount. *Part Number: 125025* 



For use with blank 18x19 mini excavator mount machine to skid steer mount (45° angle). *Part Number: 125050* 



#### **SAFETY WINDSHIELDS** 1/2" THICK, MILLED EDGE INSERT



TL Series Fits Takeuchi model: TL250

Part Number: 203241



#### **Cab Machines**

Fits John Deere models: 318D, 319D, 320D, 323D, 326D, 328D, 329D, 332D, 333D

Part Number: 203251



**M Series** Fits Bobcat models: **S450**, **S510**, **S530**, **S550**, **S570**, **S590**, **S630**, S650, S750, S770, S850

Part Number: 203207



**SSV Series** Fits Kubota models: SSV65, SSV75

Part Number: 203263



**G Cab Machines** Fits John Deere models: 314G, 317G, 318G, 320G, 324G, 325G, 330G, 332G, 333G

Part Number: 203256



JCB

Fits models: 135, 150, 175, 190, 205, 210, 215, 225, 250, 260, 270, 280, 300, 320, 3TS-8T, 3TS-8W

Part Number: 203271



SVL Series Fits Kubota models: SVL75, SVL90, SVL95

Part Number: 203261



CAT Fits models: C Cab Machines

Part Number: 203212



G Series

Fits Bobcat models: 751, 753, 763, 863, 873, 883, S130, S150, S160, S170, S185, S205, S220, S250, S300, S330, T140, T180, T190, T200, T250, T300, T320, A220, A300

Part Number: 203205



Terex Fits models: ASV-TR75, VT70

Part Number: 203281

PARTS AND ACCESSORIES



### **SAFETY WINDSHIELDS** 1/2" THICK, MILLED EDGE INSERT



Gehl Fits model: RT250

Part Number: 203247



**Terex** Fits models: PT75, PT80

Part Number: 203283



**CAT** Fits models: D Cab Machines

Part Number: 203214



**Positrack** Fits models: ASV-RC85 and RC100

Part Number: 203266



PARTS AND ACCESSORIES

## MARKETING & PROMOTIONAL PRODUCTS

Blue Diamond<sup>®</sup> Attachments offers dealers a variety of marketing materials that provide product support and showcase the quality of Blue Diamond<sup>®</sup>. In addition to this full-color product catalog, we also offer a full-color, four-panel product overview brochure. This condensed version of our catalog acts as a great take-away piece for our customers. We offer our dealers brush cutters, mini machines, and full-size skid steer attachment banner stands. These attractive banners are a great addition to showrooms!

Our materials are available in digital and printed versions at no cost to Blue Diamond<sup>®</sup> dealers. Other marketing products include note pads, pens, gloves, hats, and 3-ring binders. Contact us for more information on Blue Diamond<sup>®</sup> marketing items!



# STORAGE & DISPLAY SOLUTIONS





4512 Anderson Road | Knoxville, TN 37918 ph 888-376-7027 | fax 865-246-2007 info@bluediamondattachments.com | BlueDiamondAttachments.com



© 2024 Blue Diamond<sup>®</sup> Attachments. All Rights Reserved.